



# Anesthesia and Analgesia

---

## Abstract Index Volume 66, 1987

Journal of the International Anesthesia Research Society



Abstract Index  
Volume 66, 1987

Published by the International Union of Pure and Applied Chemistry

## Author Index

- Abadir AR, Humayun SG, Calvello D, Gintautas J. Effects of isoflurane and oxytocin on gravid human uterus in vitro S1  
see Relkin T
- Abernethy DR, see Chelly JE
- Abou-Donia MM, see Murray DJ
- Abouleish AE, see Allen SJ
- Adenwala J, see Palacios QT
- Adkins R, see Wasudev G
- Ahmed S, see Kataria BK
- Albrecht RF, see Colavita RD
- Alexander GD, see Macon ME
- Ali HH, see Basta SJ
- Allen SJ, Cruz J, Abouleish AE, Miner ME. Immediate detection of critical transient hypoxic episodes in acute head injuries S2
- Alpen E, see Weber W
- Alvis M, see Glass P
- Amaral RVG, see Bello CN  
see Carvalho JCA
- Anderson CT, see Wong DH
- Anderson KD, see Broadman LM
- Angert KC, see Rogers AT
- Apfelbaum JL, see Metter SE
- Arden JR, Cannon JC, Lynam DP, Castagnoli KP, Canfell PC, Miller RD. Vecuronium pharmacokinetics and pharmacodynamics in hepatocellular disease S3
- Arndt JO, see Medert HA
- Ascher NL, see Belani KG  
see Estrin JA
- Avitable M, see Fyman P
- Avram MJ, see Matthew EB
- Baden JM, see Fujinaga M
- Badgwell JM, Cunliffe M, Lerman J. Heart rate and rhythm during induction of anesthesia with pentothal and halothane in children S4
- Bai S, see Glass P  
see Massagee JT
- Bailey PL, East KA, van Vreeswijk H, van de Pol P, Rozendaal W, Stanley IH, Pace NL. Antagonism of post-operative opioid induced respiratory depression: nalbuphine vs. naloxone S5
- Baldeck AM, see Metter SE
- Banner MJ, see Weber W
- Barash P, see Biondi JW
- Barsh PG, see Thys D
- Barker SJ, see Phan CQ
- Barnette RE, see Fish DJ
- Bashein G, see Tyson G
- Basta SJ, Ali HH, Savarese JJ, Stout R, Embree PB, Schwartz A, Halleam-Bottros L, Weakly JN. Comparative infusions of vecuronium and the new relaxant BW B1090U S6
- Baughman VL, Ryan CM, Glaser-Duval N, Becker GL, Curran MA. Effectiveness of triazolam, diazepam and placebo as pre-operative medication S7
- Bause GS. Intertubercular cervical plexus block: a new anesthetic technique S8
- Becker GL, see Baughman VL  
see Parnass SM
- Bedder MD, Kozody R, Craig DB. A comparison of bupivacaine and alkalized bupivacaine in brachial plexus anesthesia S9
- Bednarski B, see Medert HA
- Belani KG, Estrin JA, Ascher NL, Najarian JS, Bushman J, Buckley JJ. Reperfusion coagulopathy during human liver transplantation S10  
see Estrin JA
- Bello CN, Mathias L, Torres MA, Vasconcelos A, Amaral RVG. Evaluation of the effects of Ro 15-1788, in clinical anesthesia S11
- Belman AB, see Broadman LM
- Berman ML, see Hyman SA
- Berry AJ, see Isaacson IJ
- Besner JG, see Sloan PA
- Betts R, see Goldman E
- Bevan DP, see Curran MJ
- Biondi JW, Schulman DS, Hines RL, Matthay RA, Matthay MA, Soufer R, Barash P. The effect of PEEP on right ventricular diastolic pressure-volume relationships S12
- Bishop MJ, see Tyson G
- Bissonnette B, Lerman J. Single breath end-tidal  $PCO_2$  approximates arterial  $PCO_2$  in infants and children S13
- Block RI, Ghoneim MM, Kumar V, Pathak D, Hinrichs JV. Effects of nitrous oxide on direct and indirect tests of memory S14
- Bochenek KJ, Iovan SN, Brown EM. Continuous infusion epidural 0.125% bupivacaine/fentanyl and the second stage of labor S15  
Iovan SN, Brown EM, Zimcosky L. Pulmonary function with positional change and during bupivacaine vs. pontocaine spinal in obstetrics S16
- Bohannon TW, see Estes MD
- Boisvert DP, see Gelb AW
- Bonneville MA, see Solomons CC
- Bose D, see Ong BY
- Bosnjak ZJ, see Siker D
- Bottros MR, see Fahmy NR
- Bovill JG, see van Rheineck Leyssius AT
- Bowe EA, see Tarpey MM
- Brady MM, see Fee JPH
- Brajer J, see Horrow JC
- Braude BM, see Leiman BC
- Brauser SD, Cronnelly R. Does dopamine improve function of the transplanted kidney? S17
- Bresnan MJ, see Worthen HM
- Brett RS, see Flanigan KE
- Britt BA, see Cunliffe M
- Broadman LM, Hannallah RS, Norden JM, McGill WA. "Kiddie caudals": experience with 1154 consecutive cases without complications S18
- Hannallah RS, Norrie WC, Kapsten JE, Mundy GL, Belman AB, Anderson KD, Guzzetta PC. Caudal analgesia in pediatric outpatient surgery: a comparison of three different bupivacaine concentrations S19
- Mesrobian RB, McGill WA. Regional vs. general anesthesia: a survey of anesthesiologists' personal preference S20  
see Brown RE Jr.
- Broelsch CE, see Lichtor JL
- Brown DL, Bulley CK, Quiel EL. Neurolytic celiac plexus block for pancreatic cancer: effect of radiographic needle guidance and metastases S21
- Brown EM, see Bochenek KJ  
see Macon ME
- Brown RE Jr. Broadman LM. Patient-controlled analgesia (PCA) for postoperative pain control in adolescents S22
- Brownstein L, see Symreng T
- Brynes RK, see Finlayson DC
- Bubbers S, see Streisand JB
- Buckley JJ, see Belani KG  
see Estrin JA
- Bulley CK, see Brown DL
- Bullington J, Rigby J, Pinkerton M, Rogers D, Lewis T, Preganz P, Mouton S, Wood AJJ, Wood M. The effect of age on the adrenergic response to endotracheal intubation S23
- Bullington JC, see Hyman SA
- Burrows FA, see Gallagher T  
see Lucero VM  
see Stow PJ
- Bushman J, see Belani KG  
see Estrin JA
- Butler BD, see Katz J  
see Leiman BC
- Butt K, see Fyman P
- Cahalan MK, see Thys D
- Calvello D, see Abadir AR
- Canfell PC, see Arden JR
- Cannon JC, see Arden JR
- Carr DB, see Fahmy NR
- Carter JG, see Pearson KS

- Carvalho JCA, Mathias RS, Senra WG, Santos SRCJ, Amaral RVG. Epinephrine reduces neonatal gastric fluid content of bupivacaine during vaginal delivery S24
- Castagnoli KP, see Arden JR
- Casthely P, see Fyman P
- Chamberlain DP, see Henzmann JB
- Chan KH, see Mok MS
- Charchafieh J, see Fahmy NR
- Chelly JE, Hill DC, Merin RG, Dlewati A, Abernethy DR. Effect of verapamil on lidocaine pharmacokinetics and dynamics in conscious dogs S25  
see Hill DC
- Chen J, see Dubois M
- Cheng EY, see Kay J  
see Minkel DT
- Cheng M, Lee C, Katz RL, Nguyen NB. Sensitivity-adjusted priming consistently accelerates onset of vecuronium-induced neuromuscular block in cats S26
- Chew W, see Litt L
- Chi OZ, Moroz A, Field C. The effect of nitrous oxide-fentanyl anesthesia on visual evoked potentials in humans S27
- Chiu GJ, Stirt JA. Intraocular pressure after "crash" induction with vecuronium or atracurium plus low-dose narcotics S28
- Choi WW, see Murray DJ
- Chrubasik J, Geller E, Niv D, Zindler M. Morphine inhalation versus intravenous infusion in pain treatment after abdominal surgery S29  
see Meynadier J
- Chung F, Meier HMR, Lautenschlaeger E. Reduced confusion—spinal or general anaesthesia in the elderly S30  
see Lavelle PA
- Chung M, see Lichtor JL
- Chung SK, see Mok MS
- Clissold M, see Streisand JB
- Cohen H, see Matthew EB
- Cohen M, see Sampson IH
- Colavita RD, Pelligrino DA, Miletich DJ, Albrecht RF. Beagle puppy model of the neonatal brain: effect of halothane on regional blood flow and metabolism S31
- Coleman C, see Wasudev G
- Collins MS, see Isley MR
- Colonna-Romano P, see Horrow JC
- Conahan TJ III, see Kitz DS
- Contreras J, see Lam AM
- Cooper SC, see Symreng T
- Cork RC, Gallo JA, Puchi P. Histamine and hemodynamic response after atracurium vs. vecuronium S32
- Craig DB, see Bedder MD
- Cronau LH, see Leiman BC
- Cronnelly R, see Brauser SD
- Crooms J, see Rice L
- Croughwell N, see Fleggiani P
- Cruz J, see Allen SJ
- Crystal GJ, Rooney MW, Watkins KD, Salem MR. Lack of transmural plasma skimming in left ventricular free wall in isovolemic hemodilution in dogs S33
- Salem MR. Myocardial oxygenation in selective coronary hemodilution in dogs: effect of coronary insufficiency S34
- Cubler AJ, see Sosis M
- Cullen BF, see Tyson G
- Cunliffe M, Lerman J, Britt BA. Is prophylactic dantrolene indicated for MHS patients undergoing elective surgery? S35  
see Badgwell JM
- Curling PE, Zaidan JR, Murphy DA, Knopf WD, Reich KE. Evaluation of patients with pulmonary hypertension for orthotopic heart transplantation: nitroprusside vs. nitroglycerin S36
- Curran MA, see Baughman VL  
see Parnass SM
- Curran MJ, Donati F, Bevan DP. Onset and recovery of atracurium and succinylcholine blockade with simultaneous train-of-four and single twitch responses S38
- Danneels L, see Ramasubramanian R
- Davey FR, see Reagan JO
- Davis D, see Hill RF
- DeAnda A, see Maxwell MS
- DeBois WJ, Sharon I, Shevde K. Improved circulation during hypothermic cardiopulmonary bypass (CPB) utilizing a pulsatile device S39
- DeMars P, see Rice L
- Denson DD, see Henzmann JB
- DiFazio CA, see Lake CL
- Dimich I, see Gabrielson G  
see Profeta JP
- Dimick A, see Gregoretti S
- Dlewati A, see Chelly JE  
see Hill DC
- Dolman J, see Profeta JP
- Donati F, see Curran MJ
- Doss NW, see Relkin T
- Dowman R, see Gelb AW
- Downing JW, see Ramasubramanian R
- Doyle WA, McLaughlin G, Gravenstein N. Performance of injector-type vaporizer during high-frequency positive pressure ventilation S40
- Doze VA, Shafer A, White PF. Nausea and vomiting after outpatient anesthesia—effectiveness of droperidol alone and in combination with metoclopramide S41
- Drasner K, Fields HL. Synergy between the antinociceptive effects of intrathecal clonidine and systemic morphine in the rat S42
- Drummond JC, Moore SS, Zivin JA, Shapiro HM. The effect of hyperglycemia on neurologic outcome following spinal cord ischemia in the rabbit S43
- Du Pen SL. After epidural narcotics—what next for cancer pain control? S46
- Dubois M, Chen J, Thayer S, Narang P, Kaufman J, Hatendi A. Pharmacokinetics of alfentanil continuous i.v. infusion in neurosurgical patients S44
- Duckett JE, McDonnell T, Zebrowski M, Witte M. Lumbar versus thoracic continuous epidural sufentanil for postoperative analgesia after upper abdominal surgery S45
- Dundee JW, see Fee JPH  
see Milligan KR  
see Moore J
- Dunn GL, see Morison DH
- Durkin M, see Thys D
- Durrett LR, Yearwood TL, Mathew BP. Aortic blood flow acceleration measured by doppler ultrasound as an index of contractility in pigs S47
- Dykes V, see Purves PG
- East KA, see Bailey PL  
see Streisand JB
- Eger EI II, see Strum DP
- Eisele JH Jr. Golub MS. Maternal-fetal distribution of meperidine and alfentanil during labor in the rhesus monkey S48
- Eisenach JC, see Grice SC
- Eisenstaedt RS, see Fish DJ
- Elliot J, see Parris WCV
- Ellis JE, see Lichtor JL
- Embre PB, see Basta SJ
- Emond J, see Lichtor JL
- Eng P, see Gallagher T
- Entman S, see Kambam JR
- Erkola O, see Korttila K
- Estes MD, Bohannon TW. Effect of direction of catheter insertion on the quality of obstetric epidural analgesia S49
- Estrin JA, Belani KG, Bushman J, Stock P, Karnavas A, Ascher NL, Najarian JS, Buckley JJ. Massive transfusion during adult and pediatric liver transplants I: transfusion technique S50
- Bushman J, Stanley T, Wall R, Buckley JJ. Effects of halothane on global reversible and irreversible myocardial ischemia S51  
see Belani KG
- Fahey MR, Shi W-Z, Miller RD. Nitrous oxide augments the CNS



- stimulation by laudanosine in rabbits S52
- Fahmy NR, Bottros MR, Charchafieh J, Sunder N, Carr DB. A double-blind comparison of oxymorphone and fentanyl as supplements to nitrous oxide anesthesia S53
- Farrar K, see Murkin JM
- Fee JPH, Brady MM, Furness G, Moore J, Dundee JW. Has nalbuphine a place in severe pain? S54
- see Moore J
- Feinberg B, see Profeta JP
- Feinerman L, see Horrow JC
- Ferguson GG, see Lam AM
- Ferrell LD, see Strum DP
- Field C, see Chi OZ
- Fields HL, see Drasner K
- Finlayson DC, Murphy DA, Brynes RK, Hunter RL, Tobia V, Zellinger M, Keister C. Autotransfusion after cardiac surgery using new apparatus: alteration in blood and proteins S55
- Fischer R, Lubenow T, Liceaga A, McCarthy RJ, Ivankovich AD. A comparison of continuous epidural narcotic/local anesthetic mixtures for post-operative analgesia S56
- Fish DJ, Barnette RE, Eisenstaedt RS. Fresh frozen plasma: justification of perioperative use S57
- Fisher K, see Kambam JR
- Flanagan J, see Kambam JR
- Flanagan JFK, see Parris WCV
- Flanagan KE, Brett RS. Effects of isoflurane on single acetylcholine receptor channel kinetics S58
- Flezzani P, Croughwell N, McIntyre RW, Reves JG. Isoflurane blunts the norepinephrine response to cardiopulmonary bypass S59
- see McIntyre RW
- Flynn RJ, see Moore J
- Foldes FF, see Nguyen HD
- Forbes RB, see Murray DJ
- Fournell A, see Freye E
- Fraser RA, see Gowan JD
- Frederic MW, see Horrow JC
- Freye E, Fournell A. The benzodiazepine antagonist Ro 15-1788 reverses midazolam-induced EEG-changes postoperatively S60
- Froehlich JA, see Keh-Wong E
- Frolicher D, see Goldman E
- From RP, see Tredrea CR
- Fujinaga M, Baden JM, Mazze RI. Reproductive and teratogenic effects of nitrous oxide, fentanyl and their combinations in Sprague-Dawley rats S61
- Furness G, see Fee JPH
- Fyman P, Avitable M, Moser F, Reynolds J, Casthely P, Butt K, Kopman A. Sufentanil pharmacokinetics in patients undergoing renal transplantation S62
- Gaba DM, see Maxwell MS
- Gabrielson G, Lingham R, Dimich I, Singh P, Kaplan JA. Comparative study of labetalol and hydralazine in the treatment of postoperative hypertension S63
- Gallagher T, Lerman J, Volgyesi GA, Eng P, Burrows FA. Effects of halothane and isoflurane on the baroreceptor response in newborn swine S64
- Gallo JA, see Cork RC
- Gelb AW, Boisvert DP, Tang C, Lam AM, Marchak E, Dowman R, Lunt A. A comparison in primates of the tolerance to focal cerebral ischemia during isoflurane or nitroprusside induced hypotension S65
- Geller E, see Chrusasik J
- Gelman S, see Gregoretti S
- Gergis SD, see Murray DJ
- Gerson JL, see Reagan JO
- Ghoneim MM, see Block RI
- Gillmor ST, see Streisand JB
- Gintautas J, see Abadir AR
- see Relkin T
- Glaser-Duval N, see Baughman VL
- Glass P, Jacobs J, Quill T, Alvis M, Bai S, Reves JG. The efficacy of inhalation anesthesia vs intravenous anesthesia using a computer assisted infusion device S66
- Wilson W, Mace J, Ossey K, Maroof M. Assessment of the optimal priming dose for atracurium, pancuronium and vecuronium to obtain rapid onset muscle relaxation S67
- Glass PSA, see Leiman BC
- Glassenberg R, see Matthew EB
- Goldberg M, see Sosis M
- Goldberg ME, Marr AT, Starsnic MA, Ritter DE, Sosis M, Larijani GE. Does vecuronium accumulate in renal transplant patients? S68
- Seltzer JL, Sharifi-Azad S, Smullens SN, Marr AT, Larijani GE. Labetalol for control of post carotid endarterectomy hypertension S69
- see Seltzer JL
- see Sosis M
- Goldiner PL, see Nguyen HD
- see Svadjian E
- Goldman E, McDonald JS, Peterson SF, Stock MC, Betts R, Frolicher D. Transtracheal ventilation for complete upper airway obstruction in pigs S70
- Road JD, Grassino A. The effects of PEEP on canine diaphragmatic length S71
- Golub MS, see Eisele JH Jr.
- Gomez MN, see Pearson KS
- González-Méndez R, see Litt L
- Gowan JD, Hurtig JB, Fraser RA, Kitts J, Torbicki E. Lumbar epidural morphine and prophylactic naloxone infusions for post-thoracotomy analgesia: effects on quality of analgesia and side effects S72
- Grant GJ, Ramanathan S, Turndorf H. Maternal hemodynamic effects of ephedrine and phenylephrine S73
- Grassino A, see Goldman E
- Gravenstein N, see Doyle WA
- see Weber W
- Gravlee GP, see Rogers AT
- Greene WB, see Isley MR
- Gregoretti S, Gelman S, Dimick A, Proctor J. Effects of isoflurane on the hyperdynamic circulation of burned patients S74
- Grice SC, Eisenach JC, Prough DS. Intravenous regional anesthesia: effect of tourniquet size and type on leakage under the tourniquet S75
- Gros C, see Meynadier J
- Grucza J, see Tredrea CR
- Guffin A, see Profeta JP
- Guiraudon G, see Murkin JM
- Guth MW, see Shin YK
- Guzzetta PC, see Broadman LM
- Hadjuczek J, see Wong DH
- Hague B, see Streisand JB
- Hall RI, Szlam F, Hug CC Jr. Alfentanil is not a complete anesthetic in dogs S76
- Halleam-Bottros L, see Basta SJ
- Halpern S, Onayemi A, Swartz J, Rosaeg O. Does an epidural test dose prevent complications of epidural catheter insertion S77
- Hamilton WK, see Litt L
- Hammon J, see Kambam JR
- Handte RE, see Kambam JR
- Hannallah RS, see Broadman LM
- Harnik E, see Kataria BK
- Harrison DM, Sinatra RS. Oxymorphone for use in patient controlled analgesia—the ideal PCA drug? S78
- see Sinatra RS
- Hartley CJ, see Hill DC
- Hatendi A, see Dubois M
- Hazlehurst WM, see Wasudev G
- Henderson SK, see Matthew EB
- Henzmann JB, Chamberlain DP, Romer MC, Denson DD, Mathieu AM. Axillary brachial plexus block: effect of compounding bupivacaine and lidocaine on venous levels S79
- Hesslink EM, see van Rheineck Leyssius AT
- Higgs CMB, see Sellers WFS
- Hill DC, Chelly JE, Dlewati A, Hartley CJ, Merin RG. The effect of fentanyl on verapamil plasma levels and hemodynamics in dogs S80
- see Chelly JE

- Hill P, see Wasudev G  
Hill RF, Kates RA, Davis D, Reves JG.  
Anesthetic implications for  
management of patients with acute  
myocardial infarction: a matched  
cohort study of CABG operations  
S81  
Hiller JM, see Wang BC  
Hillman DE, see Wang BC  
Hines RL, see Biondi JW  
Hinrichs JV, see Block RI  
Hinshelwood L, see Rogers AT  
Hirshman CA, North FC, Kettelkamp N.  
Comparison of cutaneous and in  
vitro human mast cell histamine  
release by muscle relaxants S82  
Ho GH, see Streisand JB  
Hoka S, see Siker D  
Holland MJ, see Wang BC  
Hopwood M, see Kay J  
Horrow JC, Feinerman L, Colonna-  
Romano P, Brajer J, Rosenberg H.  
Urine output affects urinary  
catheter temperature during rapid  
warming S83  
Metz S, Thickman D, Frederic MW.  
Prior carotid surgery does not affect  
ability to locate the internal jugular  
vein S84  
Hovorka J, see Korttila K  
Howe JP, see Milligan KR  
Howie MB, see Mortimer WG  
Hug CC Jr. see Hall RI  
Hughes G, see Vinik HR  
Hügler P, see Weber W  
Humayun SG, see Abadir AR  
Hunter RL, see Finlayson DC  
Hurtig JB, see Gowan JD  
Hyman SA, Berman ML, Bullington JC,  
Rogers WD, Skelley CC. Brainstem  
auditory evoked potentials during  
balanced anesthesia with a  
sufentanil infusion S85  
Iovan SN, see Bochenek KJ  
Isaacson IJ, Weitz FI, Berry AJ, Knos GB,  
Venner DS. Intrathecal morphine's  
effect on the postoperative course  
of patients undergoing abdominal  
aortic surgery S86  
Isley MR, Kafer ER, Lucas WJ, Maccioli  
GA, Owen HG, Collins MS,  
Greene WB. The hemodynamic and  
oxygen transport responses to  
automated acute normovolemic  
hemodilution S87  
Israel I, see Sessler DI  
Ivankovich AD, see Fischer R  
see Keh-Wong E  
see Logas WG  
see Tuman KJ  
Ivankovich O, see Keh-Wong E  
Jacobs J, see Glass P  
Jacobs JR, Maier GW, Rankin JS, Reves  
JG. Effect of esmolol on left  
ventricular function in the awake  
dog S88  
Jacobson L, Kokri MS, Pridie AK.  
Intrathecal diamorphine: efficacy,  
duration, optimal dose and side  
effects S89  
James T, see Litt L  
Johnson BH, see Strum DP  
Jones MM, see Palacios QT  
Joyce TH III, see Palacios QT  
Jurado R, see Profeta JP  
Kafer ER, see Isley MR  
Kalayjian R, see Sugioka K  
Kalkman CJ, see van Rheineck Leyssius  
AT  
Karabam JR, Handte RE, Flanagan J,  
Fisher K, Lupinetti M, Hammon J.  
Intraleural anesthesia for post  
thoracotomy pain relief S90  
Mouton S, Entman S, Parris WCV,  
Wasudev G, Sastry BVR, Naukam  
RJ, Linn J, Smith BE. Effect of  
preeclamptic pregnancy on plasma  
pseudocholinesterase activity S91  
see Parris WCV  
see Wasudev G  
Kampine JP, see Siker D  
Kaplan JA, see Gabrielson G  
see Profeta JP  
see Sampson IH  
see Thys D  
Kapsten JE, see Broadman LM  
Kapur PA, see Makela VHM  
Karnavas A, see Estrin JA  
Kataria BK, Harnik E, Mitchard R, Kim Y,  
Ahmed S. Postoperative arterial  
oxygen saturation in the pediatric  
population during transportation  
S92  
Kates RA, see Hill RF  
see Massagee JT  
Katz J, Warters RD, Leiman BC, Laine  
GL, Kurusz M, Butler BD.  
Distribution of arterial air emboli:  
effect of the Trendelenberg position  
in dogs S93  
see Leiman BC  
Katz RL, see Cheng M  
Kaufman J, see Dubois M  
Kay J, Cheng EY, Hopwood M, Minkel  
DT. Neuroendocrine response to  
prolonged isoflurane anesthesia for  
reconstructive surgery S94  
see Minkel DT  
Keh-Wong E, Lubenow T, Froehlich JA,  
Kristof K, Ivankovich O,  
Ivankovich AD. Subdural block  
following epidural injection of low-  
dose bupivacaine S95  
Keister C, see Finlayson DC  
Kettelkamp N, see Hirshman CA  
Kim CH, see Shin YK  
Kim J-M, Reed K. Changes in PvO<sub>2</sub> of  
cutaneous vein during spinal  
anesthesia S96  
Kim Y, see Kataria BK  
Kirk DL, see Ramasubramanian R  
Kitts J, see Gowan JD  
Kitz DS, Lecky JH, Slusarz-Ladden C,  
Conahan TJ III. Inpatient vs. day  
surgery: differences in resource  
use, patient volume and anesthesia  
reimbursement S97  
see Metter SE  
Klein EF Jr. see Tarpey MM  
Knopf WD, see Curling PE  
Knos GB, see Isaacson IJ  
Kokri MS, see Jacobson L  
Kolff J, see Symreng T  
Konchigeri HN, see Wong DH  
Kopf GS, see Oh TH  
Kopman A, see Fyman P  
Korttila K, Hovorka J, Erkola O. Omission  
of nitrous oxide does not decrease  
the incidence or severity of emetic  
symptoms after isoflurane  
anesthesia S98  
Kozody R, see Bedder MD  
Kraynack BJ, see Tarpey MM  
Kristof K, see Keh-Wong E  
Kuban KCK, see Worthen HM  
Kumar V, see Block RI  
Kurusz M, see Katz J  
Laine GL, see Katz J  
Lake CL, DiFazio CA. Sufentanil versus  
fentanyl: hemodynamic effects in  
valvular heart disease S99  
Lam AM, Manninen PH, Contreras J,  
Ferguson GG, Nantau WE.  
Monitoring of somatosensory  
evoked potentials during carotid  
endarterectomy S100  
see Gelb AW  
LaMantia KR, see Oh TH  
Lamb LS, see Tarpey MM  
Larijani G, see Sosis M  
Larijani GE, see Goldberg ME  
see Seltzer JL  
see Sosis M  
Lautenschlaeger E, see Chung F  
Lavelle PA, Chung F, McDonald S,  
McDonald NJ. Cataract operation—  
inpatient or outpatient? S101  
Lawson D, see Loeb RG  
Lecky JH, see Kitz DS  
see Metter SE  
Lecomte JM, see Meynadier J  
Lee C, see Cheng M  
see Tsai SK  
Lee TY, see Mok MS  
Lefer AM, see Seltzer JL  
Lefkowitz M, see Sampson IH  
Leiman BC, Braude BM, Glass PSA,  
Cronau LH, Katz J, Butler BD,  
Stanley TH. PaO<sub>2</sub> during

- preoxygenation: the influence of face mask fit, time and preoperative pulmonary function S102
- Warters RD, Katz J, Salzarulo HH, Butler BD. Minimizing friction in glass syringes for locating the epidural space S103
- see Katz J
- Lerman J, see Badgwell JM
- see Bissonnette B
- see Cunliffe M
- see Gallagher T
- see Lucero VM
- see Stow PJ
- Leslie JB, see McIntyre RW
- Lewis T, see Bullington J
- Liceaga A, see Fischer R
- Lichter JL, Ellis JE, Uitvlugt A, Chung M, Lin CY, Thisthelthwaite JR, Emond J, Broelsch CE, Roizen MF. Transesophageal echocardiography during liver transplantation S104
- Lin CY, see Lichter JL
- Lingham R, see Gabrielson G
- Linn J, see Kambam JR
- Lippmann M, see Mok MS
- Litt L, González-Méndez R, James T, Chew W, Moseley M, Mills P, Sessler D, Severinghaus JW, Hamilton WK. An in vivo  $^{19}\text{F}$  NMR study at 5.6 Tesla of halothane uptake and elimination in anesthetized rats S105
- Lloyd T, see Murray DJ
- Loeb RG, Ross WT Jr, Lawson D. How modern anesthesia machines respond to decreases in oxygen line pressure S106
- Logas WG, McCarthy RJ, Narbone RF, Ivankovich AD. Analysis of the accuracy of the anesthetic record S107
- Longmire S, see Palacios QT
- Lovitz M, see Ramanathan S
- Lubenow T, see Fischer R
- see Keh-Wong E
- Lucas WJ, see Isley MR
- Lucero VM, Lerman J, Burrows FA. Onset of neuromuscular blockade with pancuronium in children with cyanotic and acyanotic disease S108
- Ludgrove T, see Sugioka K
- Lunt A, see Gelb AW
- Lupinetti M, see Kambam JR
- Luxton MC, see Ramasubramanian R
- Lynam DP, see Arden JR
- Maccioli GA, see Isley MR
- Mace J, see Glass P
- MacIntyre CJ, see Ong BY
- MacKrell T, see Vinik HR
- Macon ME, Alexander GD, Brown EM.
- Ultrasonic nebulization of lidocaine: safety and efficacy S109
- Mahoney L, see Murray DJ
- Maier GW, see Jacobs JR
- Makela VHM, Kapur PA. Can amrinone reverse verapamil-propranolol induced cardiac depression during isoflurane anesthesia in dogs? S110
- Maldarelli B, see Svadjian E
- Manninen PH, see Lam AM
- Marchak E, see Gelb AW
- Maroof M, see Glass P
- Maroun J, see Sloan PA
- Marr AT, see Goldberg ME
- see Sosis M
- Martino-Saltzman D, see Stallworth JM
- Martyn JAJ, see Mills A
- Massagee JT, Kates RA, Bai S, McIntyre RW, Reves JG. Do calcium channel blockers alter vascular responsiveness? S111
- Mathew BP, see Durrett LR
- Mathias L, see Bello CN
- Mathias RS, see Carvalho JCA
- Mathieu AM, see Henzmann JB
- Matteo RS, see Schwartz AE
- Matthay MA, see Biondi JW
- Matthay RA, see Biondi JW
- Matthew EB, Henderson SK, Avram MJ, Glassenberg R, Cohen H. Epidural hydromorphone versus epidural morphine for postcesarean section analgesia S112
- Maxwell MS, DeAnda A, Vickery R, Gaba DM. Lactate extraction and myocardial damage following countershock at different energy levels S113
- Mazze RI, see Fujinaga M
- McCarthy RJ, see Fischer R
- see Logas WG
- see Tuman KJ
- McClellan E, see Moore J
- McDonald JS, see Goldman E
- McDonald NJ, see Lavelle PA
- McDonald S, see Lavelle PA
- McDonnell T, see Duckett JE
- McGill WA, see Broadman LM
- McIntyre RW, Flezzani P, Leslie JB, Xuan YT, Su YF, Watkins WD. Atrial natriuretic peptide and cardiac function following cardiac surgery S114
- see Flezzani P
- see Massagee JT
- McLaughlin G, see Doyle WA
- McLeod ME, see Stow PJ
- Medert HA, Bednarski B, Arndt JO. Nalbuphine does not exert agonist, but only opiate antagonist action in awake dogs S115
- Mehta MP, see Murray DJ
- Meier HMR, see Chung F
- Merin RG, see Chelly JE
- see Hill DC
- Mesrobian RB, see Broadman LM
- Metter SE, Kitz DS, Young ML, Baldeck AM, Apfelbaum JL, Lecky JH. Nausea and vomiting after outpatient laparoscopy: incidence, impact on recovery room stay and cost S116
- Metz S, see Horrow JC
- Meynadier J, Gros C, Lecomte JM, Chrusasik J, Schwartz JC. Analgesic effectiveness of intrathecal inhibitors of enkephalinase and aminopeptidase in man S117
- Mikula S, see Profeta JP
- see Sampson IH
- Miletich DJ, see Colavita RD
- Miller ED Jr, see Schwenzer KJ
- Miller RD, see Arden JR
- see Fahey MR
- Milligan KR, Howe JP, O'Toole DP, Dundee JW. Outpatient anesthesia: recovery after propofol, methohexital and thiopental S118
- Mills A, Martyn JAJ. Evaluation of vecuronium neuromuscular blockade in pediatric patients with thermal injury S119
- Mills P, see Litt L
- Miner ME, see Allen SJ
- Minkel DT, Kay J, Cheng EY, Munshi C. Reducing blood loss from nasotracheal intubation by combining a warmed tube with vasoconstrictors S120
- see Kay J
- Mitchard R, see Kataria BK
- Mok MS, Chan KH, Chung SK, Lee TY, Lippmann M. Evaluation of the analgesic effect of epidural ketamine S121
- see Tsai SK
- Moore J, Flynn RJ, Wilson CM, Fee JPH, McClellan E, Dundee JW. The effect of  $\text{H}_2$  receptor blockers on bupivacaine disposition S122
- see Fee JPH
- Moore SS, see Drummond JC
- Morison DH, Dunn GL. A comparative study of diprivan and thiopental as induction agents in dental patients S123
- Moroz A, see Chi OZ
- Morris MW, see Reagan JO
- Morris RB, see Thys D
- Mortimer WG, Howie MB, Rathburn SD, Rogers L. Incidence of brachial plexus stimulation during internal jugular vein cannulation S124
- Moseley M, see Litt L
- Moser F, see Fyman P

- Mouton S, see Bullington J  
see Kambam JR
- Moyers JR, see Pearson KS
- Mundy GL, see Broadman LM
- Munshi C, see Minkel DT
- Murkin JM, Farrar K, Tweed AW, Guiraudon G. The influence of non-pulsatile normothermic perfusion on cerebral blood flow and metabolism S125
- Murphy DA, see Curling PE  
see Finlayson DC
- Murray DJ, Mehta MP, Sokoll MD, Choi WW, Forbes RB, Gergis SD, Abou-Donia MM, Rudd GD. The neuromuscular pharmacology of BW A938U during isoflurane anesthesia S126
- Vandewalker G, Mahoney L, Lloyd T. Fluid replacement: cardiovascular responses of infants during halothane and isoflurane anesthesia S127
- Murray H, see Ramasubramanian R
- Nagashima H, see Nguyen HD
- Najarian JS, see Belani KG  
see Estrin JA
- Nantau WE, see Lam AM
- Narang P, see Dubois M
- Narbone RF, see Logas WG
- Naukam RJ, see Kambam JR
- Nelson P, see Streisand JB
- Ngeow JYF, see Oh TH
- Nguyen HD, Goldiner PL, Rabinowitz A, Nagashima H, Foldes FF. The neuromuscular effects of pipecuronium under enflurane anesthesia S128
- Nguyen NB, see Cheng M
- Nigrovic V, Smith S. Inactivation pathways of atracurium: evidence for an additional route S129
- Niv D, see Chrubasik J
- Norden JM, see Broadman LM
- Norrie WC, see Broadman LM
- North FC, see Hirshman CA
- Oates RP, see Reagan JO
- Oh TH, LaMantia KR, Ngeow JYF, Kopf GS. Protamine requirement following cardiopulmonary bypass in children S130
- Oka Y, see Svadjian E
- Onayemi A, see Halpern S
- Ong BY, MacIntyre CJ, Bose D, Sitar DS, Sutherland GR, Palahniuk RJ. Lidocaine prevents loss of cerebral blood flow autoregulation after asphyxia in newborn lambs S131
- Ornstein E, see Schwartz AE
- Ossey K, see Glass P
- O'Toole DP, see Milligan KR
- Ovassapian A. A new fiberoptic intubating airway S132
- Overfield DM, see Tuman KJ
- Owen HG, see Isley MR
- Pace NL, see Bailey PL  
see Streisand JB
- Palacios QT, Jones MM, Tessem J, Adenwala J, Longmire S, Joyce TH III. Comparison of epidural butorphanol and morphine for analgesia cesarean section S133
- Palahniuk RJ, see Ong BY
- Parnass SM, Curran MA, Becker GL. Comparative hypotensive responses of the carbonated and hydrochloride salts of lidocaine in epidural blocks S134
- Parris WCV, Kambam JR, Flanagan JFK, Elliott J. The effects of metoclopramide on intraocular pressure S135
- Scott HW, Smith BE. Value of skin tests in anesthetic management of systemic mastocytosis S136  
see Kambam JR
- Pathak D, see Block RI  
see Tredrea CR
- Paulsen AW, Valek TR, Ramsay M, Swygert TH, Walling PT. Anesthesia for liver transplantation with veno-venous bypass: physiologic considerations S137
- Pearson KS, see Gomez MN, Carter JG, Moyers JR, Tinker JH. A cost/benefit analysis of randomized invasive monitoring in cardiac surgery S138
- Pelligrino DA, see Colavita RD
- Peter K, see Weber W
- Peterson SF, see Goldman E
- Phan CQ, Tremper KK, Barker SJ. Noninvasive monitoring of carbon dioxide: transcutaneous versus end-tidal PCO2 S139
- Phillips GH. Epidural sufentanil in labor S140
- Phipps J, see Rogers AT
- Pillalmarri ED, see Relkin T
- Pinkerton M, see Bullington J
- Posthuma W, see Streisand JB
- Pozos M, see Sessler DI
- Pozos R, see Sessler DI
- Preganz P, see Bullington J
- Pridie AK, see Jacobson L
- Proctor J, see Gregoretti S
- Profeta JP, Dimich I, Feinberg B, Shiang H, Jurado R, Kaplan JA. Reversal of the adverse cardiovascular effects of intravenous diltiazem in anesthetized dogs S141
- Guffin A, Mikula S, Dolman J, Kaplan JA. The hemodynamic effects of propofol and thiamylal sodium for induction in coronary artery surgery S142
- Prough DS, see Grice SC  
see Rogers AT
- Puchi P, see Cork RC
- Puig MM, see Ramanathan S
- Purves PG, Sperring SJ, Dykes V, Stanley TD. Improved postoperative analgesia: epidural vs patient controlled intravenous morphine S143
- Quiel EL, see Brown DL
- Quill T, see Glass P
- Rabinowitz A, see Nguyen HD
- Rajashekara SV, see Wong DH
- Ramanathan S, Puig MM, Lovitz M, Turndorf H. Plasma beta-endorphin levels in term and preterm neonates S144  
see Grant GJ
- Ramasubramanian R, Murray H, Danneels L, Kirk DL, Symonds EM, Luxton MC, Downing JW. Fetal electrocardiographic changes following lumbar epidural analgesia in labor S145
- Ramsay M, see Paulsen AW
- Rankin JS, see Jacobs JR
- Rathburn SD, see Mortimer WG
- Reagan JO, Gerson JJ, Davey FR, Oates RP, Morris MW. Intermittent low dose N<sub>2</sub>O does not cause megaloblastic anemia S146
- Reed K, see Kim J-M
- Reich KE, see Curling PE
- Relkin T, Pillalmarri ED, Doss NW, Gintautas J, Abadir AR. Chloroprocaine, lidocaine, bupivacaine and arterial blood flow in fibroid human uterus S147
- Reves JG, see Flezzani P  
see Glass P  
see Hill RF  
see Jacobs JR  
see Massagee JT
- Reynolds J, see Fyman P
- Rice L, DeMars P, Crooms J, Whalen T. Duration of spinal anesthesia in infants under one year of age: comparison of three drugs S148
- Rigby J, see Bullington J
- Ritter DE, see Goldberg ME  
see Seltzer JL
- Road JD, see Goldman E
- Rogers AT, Stump DA, Gravlee GP, Prough DS, Angert KC, Phipps J, Hinshelwood L. Preservation of cerebral autoregulation during cardiopulmonary bypass S149
- Rogers D, see Bullington J
- Rogers L, see Mortimer WG
- Rogers WD, see Hyman SA
- Roizen MF, see Lichtor JL
- Romer MC, see Henzmann JB
- Rooney MW, see Crystal GJ
- Rosaeg O, see Halpern S
- Rosenberg H, see Horrow JC
- Ross WT Jr. see Loeb RG



- Roy WL, see Stow PJ  
 Rozendaal W, see Bailey PL  
 Rubinstein E, see Sessler DI  
 Rudd GD, see Murray DJ  
 Ryan CM, see Baughman VL  
 Salem MR, see Crystal GJ  
 Salzarulo HH, see Leiman BC  
 Sampson IH, Lefkowitz M, Cohen M, Mikula S, Kaplan JA. A comparison of propofol and methohexital for anesthesia by continuous infusion S150  
 Santos SRCJ, see Carvalho JCA  
 Sastry BVR, see Kambam JR  
 Savarese JJ, see Basta SJ  
 Schulman DS, see Biondi JW  
 Schwartz A, see Basta SJ  
 Schwartz AE, Matteo RS, Ornstein E, Thornhill M. Pharmacokinetics of sufentanil in hyperventilated patients S151  
 Schwartz JC, see Meynadier J  
 Schwenzer KJ, Miller ED Jr. Hemodynamic effects of dobutamine in patients undergoing mitral valve replacement S152  
 Scott HW, see Parris WCV  
 Seagard JL, see Siker D  
 Sebel PS, see Sugioka K  
 Sellers WFS, Higgs CMB. Comparison of tracheal oxygen concentrations using Hudson mask, nasal cannula and nasal catheter S153  
 Seltzer JL, Goldberg ME, Larijani GE, Ritter DE, Starsnic MA, Stahl GL, Lefer AM. Vasodilation resulting from mesenteric traction is mediated by prostacyclin (PGI<sub>2</sub>) S154  
   see Goldberg ME  
 Senra WG, see Carvalho JCA  
 Sessler D, see Litt L  
 Sessler DI, Israel I, Pozos R, Pozos M, Rubinstein E. An EMG analysis of rhythmic muscular activity during recovery from isoflurane anesthesia S155  
   Rubinstein E. Core temperature changes during N<sub>2</sub>O/fentanyl and halothane/O<sub>2</sub> anesthesia S156  
 Severinghaus JW, see Litt L  
 Shafer A, see Doze VA  
 Shapiro HM, see Drummond JC  
 Sharifi-Azad S, see Goldberg ME  
 Sharon I, see DeBois WJ  
 Shaw B, see Vinik HR  
 Shevde K, see DeBois WJ  
 Shi W-Z, see Fahey MR  
 Shiang H, see Profeta JP  
 Shin YK, Kim CH, Guth MW. Postpartum hyperreflexia following general anesthesia in cesarean section patients S157  
 Siker D, Hoka S, Bosnjak ZJ, Seagard JL, Kampine JP. Influences of halothane and isoflurane of baroreflex control of vascular capacitance in the dog S158  
 Simon EJ, see Wang BC  
 Sinatra RS, Harrison DM. A comparison of oxymorphone and fentanyl as narcotic supplements to general anesthesia S159  
   see Harrison DM  
 Singh P, see Gabrielson G  
 Sitar DS, see Ong BY  
 Skelley CC, see Hyman SA  
 Sloan PA, Thirlwell M, Maroun J, Besner JG. The pharmacokinetics of sustained-release morphine tablets and oral morphine solution: a multicentre double-blind crossover trial S160  
 Slusarz-Ladden C, see Kitz DS  
 Smith BE, see Kambam JR  
   see Parris WCV  
 Smith DE, see Youngberg JA  
 Smith S, see Nigrovic V  
 Smullens SN, see Goldberg ME  
 Sokoll MD, see Murray DJ  
 Solanki DR. Epidural fentanyl for relief of lower extremity tourniquet pain in orthopedic surgery S161  
 Solomons CC, Bonneville MA, Zsigmond EK. In vitro response to halothane of human platelets in malignant hyperthermia S162  
 Sosis M, Goldberg ME, Marr AT, Cubler AJ, Larijani GE. Atracurium and vecuronium do not affect extraocular muscle function after outpatient surgery S164  
   Goldberg M, Marr AT, Cubler AJ, Larijani G. Succinylcholine does not contribute to postoperative pain after outpatient laparoscopy S163  
   see Goldberg ME  
 Soufer R, see Biondi JW  
 Speir A, see Sugioka K  
 Sperring SJ, see Purves PG  
 Spiess BD, see Tuman KJ  
 Stahl GL, see Seltzer JL  
 Stallworth JM, Martino-Saltzman D. Comparison of benzodiazepine premedications triazolam and diazepam: amnesia, anxiolysis, and sedation S165  
 Stanley IH, see Bailey PL  
 Stanley T, see Estrin JA  
 Stanley TD, see Purves PG  
 Stanley TE III, Sweeney MF. Calcium channel blockers and calcium administration during weaning from cardiopulmonary bypass S166  
 Stanley TH, see Leiman BC  
   see Streisand JB  
 Stanley TO, see Streisand JB  
 Starsnic MA, see Goldberg ME  
   see Seltzer JL  
 Steffey EP, see Strum DP  
 Stemmer EA, see Wong DH  
 Stirt JA. Accelerated recovery from combined atracurium-vecuronium neuromuscular blockade in man S167  
   see Chiu GJ  
 Stock MC, see Goldman E  
 Stock P, see Estrin JA  
 Stocking-Korzen R, see Streisand JB  
 Stout R, see Basta SJ  
 Stow PJ, Burrows FA, Lerman J, Roy WL. Effect of premedication on oxygen saturation in children with cyanotic congenital heart disease S168  
   McLeod ME, Burrows FA. Anterior fontanel pressure response to endotracheal intubation in neonates and young infants S169  
 Streisand JB, Hague B, van Vreeswijk H, Ho GH, Pace NL, Clissold M, Nelson P, East KA, Stanley TO, Stanley TH. Oral transmucosal fentanyl premedication in children S170  
   Nelson P, Bubbers S, Stocking-Korzen R, Posthuma W, East KA, Gillmor ST, Stanley TH. The respiratory effects of propofol with and without fentanyl S171  
 Strum DP, Eger EI II, Johnson BH, Steffey EP, Ferrell LD. Toxicity of sevoflurane in rats S172  
 Stump DA, see Rogers AT  
 Su YF, see McIntyre RW  
 Sugioka K, Sebel PS, Kalayjian R, Ludgrove T, Speir A. The effect of pretreatment with curare on neuromuscular transmission S173  
 Sullivan KF, see Worthen HM  
 Sunder N, see Fahmy NR  
 Sutherland GR, see Ong BY  
 Svadjian E, Goldiner PL, Maldarelli B, Oka Y. Importance of maintaining constant (euthermic) ventilation during hypothermic cardiopulmonary bypass S174  
 Swartz J, see Halpern S  
 Sweeney MF, see Stanley TE III  
 Swift DA, see Symreng T  
 Swygert TH, see Paulsen AW  
 Symonds EM, see Ramasubramanian R  
 Symreng T, Cooper SC, Swift DA, Kolff J, Brownstein L. Can respiratory alkalosis delay ventricular fibrillation during hypothermic cardiopulmonary bypass? S175  
 Szlam F, see Hall RI  
 Tan E, see Wong DH  
 Tang C, see Gelb AW  
 Tarpey MM, Bowe EA, Lamb LS, Kraynack BJ, Klein EF Jr. Effect of

- nalbuphine in canine hemorrhagic shock S176
- Tessem J, see Palacios QT
- Texidor MS, see Youngberg JA
- Thayer S, see Dubois M
- Thickman D, see Horrow JC
- Thirlwell M, see Sloan PA
- Thistlethwaite JR, see Lichtor JL
- Thornhill M, see Schwartz AE
- Thys D, Durkin M, Morris RB, Cahalan MK, Kaplan JA, Barash PG.  
Isosorbide dinitrate vs nitroglycerin for the control of perioperative hypertension S177
- Tinker JH, see Pearson KS
- Tobia V, see Finlayson DC
- Torbicki E, see Gowan JD
- Torres MA, see Bello CN
- Tredrea CR, Pathak D, From RP, Gruzca J. Lung protection in children during extracorporeal shock-wave lithotripsy S178
- Tremper KK, see Phan CQ  
see Wong DH
- Tsai SK, Mok MS, Lee C. Ketamine potentiates pancuronium-induced neuromuscular block S179
- Tuman KJ, McCarthy RJ, Overfield DM, Ivankovich AD. Effects of nitrous oxide during ventricular and coronary air embolism in swine S180
- Spiess BD, McCarthy RJ, Ivankovich AD. Does euvoletic crystalloid replacement of blood loss produce hypocoagulability? S181
- Turndorf H, see Grant GJ  
see Ramanathan S  
see Wang BC
- Tweed AW, see Murkin JM
- Tyson G, Bishop MJ, Bashein G, Cullen BF. Prolonged anesthesia with nitrous oxide: is it hazardous? S182
- Uitvlugt A, see Lichtor JL
- Valek TR, see Paulsen AW
- van de Pol P, see Bailey PL
- van Rheineck Leyssius AT, Kalkman CJ, Hesselink EM, Bovill JG. Effects of high dose fentanyl anesthesia on posterior tibial nerve somatosensory evoked potentials S183
- van Vreeswijk H, see Bailey PL  
see Streisand JB
- Vandewalker G, see Murray DJ
- Vasconcelos A, see Bello CN
- Vennes DS, see Isaacson JJ
- Vickery R, see Maxwell MS
- Vinik HR, Shaw B, MacKrell T, Hughes G. A comparative evaluation of propofol for the induction and maintenance of general anesthesia S184
- Volgyesi GA, see Gallagher T
- Wall R, see Estrin JA
- Walling PT, see Paulsen AW
- Wang BC, Hiller JM, Holland MJ, Simon EJ, Hillman DE, Turndorf H. Distribution of <sup>3</sup>H morphine following lumbar subarachnoid administration in rabbits S185
- Warters RD, see Katz J  
see Leiman BC
- Wasudev G, Kambam JR, Hazlehurst WM, Hill P, Adkins R, Coleman C. Comparative study of sufentanil and isoflurane in outpatient surgery S186  
see Kambam JR
- Watkins KD, see Crystal GJ
- Watkins WD, see McIntyre RW
- Weber W, Alpen E, Gravenstein N, Banner MJ, Hügler P, Peter K. Inhalation anesthesia during high frequency jet ventilation for extracorporeal shock wave therapy of gallbladder stones S187
- Weakly JN, see Basta SJ
- Weitz FD, see Isaacson JJ
- Whalen T, see Rice L
- White PF, see Doze VA
- Wilson CM, see Moore J
- Wilson W, see Glass P
- Witte M, see Duckett JE
- Wong DH, Anderson CT, Rajashekara SV, Konchigeri HN. Severe chronic obstructive pulmonary disease and non-thoracic operations: incidence of postoperative pulmonary complications S188
- Tremper KK, Hadjuczek J, Konchigeri HN, Stemmer EA, Tan E, Zaccari J. Noninvasive preoperative cardiovascular assessment and intraoperative hypotension S189
- Wood AJJ, see Bullington J
- Wood M, see Bullington J
- Worthen HM, Kuban KCK, Sullivan KF, Bresnan MJ. A national survey of anesthetic complications in children with Duchenne's muscular dystrophy S190
- Xuan YT, see McIntyre RW
- Yearwood TL, see Durrett LR
- Young ML, see Metter SE
- Youngberg JA, Texidor MS, Smith DE. A comparison of induction and maintenance of anesthesia with propofol to induction with thiopental and maintenance with isoflurane S191
- Zaccari J, see Wong DH
- Zaidan JR, see Curling PE
- Zebrowski M, see Duckett JE
- Zellinger M, see Finlayson DC
- Zimcosky L, see Bochenek KJ
- Zindler M, see Chrubasik J
- Zivin JA, see Drummond JC
- Zsigmond EK, see Solomons CC



# Subject Index

- Air**, see Embolism
- Alfentanil**, see Analgesics
- Anesthetics**, intravenous
- Ambulatory anesthesia**, see Anesthesia, outpatient
- Amrinone**, see Pharmacology
- Analgesics**
- alfentanil
- effect in dogs S76
- IV infusion pharmacokinetics S44
- meperidine and maternal-fetal distribution S48
- butorphanol, vs morphine S133
- fentanyl
- effects on SEP S183
- hemodynamic effects vs sufentanil S99
- and nitrous oxide anesthesia S53
- oral premedication S170
- vs oxymorphone as anesthetic supplement S159
- heroin, optimum dose and effects S89
- morphine
- abdominal surgery S29
- vs butorphanol S133
- distribution after injection S185
- inhalation vs IV infusion S29
- pharmacokinetics S160
- postoperative effect S86
- nalbuphine
- antagonist action S115
- hemorrhagic shock S176
- severe pain S54
- oxymorphone
- vs fentanyl as anesthetic supplement S159
- and nitrous oxide anesthesia S53
- patient-controlled analgesia S78
- spinal
- clonidine S42
- morphine S42
- Thiorphan and bestatin S117
- sufentanil
- hemodynamic effects vs fentanyl S99
- during labor S140
- pharmacokinetics S151
- postoperative analgesia S45
- renal transplantation S62
- Anesthesia**
- cardiovascular
- coronary artery bypass grafting S81
- maintenance of constant ventilation during S174
- nitroprusside vs nitroglycerin S36
- pulmonary hypertension S37
- use of pulsatile device during S39
- and ventricular fibrillation S175
- general
- inhalational vs intravenous S66
- vs spinal S20
- neurosurgical, detection of hypoxia during S2
- obstetric
- bupivacaine-fentanyl S15
- direction of catheter insertion S49
- and fetal ECG changes S145
- hydromorphone vs morphine S112
- morphine vs butorphanol S133
- postpartum hyperreflexia S157
- ophthalmologic, inpatient vs outpatient S101
- outpatient
- vs inpatient S97
- nausea and vomiting S116, S41
- sufentanil vs isoflurane S186
- pediatric
- arterial oxygen saturation S92
- cardiovascular response S127
- caudal blocks with bupivacaine S19
- drug comparison S148
- safe caudal blocks S18
- spinal, vs general S20
- urologic, lithotripsy S178, S187
- Anesthetic techniques**
- caudal, bupivacaine in children S19
- epidural
- bupivacaine in children S19
- bupivacaine-fentanyl S15
- cancer S46
- direction of catheter insertion S49
- friction in glass syringes S103
- hydromorphone vs morphine S112
- ketamine S121
- lidocaine and hypotension S134
- morphine vs butorphanol S133
- morphine and naloxone S72
- pain S46
- prevention of complications S77
- safe caudal blocks S18
- subdural block S95
- sufentanil S140
- hypotensive
- dinitrate vs nitroglycerin S177
- use of isoflurane S65
- regional
- axillary block S79
- celiac plexus block S21
- cervical block S8
- intravenous S75
- and tourniquet use S75
- spinal
- bupivacaine vs pontocaine S16
- drug comparison S148
- positional change in obstetrics S16
- PvO<sub>2</sub> changes S96
- Anesthetics, gases**
- nitrous oxide
- effect on memory S14
- effect on VEP S27
- and embolism S180
- hazards S182
- megaloblastic anemia S146
- nausea and vomiting S98
- reproductive and teratogenic effects S61
- Anesthetics, intravenous**
- diprivan, dental patients S123
- fentanyl, reproductive and teratogenic effects S61
- ketamine
- analgesic effect S121
- and pancuronium S179
- methohexital
- outpatient recovery S118
- vs propofol S150
- propofol
- during coronary artery surgery S142
- evaluation of S184
- and fentanyl S171
- vs methohexital S150
- outpatient recovery S118
- vs thiopental S191
- sufentanil, brainstem evoked potentials S85
- thiamylal, during coronary artery surgery S142
- thiopental
- dental patients S123
- outpatient recovery S118
- Anesthetics, local**
- bupivacaine
- effect on venous levels S79
- H<sub>2</sub> receptor blockers S122
- plain vs alkalized S9
- uterine blood flow S147
- chloroprocaine, uterine blood flow S147
- lidocaine
- blood pressure S134
- CBF autoregulation S131
- effect on venous levels S79
- ultrasonic nebulization S109
- uterine blood flow S147
- Anesthetics, volatile**
- halothane
- baroreceptor response S64
- cardiovascular response S127
- effect on blood flow and metabolism S31
- effect with pentothal on heart rate in children S4
- malignant hyperthermia S162
- myocardial ischemia S51
- uptake and elimination S105
- and vascular capacitance S158
- isoflurane
- acetylcholine receptor channel S58
- baroreceptor response S64
- burned patients S74
- cardiopulmonary bypass S59
- cardiovascular response S127
- effect with oxytocin on uterus S1
- neuroendocrine response S94

- Anesthetics, volatile**—*continued*  
 isoflurane—*continued*  
   and rhythmic muscular activity S155  
   and vascular capacitance S158  
   sevoflurane, toxicity S172
- Antagonists**  
 benzodiazepine, postoperative EEG changes S60  
 naloxone, effect with nalbuphine during respiratory depression S5  
 Ro 15-1788 S11
- Atracurium**, see Neuromuscular relaxants
- Atrial natriuretic hormone**, see Polypeptides
- Autotransfusion**, see Transfusion
- Axillary block**, see Anesthetic techniques, regional
- Blood**  
 coagulation  
   pediatric cardiopulmonary bypass S130  
   protamine S130  
 hemodilution  
   hemodynamics and oxygen transport S87  
   transmural plasma skimming S33  
   plasma, perioperative use S57  
   replacement, hypocoagulability S181
- Blood pressure**  
 hypertension  
   perioperative S177  
   postoperative S63, S69
- Brain**  
 blood flow  
   cardiopulmonary bypass S125  
   during cardiopulmonary bypass S149  
 evoked responses  
   during carotid endarterectomy S100  
   during sufentanil anesthesia S85
- Bupivacaine**, see Anesthetics, local
- Butorphanol**, see Analgesics
- Cannulation**, see Arteries  
 Veins
- Carbon dioxide**  
 blood levels, during anesthesia in children S13  
 measurement, during anesthetic management S139
- Cataracts**, see Anesthesia, ophthalmic
- Caudal**, see Anesthetic techniques, epidural
- Celiac plexus block**, see Anesthetic techniques, regional
- Cervical block**, see Anesthetic techniques, regional
- Children**, see Anesthesia, pediatric
- Chloroprocaine**, see Anesthetics, local
- Cholinesterase**, see Enzymes
- Complications**  
 Duchenne's dystrophy S190  
 mastocytosis, value of skin tests S136
- Confusion**, see Recovery
- Curare**, see Neuromuscular relaxants, *d*-tubocurarine
- Dantrolene**, see Hyperthermia, malignant
- Diamorphine**, see Analgesics, heroin
- Diazepam**, see Hypnotics, benzodiazepines  
 Premedication
- Diltiazem**, see Heart  
 Pharmacology
- Diprivan**, see Anesthetics, intravenous
- Dobutamine**, see Sympathetic nervous system, pharmacology
- Dopamine**, see Sympathetic nervous system, pharmacology
- Doppler**, see Measurement techniques
- d*-Tubocurarine**, see Neuromuscular relaxants
- Duchenne's dystrophy**, see Complications
- Echocardiography**, see Heart  
 Measurement techniques
- Embolism**  
 air  
   and nitrous oxide S180  
   Trendelenberg position S93
- Emphysema**, see Lung, chronic obstructive disease
- Endorphins**, see Polypeptides
- Enzymes**  
 pseudocholinesterase, pregnancy S91
- Ephedrine**, see Sympathetic nervous system, pharmacology
- Epidural**, see Anesthetic techniques
- Equipment**  
 anesthesia machines, oxygen line pressure S106  
 tourniquet, pain relief S161  
 vaporizers, and high-frequency positive pressure ventilation S40
- Esmolol**, see Heart  
 Sympathetic nervous system, pharmacology
- Evoked responses**, see Brain
- Eye**  
 intraocular pressure  
   effect of metoclopramide S135  
   regulation during anesthetic induction S28
- Fentanyl**, see Analgesics  
 Anesthetics, intravenous
- Gastrointestinal tract**  
 stomach, bupivacaine content in neonates S24
- Halothane**, see Anesthetics, volatile
- Heart**  
 echocardiography, liver transplantation S104  
 esmolol, left ventricular function S88  
 metabolism, electric countershock S113  
 oxygenation, selection coronary hemodilution S34  
 transplantation  
   nitroprusside vs nitroglycerin S36  
   pulmonary hypertension S37
- ventricular function, effect of PEEP S12
- Hemodilution**, see Blood
- Heroin**, see Analgesics
- Histamine**  
 release by muscle relaxants S82
- Hypertension**, see Blood pressure
- Hyperthermia**  
 malignant  
   and halothane S162  
   and prophylactic dantrolene S35
- Hypotension**  
 intraoperative, noninvasive  
   preoperative assessment S189  
 See also  
   Anesthetic techniques, hypotensive  
   Blood pressure
- Internal jugular vein**, see Veins
- Intraocular pressure**, see Eye
- Intravenous regional anesthesia**, see Anesthetic techniques, intravenous  
 Anesthetic techniques, regional
- Intubation**  
 tracheal  
   adrenergic response S23  
   anterior fontanel pressure response S169  
   blood loss S120  
   nasal S120  
   new airway S132
- Isoflurane**, see Anesthetics, volatile
- Ketamine**, see Anesthetics, intravenous
- Kidney**  
 urinary output, effect on urinary catheter temperature S83
- Laudolisin**, see Neuromuscular relaxants, atracurium
- Lidocaine**, see Anesthetics, local
- Lithotripsy**, see Anesthesia, urologic
- Liver**  
 transplantation  
   physiologic considerations S137  
   reperfusion coagulopathy S10  
   transfusion technique S50
- Lungs**  
 chronic obstructive pulmonary disease, incidence of S188
- Malignant hyperthermia**, see Hyperthermia
- Mastocytosis**, see Complications
- Measurement techniques**  
 Doppler ultrasound, aortic blood flow S47  
 echocardiography, liver transplantation S104
- Meperidine**, see Analgesics
- Methohexital**, see Anesthetics, intravenous
- Monitoring**  
 cardiovascular, cost-benefit analysis S138
- Morphine**, see Analgesics
- Nalbuphine**, see Analgesics
- Naloxone**, see Antagonists
- Natriuretic hormone**, see Polypeptides

**Neuromuscular relaxants**


- atracurium
  - cardiovascular response vs vecuronium S32
  - and CNS stimulation S52
  - and extraocular muscle function S164
  - inactivation pathways S129
  - optimal priming dose S67
  - train-of-four and single twitch response S38
  - vecuronium neuromuscular blockade S167
- BW A938U, and isoflurane anesthesia S126
- d*-tubocurarine, pretreatment with S173
- histamine release S82
- laudanosine, effect with nitrous oxide on halothane MAC S52
- pancuronium, neuromuscular blockade S108
- pipecuronium, enflurane anesthesia S128
- succinylcholine
  - postoperative pain S163
  - train-of-four and single twitch response S38
- vecuronium
  - atracurium neuromuscular blockade S167
  - cardiovascular response vs atracurium S32
  - comparison with BW B109OU S6
  - and extraocular muscle function S164
  - and hepatocellular disease S3
  - neuromuscular blockade in burn patients S119
  - renal transplantation S68
  - sensitivity-adjusted priming S26
- Nifedipine**, see Heart
  - Pharmacology
- Nitroglycerin**, see Anesthetic techniques, hypotensive Heart
- Nitrous oxide**, see Anesthetics, gases
- Obstetrics**, see Anesthesia, obstetric
- Outpatient anesthesia**, see Anesthesia, outpatient
- Oxygen**
  - administration, comparison of delivery systems S153
  - preoxygenation
    - and face mask fit S102
    - and pulmonary function S102
    - and time S102
- Oxymorphone**, see Analgesics

**Pain**

- postoperative
  - adolescents S22
  - comparison of analgesics for S56
  - epidural sufentanil S45
  - epidural vs patient-controlled morphine S143
  - intrapleural anesthesia S90
  - morphine and naloxone S72
  - obstetric S112
  - tourniquet, relief with epidural fentanyl S161
- Pediatrics**, see Anesthesia, pediatric
- PEEP**, see Ventilation, positive end-expiratory pressure
- Peptides**, see Polypeptides
- Peridural**, see Anesthetic techniques, epidural
- Pharmacology**
  - amrinone, cardiac depression S110
  - diltiazem, reversal of hemodynamic effects S141
  - nifedipine S111, S166
  - verapamil S111, S166
  - effect of fentanyl on S80
  - pharmacologic interaction with lidocaine S25
- Phenylephrine**, see Sympathetic nervous system, pharmacology
- Pipecuronium**, see Neuromuscular relaxants
- Plasma**, see Blood
- Polypeptides**
  - atrial natriuretic, cardiac function S114
  - endorphins, plasma levels S144
- Positive end-expiratory pressure**, see Ventilation
- Pregnancy**
  - pseudocholinesterase, preeclampsia S91
- Premedication**
  - diazepam
    - effectiveness S7
    - vs triazolam S165
  - pediatric heart disease S168
  - triazolam
    - vs diazepam S165
    - effectiveness S7
- Preoxygenation**, see Oxygen
- Propofol**, see Anesthetics, intravenous
- Protamine**, see Blood, coagulation
- Records**
  - anesthesia, accuracy S107
- Recovery**
  - confusion, spinal vs general anesthesia in elderly S30

**Reflexes**

- mesenteric, effect of prostacyclin S154
- Sevoflurane**, see Anesthetics, volatile
- Spinal**, see Anesthetic techniques
- Spinal cord**
  - ischemia, and neurologic deficit S43
- Stomach**, see Gastrointestinal tract
- Succinylcholine**, see Neuromuscular relaxants
- Sufentanil**, see Analgesics
- Anesthetics**, intravenous
- Sympathetic nervous system**
  - pharmacology
    - dobutamine S152
    - dopamine S17
    - esmolol S88
    - maternal hypotension S73
- Temperature**
  - core, changes during anesthesia S156
- Thiamylal**, see Anesthetics, intravenous
- Thiopental**, see Anesthetics, intravenous
- Tourniquets**, see Equipment
- Pain**
- Transfusion**
  - autotransfusion, apparatus use during cardiac surgery S55
- Transplantation**, see individual organs
- Triazepam**, see Hypnotics, benzodiazepines
- Premedication**
- Triazolam**, see Hypnotics, benzodiazepines
- Premedication**
- Ultrasound**, see Measurement techniques, Doppler
- Urine**, see Kidney
- Vaporizer**, see Equipment
- Vasopressors**, see Sympathetic nervous system, Pharmacology
- Vecuronium**, see Neuromuscular relaxants
- Vein**
  - internal jugular, cannulation S124
- Veins**
  - internal jugular, ability to locate S84
- Ventilation**
  - positive end-expiratory pressure, diaphragmatic length S71
  - transtracheal, upper airway obstruction S70
- Verapamil**, see Heart
  - Pharmacology





# Anesthesia and Analgesia

---

Annual Index  
Volume 66, 1987

Journal of the International Anesthesia Research Society

## BOARD OF TRUSTEES

### International Anesthesia Research Society

Douglas B. Craig, MD  
Bruce F. Cullen, MD, *Chairman*  
E. Paul Didier, MD  
Judith H. Donegan, MD, PhD, *Vice Chairman*  
Noel W. Lawson, MD  
John T. Martin, MD  
Emerson A. Moffitt, MD, *Executive Secretary*  
Dean H. Morrow, MD  
Robert K. Stoelting, MD  
Stephen J. Thomas, MD  
John L. Waller, MD  
Paul R. Dumke, MD, *Emeritus Trustee*  
Morris J. Nicholson, MD, *Emeritus Trustee*  
B. B. Sankey, MD, *Emeritus Trustee*  
T. H. Seldon, MD, *Emeritus Trustee*

## EDITORIAL BOARD

### Anesthesia and Analgesia

*Editor in Chief*  
Nicholas M. Greene, MD

*Editors*  
David R. Bevan, MD  
Benjamin G. Covino, PhD, MD  
Norig Ellison, MD  
Mieczyslaw Finster, MD  
Paul R. Hickey, MD  
Thomas J. Gal, MD  
Edward D. Miller Jr, MD  
Walter S. Nimmo, MD, BSc, FRCP, FFARCS  
Richard J. Palahniuk, MD  
Daniel M. Philbin, MD  
Joseph G. Reves, MD  
Petter A. Steen, MD  
John H. Tinker, MD  
Barbara E. Waud, MD  
K. C. Wong, MD, PhD

*Book Review Editor*  
Norig Ellison, MD



## Author Index

- Abadir AR, Humayum SG, Calvello D, Gintautas J. Effects of isoflurane and oxytocin on gravid human uterus in vitro (abstract) S1  
see Relkin T
- Abboud TK, DerSarkissian L, Terrasi J, Murakawa K, Zhu J, Longhitano M. Comparative maternal, fetal and neonatal effects of chloroprocaine with and without epinephrine for epidural anesthesia in obstetrics 71
- Moore M, Zhu J, Murakawa K, Minehart M, Longhitano M, Terrasi J, Klepper ID, Choi Y, Kimball S, Chu G. Epidural butorphanol or morphine for the relief of post-caesarean section pain: ventilatory response to carbon dioxide 887
- Abdulatif M, see Nsguib M
- Abernathy DR, see Chelly JE
- Abou-Donia MM, see Murray DJ
- Abouleish AE, see Allen SJ
- Abouleish EI. Are local anesthetics equal? (letter) 1339
- Epinephrine improves the quality of spinal hyperbaric bupivacaine for cesarean section 395
- Absgood GH, see Naguib M
- Acharya PA, see Nicoll JMV
- Ackerman WE, Colclough GW.  
Prophylactic epidural blood patch: the controversy continues (letter) 913
- Adenwala J, see Palacios QT
- Adkins R, see Wasudev G
- Ahlen K, see Nicoll JMV
- Ahmed S, see Kataria BK
- Albin MS, see Bunegin L  
see Steele ER
- Albrecht RF, see Colavita RD
- Alcantara LG, Marx GF. Cesarean section under epidural analgesia in a parturient with mitral valve prolapse 902
- Alexander GD, see Macon ME
- Ali HH, see Basta SJ
- Allen ML, see Feldstein GS  
see Waldman SD
- Allen P, see Morris R
- Allen SJ, Cruz J, Abouleish AE, Miner ME. Immediate detection of critical transient hypoxic episodes in acute head injuries (abstract) S2
- Alpen E, see Weber W
- Alpert CC, see Conroy JM  
see Wallace CT
- Althaus JS, Von Voigtlander PF, DiFazio CA, Miller ED. Effects of U-50488H, a selective  $\kappa$ -analgesic, on the minimum anesthetic concentration (MAC) of halothane in the rat 391
- Alves-do-Prado W, Corrado AP, Prado WA. Reversal by atropine of tetanic fade induced in cats by antinicotinic and anticholinesterase agents 492
- Alvis M, see Glass P
- Amaral RVG, see Bello CN  
see Carvalho JCA
- Andersen HB, Christensen CB. Kinetics of epidural morphine (letter) 695
- Anderson CT, see Wong DH
- Anderson KD, see Broadman LM
- Angert KC, see Rogers AT
- Antosh S, see Khalil SN
- Anzai Y, Nishikawa T, Namiki A, Takahashi T. Cannulation of an AV fistula as a cause of falsely low oxygen tension during anesthesia (letter) 919
- Anfelbaum JL, see Metter SE
- Arai T, see Umeda S
- Arakawa K, see Goto H
- Araki Y, see Kawana Y
- Arancibia CU, see Jarvis AP
- Archer T, see Post C  
see Teiling AKY
- Arden JR, Cannon JC, Lynam DP, Castagnoli KP, Cantell PC, Miller RD. Vecuronium pharmacokinetics and pharmacodynamics in hepatocellular disease (abstract) S3
- Arellano R, Ross D, Lee K. Inappropriate attachment of PEEP valve causing total obstruction of ventilation bag (letter) 1050
- Arndt JO, see Medert HA
- Arnold WP, see Korbon GA
- Arola M, see Heikkila H
- Arthur GR, see Sanchez V
- Artru AA, see Colley PS  
see Moore DC
- Artusio JF Jr, see Kelly RE  
see Dinner M
- Ascher NL, see Belani KG  
see Estrain JA
- Atchison SR, see Warner MA
- Austin JC, see Butterworth JF IV
- Avitable M, see Fyman P
- Avram MJ, see Matthew EB  
see Strichartz HT
- Azimi G, see Vincent J-L
- Azuma M, see Hattori Y
- Bach V, see Carl P
- Baden JM, see Fujinaga M
- Badenhurst E, see Coetzee A
- Badgwell JM, Cunliffe M, Lerman J. Heart rate and rhythm during induction of anesthesia with pentothal and halothane in children (abstract) S4
- McLeod ME, Lerman J, Creighton RE. End-tidal PCO<sub>2</sub> measurements sampled at the distal and proximal ends of the endotracheal tube in infants and children 959
- Baguneid S, see Nicoll JMV
- Bailey AG, Bloch EC. Malignant hyperthermia in a three-month-old American Indian infant 1043
- Bailey PL, Clark NJ, Pace NL, Stanley TH, East KA, Van Vreeswijk H, van de Pol P, Clissold MA, Rosendaal W. Antagonism of postoperative opioid-induced respiratory depression: nalbuphine versus naloxone 1109
- East KA, Van Vreeswijk H, van de Pol P, Rozendaal W, Stanley TH, Pace NL. Antagonism of post-operative opioid induced respiratory depression: nalbuphine vs naloxone (abstract) S5
- Port JD, McJanes S, Reinersman L, Stanley TH. Is fentanyl an anesthetic in the dog? 542
- Bai S, see Glass P  
see Massagee JT
- Bainton CR, see Kaiser KG
- Baker JD III, see Conroy JM  
see Wallace CT
- Baker MT, Bates JN, Leff SV. Stimulatory effects of halothane and isoflurane of fluoride release and cytochrome P-450 loss caused by metabolism of 2-chloro-1,1-difluoroethene, a halothane metabolite 1141
- Baldeck AM. Primary anesthesia (book review) 806  
see Metter SE
- Ballinger CM. Advances in anesthesia (book review) 290
- Banner MJ, see Berger JJ  
see Layon J  
see Weber W
- Banner TE, see Schultetus RR
- Barabas E, see Zsigmond EK
- Baraka A, Jabbour S, Itani I. Severe bradycardia following epidural anesthesia in a patient with idiopathic hypertrophic subaortic stenosis (letter) 1337
- Muallem M, Baroody M, Sibai AN, Haroun S, Mekkaoui T, Usta N. Dependent PEEP during two-lung ventilation in the lateral decubitus position 347
- Usta N, Baroody M, Haroun S, Dagher I, Haddad R. Verapamil pretreatment before aortic cross-

- Baraka A—continued  
clamping in patients undergoing coronary artery bypass graft 560
- Barash P, see Biondi JW
- Barash PG, see Thys D
- Barker SJ, Tremper KK. Regression lines using multiple measurements from multiple patients; reply (letter) 368  
see Phan CQ
- Barnette RE, see Fish DJ  
see Pellecchia DJ
- Baroody M, see Baraka A
- Bartkowski RR. Incomplete reversal of pancuronium neuromuscular blockade by neostigmine, pyridostigmine and edrophonium 594
- Bashein G, see Tyson G
- Basta SJ, Ali HH, Savarese JJ, Stout R, Embree PB, Schwartz A, Halleam-Bottros L, Weakly JN. Comparative infusions of vecuronium and the new relaxant BW B1090U (abstract) S6
- Bates JN, see Baker MT
- Baughman VL, Ryan CM, Glaser-Duval N, Becker GL, Curran MA. Effectiveness of triazolam, diazepam and placebo as pre-operative medication (abstract) S7
- Baumgarten RK. Blitz intubation—a useful synonym (letter) 1050  
Should caffeine become the first-line treatment for postdural puncture headache (letter) 913
- Bause GS. Intertubercular cervical plexus block: a new anesthetic technique (abstract) S8
- Bazin JE, see Dalen B
- Bearb ME, Pennant JH. Epidural blood patch in a Jehovah's Witness (letter) 1052
- Beaupre PN, see Cahalan MK
- Becker GL, see Baughman VL  
see Parnass SM
- Beckman DJ, see Means LJ
- Bedder MD, Korody R, Craig DB. A comparison of bupivacaine and alkalized bupivacaine in brachial plexus anesthesia (abstract) S9
- Bednarski B, see Medert HA
- Behbehani MM, see Denson DD
- Behnia R, Shanks CA, Ovassapian A, Wilson LA. Hemodynamic responses associated with lithotripsy 354
- Belani KG, Estrin JA, Ascher NL, Najarian JS, Bushman J, Buckley JJ. Reperfusion coagulopathy during human liver transplantation (abstract) S10  
see Estrin JA
- Bello CN, Mathias L, Torres MA, Vasconcelos A, Amaral RVG. Evaluation of the effects of RO 15-1788, in clinical anesthesia (abstract) S11
- Belman AB, see Broadman LM
- Benkhadra A, see Racle JP
- Bennett H, Benthuyssen J. Neurological and psychological complications of surgery and anesthesia (book review) 805  
see Loper K
- Bennett RL. External versus implantable devices for chronic narcotic infusion therapy (letter) 369
- Benson KT, see Goto H
- Benson MS, see Bishop MJ
- Benthuyssen J, see Bennett H  
see Loper K
- Benzon HT, Gissen AJ, Strichartz GR, Avram MJ, Covino BG. The effect of polyethylene glycol on mammalian nerve impulses 553
- Berger JJ, Boysen PG, Gravenstein JS, Banner MJ, Carlson CA. Failure of high frequency jet ventilation to ventilate patients adequately during extracorporeal shock-wave lithotripsy 262
- Berggren D, Gustafson Y, Eriksson B, Bucht G, Hansson LI, Reiz S, Winblad B. Postoperative confusion after anesthesia in elderly patients with femoral neck fractures 497
- Berman LS, see Schultetus RR
- Berman ML, see Hyman SA
- Bermudez J, Lichtiger M. Increases in arterial to end-tidal CO<sub>2</sub> tension differences after cardiopulmonary bypass 690
- Bernard A, see Vincent J-L
- Berrizbeitia LD, see Butterworth JF IV
- Berry AJ, see Isaacson IJ
- Besner JC, see Sloan PA
- Beswick T, see Davies JAH
- Betts R, see Goldman E
- Bevan DP, see Curran MJ
- Binderman J, see Khalil SN
- Biondi JW. High frequency ventilation (letter) 586  
Schulman DS, Hines RL, Matthey RA, Matthey MA, Soufer R, Barash P. The effect of PEEP on right ventricular diastolic pressure-volume relationships (abstract) S12  
see Sibert KS
- Bishop MJ, Benson MS, Sato P, Pierson DJ. Comparison of high-frequency jet ventilation with conventional mechanical ventilation for bronchopleural fistula 833  
see Tyson G
- Bissonnette B, Lerman J. Single breath end-tidal PCO<sub>2</sub> approximates arterial PCO<sub>2</sub> in infants and children (abstract) S13
- Bivens HE. Manual of anesthesia in cancer care (book review) 587
- Bjurstrom RL, see Bowdle TA
- Bland BAR, Lawes EG, Duncan PW, Warnell I, Downing JW. Comparison of midazolam and thiopental for rapid sequence anesthetic induction for elective cesarean section 1165
- Blecic S, see Vincent J-L
- Bleyaert AL, see Nikki PH
- Blitt CD, see Stoelting RK
- Block EC, see Bailey AG
- Block RI, Ghoneim MM, Kumar V, Pathak D, Hinrichs JV. Effects of nitrous oxide on direct and indirect tests of memory (abstract) S14
- Blomberg RG. The lumbar subdural extraarachnoid space of humans: an anatomical study using spinaloscopy in autopsy cases 177
- Bloor BC, see Flacke JW
- Boba A. Esophageal intubation (letter) 482
- Bochenek KJ, Brown M, Skupin A. Use of a double lumen endotracheal tube with independent lung ventilation for treatment of refractory atelectasis 1014
- Iovan SN, Brown EM. Continuous infusion epidural 0.125% bupivacaine/fentanyl and the second stage of labor (abstract) S15
- Iovan SN, Brown EM, Zimcosky L. Pulmonary function with positional change and during bipivacaine vs. pontocaine spinal in obstetrics (abstract) S16
- Bohannon TW, see Estes MD
- Boisvert EP, see Gelb AW
- Bokesch PM, Raymond SA, Strichartz GR. Dependence of lidocaine potency on pH and PCO<sub>2</sub> 9
- Bonneville MA, see Solomons CC
- Boozalis ST, see Goto H
- Bose D, see Ong BY
- Bosnjak ZJ, see Siker D
- Bothos MR, see Fahmy NR
- Boutros A, Pavlicek W. Anesthesia for magnetic resonance imaging (letter) 367
- Bovill JG, see van Rheineck Leyssius AT
- Bowdle TA, Greichen SL, Bjurstrom RL, Schoene RB. Butorphanol improves CO<sub>2</sub> response and ventilation after fentanyl anesthesia 517
- Bowe EA, see Tarpey MM
- Boysen PG, see Berger JJ
- Bradley EL Jr, see Daghero AM  
see Gelman S  
see Kissin I
- Brady MM, see Fee JPH
- Brajer J, see Horrow JC
- Brandt L. The first reported oral intubation of the human trachea (letter) 1198
- Brant D, see Mitchell SZ
- Brashear WT, see Kuhnert BR

- Braude BM, see Leiman BC  
 Brauser SD, Cronnelly R. Does dopamine improve function of the transplanted kidney (abstract) S17  
 Bresnan MJ, see Worthen HM  
 Bretschneider H. Osmolalities of commercially supplied drugs often used in anesthesia 361  
 Brett CM, Fisher DM. Thiopental dose-response relations in unpremedicated infants, children, and adults 1024  
 Brett RS, see Flanigan KE  
 Bretz KA, see Pellecchia DJ  
 Brian JE Jr, Seifan AB. Tonic-clonic activity after sufentanil (letter) 481  
 Bridenbaugh PO, see Phero JC  
 see Santos DJ  
 Brisson J, see Trépanier CA  
 Bristow A, Shalev D, Rice B, Lipton JM, Giesecke AH Jr. Low-dose synthetic narcotic infusions for cerebral relaxation during craniotomies 413  
 Britt BA, see Cunliffe M  
 Broad T, see Sosis M  
 Broadman LM, Hannallah RS, Norden JM, McGill WA. "Kiddie caudals": experience with 1154 consecutive cases without complications (abstract) S18  
 Hannallah RS, Norrie WC, Kapsten JE, Mundy GL, Belman AB, Anderson KD, Guzzetta PC. Caudal analgesia in pediatric outpatient surgery: a comparison of three different bupivacaine concentrations (abstract) S19  
 Mesrobian RB, McGill WA. Regional vs general anesthesia: a survey of anesthesiologists' personal preference (abstract) S20  
 see Brown RE Jr  
 see Rice LJ  
 Brodsky JB, see Shulman MS  
 Broelsch CE, see Lichter JL  
 Broster T, Placek R, Eggers GWN Jr. Epidermolysis bullosa: anesthetic management for cesarean section 341  
 Brouwers JW. Pulse oximeters, one lung disease and the Rotabed (letter) 1346  
 Brown BR Jr, see Lind RC  
 Brown DE, see Kuhnert BR  
 Brown DL, Bulley CK, Quiel EL. Neurolytic celiac plexus block for pancreatic cancer: effect of radiographic needle guidance and metastases (abstract) S21  
 Bulley CK, Quiel EL. Neurolytic celiac plexus block for pancreatic cancer pain 869  
 Brown EM, see Bochanek KJ  
 see Macon ME  
 Brown GCS. Midazolam and cimetidine: lack of interaction is unproven (letter) 1196  
 Brown JW, Dierdorf SF, Moorthy SS, Halpin M. Venoatrial cerebral perfusion for treatment of massive arterial air embolism 673  
 see Means LJ  
 Brown M, see Bochanek KJ  
 Brown PT, see Kissin I  
 Brown RE Jr, Broadman LM. Patient controlled analgesia (PCA) for postoperative pain control in adolescents (abstract) S22  
 Brownstein L, see Symreng T  
 Bruce DL, Gerken MV, Lyon GD. Postcholecystectomy pain relief by intrapleural bupivacaine in patients with cystic fibrosis 1187  
 Bryan AC, see Kolton M  
 Brynes RK, see Finlayson DC  
 Bryson THL, see Russell GN  
 Bubbers S, see Streisand JB  
 Bucht G, see Berggren D  
 Buckley JJ, see Belani KG  
 see Estrin JA  
 Bulley CK, see Brown DL  
 Bullingham RE, see O'Sullivan GM  
 Bullington J, Risby J, Pinkerton M, Rogers D, Lewis T, Preganz P, Mouton S, Wood AJJ, Wood M. The effect of age on the adrenergic response to endotracheal intubation (abstract) S23  
 Bullington JC, see Hyman SA  
 Bunegin L, Albin MS. Pitfalls encountered in relating anterior fontanel pressure to intracranial pressure (letter) 1196  
 Burn A, see Van Zundert A  
 Burn AGL, van Kleef JW, Gladines MPRR, van Duinen M, Spierdijk J. Spinal anesthesia with hyperbaric lidocaine and bupivacaine: effects of epinephrine on the plasma concentration profiles 1104  
 see Verring BTh  
 Burrows FA, see Gallagher T  
 see Lucero VM  
 see Stow PJ  
 Bushman J, see Belani KG  
 see Estrin JA  
 Butler BD, see Katz J  
 see Leiman BC  
 Butler PO, see Froese AB  
 Butt K, see Fyman P  
 Butterworth JF IV, Austin JC, Johnson MD, Berrizbeitia LD, Dance GR, Howard G, Cohn LH. Effect of total spinal anesthesia on arterial and venous responses to dopamine and dobutamine 209  
 Byford LJ, see Froese AB  
 Cahalan MK, Lurz FW, Eger EI II, Schwartz LA, Beaupre PN, Smith JS. Narcotics decrease heart rate during inhalation anesthesia 166  
 see Thys D  
 Cairns AM, see Fink BR  
 Calvello D, see Abadir AR  
 Campbell M, see Tam S  
 Camu F, see Gepts E  
 see Van der Auwera D  
 Camus Y, see Delva E  
 Canella MG, see Manchikanti L  
 Canfell PC, see Arden JR  
 Canier WL, see Gibson BE  
 Cannon JC, see Arden JR  
 Cannon JE, see Thomson IR  
 Capan LM, see Rosman EJ  
 Carl P, Crawford ME, Madsen NBB, Ravlo O, Bach V, Larsen AI. Pain relief after major abdominal surgery: a double-blind controlled comparison of sublingual buprenorphine, intramuscular buprenorphine and intramuscular mepiridine 142  
 Carlson CA, see Berger JJ  
 Carpenter RL, Eger EI II, Johnson BH, Unadkat JD, Sheiner LB. Does the duration of anesthetic administration affect the pharmacokinetics or metabolism of inhaled anesthetics in humans? 1  
 Carr DB, see Fahmy NR  
 Carrie LE, see O'Sullivan GM  
 Carter DM, see Kelly RE  
 Carter JG, see Pearson KS  
 Carvalho JCA, Mathias RS, Senra WG, Santos SRCJ, Amaral RVG. Epinephrine reduces neonatal gastric fluid content of bupivacaine during vaginal delivery (abstract) S24  
 Cassuto J, see Wallin G  
 Castagnoli NP, see Arden JR  
 Casthely P, see Fyman P  
 Caton D, see Cook WP  
 Chadwick HS, see Ready LB  
 Chalmers PC, see Harte FA  
 Chamberlain DP, Crawford RD. Integrated electromyographic measurement of abdominal motor blockade during bupivacaine, epidural anesthesia for lower abdominal and pelvic surgery 57  
 see Henzmann JB  
 Chamberlain WH, see Parnass SM  
 Chan KH, see Mok MS  
 Chang L, see Gieraerts R  
 Charchafieh J, see Fahmy NR  
 Chauvin M, Lebrault C, Duvaldestin P. The neuromuscular blocking effect of vecuronium on the human diaphragm 117  
 Lebrault C, Levron JC, Duvaldestin P. Pharmacokinetics of alfentanil in chronic renal failure 53  
 see Duvaldestin P  
 Chelly JE, Hill DC, Merin RG, Dlewati A,

- Chelly JE—*continued*  
Abernethy DR. Effect of verapamil on lidocaine pharmacokinetics and dynamics in conscious dogs (abstract) S25  
see Hill DC  
Chen J, see Dubois M  
Cheney FW Jr, see Grim PS  
Cheng EY, see Kay J  
see Minkel DT  
Cheng M, Lee C, Katz RL, Nguyen NM. Sensitivity-adjusted priming consistently accelerates onset of vecuronium-induced neuromuscular block in cats (abstract) S26  
Cherry DA, see Sullivan SP  
Chew W, see Litt L  
Chi OZ, Moroz A, Field C. The effect of nitrous oxide-fentanyl anesthesia on visual evoked potentials in humans (abstract) S27  
Chiba S, see Saegusa K  
Chiu GJ, Stirt JA. Intraocular pressure after "crash" induction with vecuronium or atracurium plus low-dose narcotics (abstract) S28  
Choi WW, see Murray DJ  
Choi Y, see Abboud TK  
Christensen CB, see Andersen HB  
Chrubasik J, Geller E, Niv D, Sindler M. Morphine inhalation versus intravenous infusion in pain treatment after abdominal surgery (abstract) S29  
see Magora F  
see Meynadier J  
Chu G, see Abboud TK  
Chung F, Meier HMR, Lautenschlaeger E. Reduced confusion-spinal or general anaesthesia in the elderly (abstract) S30  
see Lavelle PA  
see Tam S  
Chung M, see Lichtor JL  
Chung SK, see Mok MS  
Cirella VN, Pantuck CB, Lee YJ, Pantuck EJ. Effects of cyclosporine on anesthetic action 703  
Claeys DW. Removing the macrame from monitoring devices (letter) 695  
Clark JH, see Moorthy SS  
Clark NJ, see Bailey PL  
Clark RB, see Crews JC  
Clements FM, de Bruijn NP. Perioperative evaluation of regional wall motion by transesophageal two-dimensional echocardiography 249  
see de Bruijn NP  
Clissold M, see Streisand JB  
Clissold MA, see Bailey PL  
Coates DP, Monk CR, Prys-Roberts C, Turtle M. Hemodynamic effects of infusions of the emulsion formulation of propofol during nitrous oxide anesthesia in humans 64  
Cockshott ID, see Gepts E  
Coetzee A, Fourie P, Badenhorst E. Response of the heart to acute hypertension during halothane, enflurane, and isoflurane anesthesia 1219  
Cohen H. Anesthesia for obstetrics (book review) 806  
see Matthew EB  
Cohen M, see Sampson IH  
Cohen MM, see Ong BY  
Cohen PJ, see Stoelting RK  
Cohn LH, see Butterworth JF  
Colavita RD, Pellegrino DA, Miletich DJ, Albrecht RF. Beagle puppy model of the neonatal brain: effect of halothane on regional blood flow and metabolism (abstract) S31  
Colclough GW, see Ackerman WE  
Coleman C, see Wasudev G  
Colley PS, Artru AA. Bunegin-Albin catheter improves air retrieval and resuscitation from lethal venous air embolism in dogs 991  
Collins MS, see Isley MR  
Colliver JA, see Manchikanti L  
Colonna-Romano P, see Horrow JC  
Conahan TJ III, see Kitz DS  
Conroy JM, Alpert CC, Baker JD III. Safe placement of the long-arm cup (letter) 1199  
see Wallace CT  
Contreras J, see Lam AM  
Cook DR, see Davis PJ  
Cook WP, Schultetus RR, Caton D. A comparison of *d*-tubocurarine pretreatment and no pretreatment in obstetric patients 756  
Cooper SC, see Symreng T  
Cooperman LH. Advances in anesthesia, volume 1 (book review) 807  
Cope DK, Haynes DF, Slonaker JL, Fontanelle LJ. Diazepam-associated posttraumatic stress reaction 666  
Cork RC, Gallo JA, Pychi P. Histamine and hemodynamic response after atracurium vs vecuronium (abstract) S32  
Corrado AP, see Alves-do-Prado W  
Costarino AT. Neonatal anaesthesia and perioperative care (book review) 289  
Cottrell JE, see Hartung J  
Cousins MJ, Gourlay GK, Knights KM, Hall PM, Lunam CA, O'Brien P. A randomized prospective controlled study of the metabolism and hepatotoxicity of halothane in humans 299  
Plummer JL, Knights KM, Hall P, Gourlay GK, Jenner M. Animal models of hepatic injury associated with halogenated anesthetics (letter) 804  
Covier AV. Cardiotonic drugs: a clinical survey (book review) 290  
Covino BG, see Flanagan HL  
see Gissen AJ  
see Strichartz HT  
Cowan J, see Pond W  
Coyle DE, see Denson DD  
Craig DB, see Bedder MD  
Cranshaw KM, see Pfizner J  
Crawford JS. Preoperative oral fluids (letter) 914  
Wakefulness during cesarean section (letter) 802  
Crawford ME, see Carl P  
Crawford RD, see Chamberlain DP  
Creighton RE, see Badgwell JM  
Crews JC, Clark RB. Effect of alkalization on the pH of local anesthetic agents (letter) 1203  
Crochetière CT, see Tépanier CA  
Cronau LH, see Leiman BC  
Cronnelly R, see Brauser SD  
Crooms J, see Rice L  
Croughwell N, see de Bruijn NP  
see Flezzani P  
Cruz J, see Allen SJ  
Crystal GJ, Rooney MW, Watkins KD, Salem MR. Lack of transmural plasma skimming in left ventricular free wall in isovolemic hemodilution in dogs (abstract) S33  
Salem MR. Myocardial oxygenation in selective coronary hemodilution in dogs: effect of coronary insufficiency (abstract) S34  
Cubler AJ, see Sosis M  
Cucchiara RF. Clinical controversies in neuroanesthesia and neurosurgery (book review) 375  
Cullen BF. Anaphylactic reactions in anesthesia and intensive care (book review) 287  
see Tyson G  
Cullen PM, Turtle M, Prys-Roberts C, Way WL, Dye L. Effect of propofol anesthesia on baroreflex activity in humans 1115  
Cumming M, see Ong BY  
Cunliffe M, Lerman J, Britt BA. Is prophylactic dantrolene indicated for MHS patients undergoing elective surgery? (abstract) S35  
see Badgwell JM  
Curling PE, Zaidan JR, Murphy DA, Knopf WD, Reich KE. Evaluation of patients with pulmonary hypertension for orthotopic transplantation: nitroprusside vs nitroglycerin (abstract) S36  
Curran MA, see Baughman VL  
see Parnass SM



- Curran MJ, Donati F, Bevan DP. Onset and recovery of atracurium and succinylcholine blockade with simultaneous train-of-four and single twitch responses (abstract) 538
- Curran MJA, see Parnass SM
- Cutfield GR, see Leone BJ
- Dagher I, see Baraka A
- Daghero AM, Bradley EL Jr, Kissin I. Midazolam antagonizes the analgesic effect of morphine in rats 944
- Dalens B, Bazin J-E, Haberer J-P. Epidural bubbles as a cause of incomplete analgesia during epidural anesthesia 679
- Vanneuville G, Tanguy A. A new parascapular approach to the brachial plexus in children: comparison with the supraclavicular approach 1264
- Damm D, see Magora F
- Dance GR, see Butterworth JV IV
- Danker PR, see Harte FA
- Danneels L, see Ramasubramanian R
- Datta S, see Flanagan HL  
see Gissen AJ
- Davey FR, see Reagan JO
- Davies GG, see Wells DG
- Davies JAH, Beswick T, Dickson G. Ketanserin and guanethidine in the treatment of causalgia 575
- Davin-Robinson KA, see Davis PJ
- Davis D, see Hill RF
- Davis DP, see Greeley WJ
- Davis PJ, Cook DR, Stiller RL, Davin-Robinson KA. Pharmacodynamics and pharmacokinetics of high-dose sufentanil in infants and children undergoing cardiac surgery 203
- Dawson B, see Warner MA
- De Anda A, see Maxwell MS
- de Bruijn NP, Clements FM, Kisslo JA. Intraoperative transesophageal color flow mapping: initial experience 386
- Croughwell N, Reves JG. Hemodynamic effects of esmolol in chronically  $\beta$ -blocked patients undergoing aortocoronary bypass surgery 137; errata 141, 484
- Reves JG, Croughwell N, Knopes K. Comparison of hemodynamic responses to isoproterenol infusion and surgical stress in patients given cardioselective and noncardioselective  $\beta$ -adrenergic antagonists 637  
see Clements FM  
see Greeley WJ
- de Sousa H. "Unapproved" use of drugs (letter) 370
- De Wolf AM, Marquez JM, Nemeto EM, Kang YG, Pinsky MR. Cardiovascular responses to acute loading with nifedipine alone and nifedipine plus propranolol during inhalation anesthesia in monkeys 1096
- Kang YG, Todo S, Kam I, Francavilla AJ, Polimeno L, Lynch S, Starzl TE. Glucose metabolism during liver transplantation in dogs 76
- Van Den Berg BW, Hoffman HJ, Van Zundert AA. Pulmonary dysfunction during one-lung ventilation caused by HLA-specific antibodies against leukocytes 463
- Van Zundert AA. Spinal anesthesia and myocardial ischemia (letter) 582  
see Van Zundert A
- DeBois WJ, Sharon I, Shevde K. Improved circulation during hypothermic cardiopulmonary bypass (CPB) utilizing a pulsatile device (abstract) 539  
see Rice L
- Delphin E, Jackson D, Rothstein P. Use of succinylcholine during elective pediatric anesthesia should be reevaluated 1190
- Delva E, Camus Y, Paugam C, Parc R, Huguet C, Lienhart A. Hemodynamic effects of portal triad clamping in humans 864
- Denny N, Masters R, Pearson D, Read J, Sihota M, Selander D. Postdural puncture headache after continuous spinal anesthesia 791
- Denson DD, Thomas RD, Behbehani MM, Coyle DE. Medullary effects of local anesthetics; reply (letter) 372  
see Henzmann JB  
see Raj PP
- DerSarkissian L, see Abboud TK
- Dewan DM, see Eisenach JC
- Dharamraj CM, see Schultetus RR
- Diaz JH. Cardiac anaesthesia: problems and innovations (book review) 289
- Tension pneumoperitoneum-pneumothorax during repair of congenital diaphragmatic hernia 577
- Lockhart CH. Postoperative quadriplegia after spinal fusion for scoliosis with intraoperative awakening 1039
- Dickson G, see Davies JAH
- Dierdorf SF, see Brown JW
- DiFazio CA. Regional opioids in anesthesiology and pain management (book review) 288  
see Althaus JS  
see Lake CL
- Dillard E, see Gelman S
- Dillman JB. Safe use of succinylcholine during repeated anesthetics in a patient treated with cyclophosphamide 351
- Dimich I, see Gabrielson G  
see Profeta JP
- Dimick A, see Gregoretti S
- Dinner M, Tjeuw M, Artusio JF Jr. Bacteremia as a complication of nasotracheal intubation 460
- Dlewati A, see Chelly JE  
see Hill DC
- Dohis S, Takeshima R, Naito H. Spinal cord blood flow during spinal anesthesia in dogs: the effects of tetracaine, epinephrine, acute blood loss, and hypercapnia 599
- Doi M, Ikeda K. Respiratory effects of sevoflurane 241
- Doi T, see Takasaki M
- Dolman J, see Profeta JP
- Donati F, see Curran MJ
- Donenfeld RF. A technique to aid blind nasotracheal intubation 283  
see Ramabadran K
- Donlon JV Jr. Anesthesia for eye, nose and throat surgery (book review) 377
- Domb M, see Vincent J-L
- Doss NW, see Relkin T
- Douglas EJ, see Gepts E
- Dowman R, see Gelb AW
- Downing JW, see Bland BAR  
see Ramasubramanian R
- Doyle WA, McLaughlin G, Gravenstein N. Performance of injector-type vaporizer during high-frequency positive pressure ventilation (abstract) 540
- Doze VA, Shafer A, White PF. Nausea and vomiting after outpatient anesthesia—effectiveness of droperidol alone and in combination with metoclopramide (abstract) 541
- Drasner K, Fields HL. Synergy between the antinociceptive effects of intrathecal clonidine and systemic morphine in the rat (abstract) 542
- Dror A, Henriksen E. Accidental epidural magnesium sulfate injection 1020
- Drummond GB, see Duggan J
- Drummond JC, Moore SS, Zivin JA, Shapiro HM. The effects of hyperglycemia on neurologic outcome following spinal cord ischemia in the rabbit (abstract) 543
- Scheller MS, Todd MM. The effect of nitrous oxide on cortical cerebral blood flow during anesthesia without halothane and isoflurane, with and without morphine, in the rabbit 1083
- Du Pen SL. After epidural narcotics—what next for cancer pain control? (abstract) 546

- Dubner RD, see Joris JL
- Dubois M, Chen J, Thayer S, Narang P, Kaufman J, Hatendi A. Pharmacokinetics of alfentanil continuous IV infusion in neurosurgical patients (abstract) S44
- Duckett JE, McDonnell T, Zebrowski M, Witte M. Lumbar versus thoracic continuous epidural sufentanil for post-operative analgesia after upper abdominal surgery (abstract) S45
- Duggan J, Drummond GB. Activity of lower intercostal and abdominal muscle after upper abdominal surgery 852
- Duncan D, see Layon J
- Duncan PW, see Bland BAR
- Dundee JW, see Fee JPH  
see Milligan KR  
see Moore J
- Dunn GL, see Morison DH
- Durant PAC, Yaksh TL. Kinetics of epidural morphine; reply (letter) 695
- Durkin M, see Thys D
- Durrani Z. Perioperative myoclonia or seizures (letter) 583  
see Zsigmond EK
- Durrett LR, Yearwood TL, Mathew BP. Aortic blood flow acceleration measured by Doppler ultrasound as an index of contractility in pigs (abstract) S47
- Duvaldestin P, Chauvin M. Does diaphragmatic paralysis precede hand paralysis with vecuronium?; reply (letter) 1342  
see Chauvin M
- Dwersteg JF, see Macintyre PE
- Dyd J, see Cullen PM
- Dykes V, see Purves PG
- Dymond R, see Kamban JR
- Earls F, see Garfield JM
- East KA, see Bailey PL  
see Streisand JB
- Ecoffey C, see Negre I
- Edge KR, see Nicoll JMV
- Edström HH, see Phero JC  
see Raj PP
- Eger EI II. Partition coefficients of I-653 in human blood, saline, and olive oil 971
- Stability of I-653 in soda lime 983
- Johnson BH. MAC of I-653 in rats, including a test of body temperature and anesthetic duration 974
- Johnson BH. Rates of awakening from anesthesia with I-653, halothane, isoflurane, and sevoflurane: a test of the effect of anesthetic concentration and duration in rats 977
- Johnson BH, Ferrell LD. Comparison of the toxicity of I-653 and isoflurane in rats: a test of the effect of repeated anesthesia and use of dry soda lime 1230
- Johnson BH, Strum DP, Ferrell LD. Studies of the toxicity of I-653, halothane and isoflurane in enzyme-induced hypoxic rats 1227
- Strum DP. The absorption and degradation of isoflurane and I-653 by dry soda lime at various temperatures 1312  
see Cahalan MK  
see Carpenter RL  
see Strum DP
- Eggers GWN Jr, see Broster T
- Egwu VN, Sadr B. Radical arterial foreign body as a cause of wrist pain (letter) 1058
- Ehrehwerth J. What is normal work of breathing? (letter) 285
- Eisele JH Jr, Golub MS. Maternal-fetal distribution of meperidine and alfentanil during labor in the rhesus monkey (abstract) S48  
see Kien ND
- Eisenach JC, Grice SC, Dewan DM. Epinephrine enhances analgesia produced by epidural bupivacaine during labor 447  
see Grice SC
- Eisenstaedt RS, see Fish DJ
- Elevli M, see Gürel A
- Elliott J, see Parris WCV
- Ellis JE, see Lichtor JL
- Ellison N. Hemotherapy in childhood and adolescence (book review) 287
- Eng P, see Gallagher T
- Entman S, see Kamban JR
- Eriksson B, see Berggren D
- Erkola O, see Korttila K
- Ernst EA. Closed-circuit system and other innovations in anesthesia (book review) 808
- Esmail A, see Ong BY
- Estes MD, Bohannon TW. Effect of direction of catheter insertion on the quality of obstetric epidural analgesia (abstract) S49
- Estrada S, see West JM
- Estrin JA, Belani KG, Bushman J, Stock P, Karnavas A, Asher NL, Najarian JS, Buckley JJ. Massive transfusion during adult and pediatric liver transplants I: transfusion technique (abstract) S50
- Bushman J, Stanley T, Wall R, Buckley JJ. Effects of halothane on global reversible and irreversible myocardial ischemia (abstract) S51  
see Belani KG
- Evans J. Esophageal activity and light anesthesia (letter) 196
- Fahey MR, Shi W-Z, Miller Rd. Nitrous oxide augments the CNS stimulation by laudanose in rabbits (abstract) S52
- Fahmy NR, Bottros MR, Charchafieh J, Sunder N, Carr DB. A double blind comparison of oxymorphone and fentanyl as supplements to nitrous oxide anesthesia (abstract) S53
- Farah R-S, Thomas PS. Sympathetic blockade and tourniquet pain in surgery of the upper extremity 1033
- Farrar JK, see Murkin JM
- Farrar K, see Murkin JM
- Faust RJ. Current concepts in transfusion therapy (book review) 377
- Faxén A, see Wallin G
- Fee JPH, Brady MM, Furness G, Moore J, Dundee JW. Has nalbuphine a place in severe pain? (abstract) S54  
see Moore J
- Feinberg B, see Profeta JP
- Feinerman L, see Horrow JC
- Feld JM, see Parnass SM
- Feldstein GS, Waldman SD, Allen ML. Reversal of apparent tolerance to epidural morphine by epidural methylprednisolone 264  
see Waldman SD
- Ferguson GG, see Lam AM
- Ferrell LD, see Eger EI II  
see Strum DP
- Field C, see Chi OZ
- Fields HL, see Drasner K
- Fink BR, Cairns AM. Lack of size-related differential sensitivity to equilibrium conduction block among mammalian myelinated axons exposed to lidocaine 948
- Fink M. Contraindications to electroconvulsive therapy (letter) 918
- Finlayson DL, Murphy DA, Byrnes RK, Hunter RL, Tobia V, Zellinger M, Keister C. Autotransfusion after cardiac surgery using new apparatus: alteration in blood and protein (abstract) S55  
see Murkin JM
- Finucane BT, Hammonds WD, Welch MB. Influence of age on vascular absorption of lidocaine from the epidural space 843
- Fischer R, Lubenow T, Liceaga A, McCarthy RJ, Ivankovich AD. A comparison of continuous epidural narcotic/local anesthetic mixtures for post-operative analgesia (abstract) S56
- Fish DJ, Barnette RE, Eisenstaedt RS. Fresh frozen plasma: justification of perioperative use (abstract) S57
- Fisher DM, see Brett CM  
see Gambee AM
- Fisher K, see Kamban JR



- Flacke JW, Flacke WE, Bloor BC, Van Etten AP, Kripke BJ. Histamine release by four narcotics: a double-blind study in humans 723
- Flacke WE, see Flacke JW
- Flanagan HL, Datta S, Lambert DH, Gissen AJ, Covino BG. Effect of pregnancy on bupivacaine-induced conduction blockade in the isolated rabbit vagus nerve 123
- Flanagan J, see Kamban JR
- Flanagan JFK, see Parris WCV
- Flanigan KE, Brett RS. Effects of isoflurane on single acetylcholine receptor channel kinetics (abstract) S58
- Flashburg MH, see Mohlbegott LP
- Fleming JA, Lambert TF, Walker AM. The effects of bupivacaine on the umbilical circulation and placental gas exchange in the fetal lamb 1121
- Fleming N. Medullary effects of local anesthetics (letter) 371
- Fletcher JE, see Kistler P
- Fletcher WA, see Froese AB
- Flezzani P, Croughwell N, McIntyre RW, Reves JG. Isoflurane blunts the norepinephrine response to cardiopulmonary bypass (abstract) S59
- see McIntyre RW
- Flynn M, see Mitchell SZ
- Flynn RJ, see Moore J
- Foëx P, see Leone BJ
- Foldes FF, see Nguyen HD
- Foltz BD. Another technique for extending the life of oximetry monitoring probes (letter) 373
- Fontanelle LJ, see Cope DK
- Forbes RB, see Murray DJ
- Ford DJ, Raj PP. Peripheral neurotoxicity of 2-chloroprocaine and bisulfite in the cat 719
- Forster A, Juge O, Louis M, Nahory A. Effects of a specific benzodiazepine antagonist (RO 15-1788) on cerebral blood flow 309
- Fourie P, see Coetzee A
- Fournell A, see Freye E
- Francavilla AJ, see De Wolf AM
- Francis CM, see Leone BJ
- Fraser RA, see Gowan JD
- Frederic MW, see Horrow JC
- Freedman J, see Post C
- Freeman J, see Khalouf FK
- Freilich JD, see Mitchell SZ
- Freund PR, see Grim PS
- see Zucker JR
- Freye E, Fournell A. The benzodiazepine antagonist Ro-14-1788 reverses midazolam-induced EEG-changes postoperatively (abstract) S60
- Friesen RH. Pitfalls encountered in relating anterior fontanel pressure to intracranial pressure; reply (letter) 1197
- Honda AT, Thieme RE. Changes in anterior fontanel pressure in preterm neonates during tracheal intubation 874
- Thieme R. Changes in anterior fontanel pressure during cardiopulmonary bypass and hypothermic circulatory arrest in infants 94
- Thieme RE, Honda AT, Morrison JE Jr. Changes in anterior fontanel pressure in preterm neonates receiving isoflurane, halothane, fentanyl or ketamine 431
- Froelich JA, see Keh-Wong E
- Froese AB, Butler PO, Fletcher WA, Byford LJ. High-frequency oscillatory ventilation in premature infants with respiratory failure: a preliminary report 814
- Frolicher D, see Goldman E
- From RP, see Tredrea CR
- Frost EAM. Seizures after anesthesia: identifying the causes (letter) 1053
- Fujinaga M, Baden JM, Mazze RI. Reproductive and teratogenic effects of nitrous oxide, fentanyl and their combinations in Sprague-Dawley rats (abstract) S61
- Fujita N, see Kawana Y
- Fujita Y, Takaori M. Pleural effusion after CT-guided alcohol celiac plexus block 911
- see Maruyama K
- Fukuda S, Wakuta K, Ishikawa T, Oshita S, Sakabe T, Takeshita H. Lidocaine modifies the effect of succinylcholine on muscle oxygen consumption in dogs 325
- see Oshita S
- Fukunaga AF, see Fukutome T
- Fukutome T, Tanigawa K, Fukunaga AF. Subclavian venipuncture: a new device using a Doppler probe (letter) 1338
- Furness G, see Fee JPH
- Furukawa Y, see Saegusa K
- Fyman P, Avitable M, Moser F, Reynolds J, Casthely P, Butt K, Kopman A. Sufentanil pharmacokinetics in patients undergoing renal transplantation (abstract) S62
- Gaba DM, see Maxwell MS
- Gabrielson G, Lingham R, Dimich I, Singh P, Kaplan JA. Comparative study of labetalol and hydralazine in the treatment of postoperative hypertension (abstract) S63
- Gal TJ. Morphine antagonism with nalbuphine (letter) 97
- see Woods AM
- Gallagher KP, see Tatekawa S
- Gallagher T, Lerman J, Volgyesi GA, Eng P, Burrows FA. Effects of halothane and isoflurane on the baroreceptor response in newborn swine (abstract) S64
- Gallagher TJ, see Layon J
- Gallick MN, see Sanford TJ
- Gallo JA, see Cork RC
- Gambee AM, Hertzka RE, Fisher DM. Preoxygenation techniques: comparison of three minutes and four breaths 468
- Gandolfi AJ, see Lind RC
- see Siadat-Pajouh M
- Garfield FB, see Garfield JM
- Garfield JM, Garfield FB, Philip BK, Earls F, Roaf E. A comparison of clinical and psychological effects of fentanyl and nalbuphine in ambulatory gynecologic patients 1303
- Garman JK. Anesthesia the heart and the vascular system (book review) 1206
- Gelb AW, Boisvert DP, Tang C, Lam AM, Marchak E, Dowman R, Lunt A. A comparison in primates of the tolerance to focal cerebral ischemia during isoflurane or nitroprusside induced hypotension (abstract) S65
- Geller E, see Chrubasik J
- Gelman S, Dillard E, Bradley EL Jr. Hepatic circulation during surgical stress and anesthesia with halothane, isoflurane, or fentanyl 936
- see Gregoretti S
- Georges LS, Smith KW, Wong KC. Anesthetic challenges in separation of craniophagus twins 783
- Gepts E, Camu F, Chockshott ID, Douglas EJ. Disposition of propofol administered as constant rate intravenous infusions in humans 1256
- Gergis SD, see Murray SJ
- Gerkin MV, see Bruce DL
- Gerson JL, see Reafan JO
- Gertel M, Shapira SC. Ulnar nerve palsy of unusual etiology (letter) 1343
- Gholston TK, see Khalil SN
- Ghoneim MM, see Block RI
- Gibson BE, Stanley RJ, Lanier WL. Prolonged unilateral mydriasis after nasal septal reconstruction (letter) 197
- Gieraerts R, Natalgund A, Vaes L, Soetens M, Chang L, Jahr J. Increased incidence of itching and herpes simplex in patients given epidural morphine after cesarean section 1321
- Giesecke AH. International anesthesiology clinics, anesthesia for trauma (book review) 1207
- Giesecke AH Jr, see Bristow A

- Gilbert M, see Roberts SL  
 Gillespie JH, Menk EJ, Middaugh RE.  
 Reflex sympathetic dystrophy: a  
 complication of interscalene block  
 1316  
 Gillmor ST, see Streisand JB  
 Gintautas J, see Abadir AR  
 see Relkin T  
 Gissen AJ, Gugino LD, Datta S, Miller J,  
 Covino BG. Effects of fentanyl and  
 sufentanil on peripheral  
 mammalian nerves 1272  
 see Benzon HT  
 see Flamagan HL  
 Gladines MPRR, see Burm AGL  
 Glaser-Duval N, see Baugham VL  
 Glass P, Jacobs J, Quill T, Alvis M, Bai S,  
 Reves JG. The efficacy of inhalation  
 anesthesia vs intravenous  
 anesthesia using a computer  
 assisted infusion device (abstract)  
 S66  
 Wilson W, Mace J, Ossey K, Maroof M.  
 Assessment of the optimal priming  
 dose for atracurium, pancuronium  
 and veruronium to obtain rapid  
 onset muscle relaxation (abstract)  
 S67  
 Glass PSA, see Leiman BC  
 Glassenberg R, see Matthew EB  
 Gleizal B, see Racle JP  
 Goldberg M, Vatahsky E, Haskel Y,  
 Seror D, Nissan S, Hanani M. The  
 effect of meperidine on the guinea  
 pig extrahepatic biliary tract 1282  
 see Sosis M  
 Goldberg ME, Marr AT, Starsnic MA,  
 Ritter DE, Sosis M, Larijani GE.  
 Does vecuronium accumulate in  
 renal transplant patients? (abstract)  
 S68  
 Seltzer JL, Sharifi-Azad S, Smullens SN,  
 Marr AT, Larijani GE. Labetalol for  
 control of postcarotid  
 endarterectomy hypertension  
 (abstract) S69  
 see Seltzer JL  
 see Sosis M  
 Golden KJ. Anesthesia and ENT surgery:  
 volume 9, contemporary anesthesia  
 surgery (book review) 699  
 Goldiner PL  
 see Nguyen HD  
 see Svadjian E  
 Goldman E, McDonald JS, Peterson SF,  
 Stock MC, Betts R, Frolicher D.  
 Transtracheal ventilation for  
 complete upper airway obstruction  
 in pigs (abstract) S70  
 Road JD, Grassino A. The effects of  
 PEEP on canine diaphragmatic  
 length (abstract) S71  
 Goldman JM, Phelps RW. No flow  
 anesthesia (letter) 1339  
 Golub MS, see Eisele JH Jr  
 Gomez MN, see Pearson KS  
 González-Méndez R, see Litt L  
 Gorbach MS. Inflation of the endotracheal  
 tube cuff as an aid to blind nasal  
 endotracheal intubation (letter) 917  
 Gordh T Jr, see Post C  
 Gordon E, see Öwall A  
 Goto H, Boozalis ST, Benson KT,  
 Arakawa K. High-frequency jet  
 ventilation for resection of  
 congenital lobar emphysema 684  
 Gotoh Y, see Hattori Y  
 Gotta AW. AIDS (book review) 699  
 Gould DB. Avoidance of recall during  
 general anesthesia for cesarean  
 section (letter) 98  
 Gourlay GK, see Cousins MJ  
 Gowan JD, Hurtig JB, Fraser RA, Kitts J,  
 Torbicki E. Lumbar epidural  
 morphine and prophylactic  
 naloxone infusions for post-  
 thoracotomy analgesia: effects of  
 quality of analgesia and side effects  
 (abstract) S72  
 Grant GJ, Ramanathan S, Turndorf H.  
 Maternal hemodynamic effects of  
 ephedrine and phenylephrine  
 (abstract) S73  
 Grant IS, see Semple AJ  
 Grassino A, see Goldman E  
 Gravenstein JS, see Berger JJ  
 Gravenstein N, see Doyle WA  
 see Weber W  
 see van Genderingen HR Jr  
 Gravelle GP, see Rogers AT  
 Greeley WJ, de Bruijn NP, Davis DP.  
 Sufentanil pharmacokinetics in  
 pediatric cardiovascular patients  
 1067  
 Greene WM, see Isley MR  
 Gregoretti S, Gelman S, Dimick A,  
 Proctor J. Effects of isoflurane on  
 the hyperdynamic circulation of  
 burned patients (abstract) S74  
 Greichen SL, see Bowdle TA  
 Grice SC, Eisenach JC, Prough DS.  
 Intravenous regional anesthesia:  
 effect of tourniquet size and type of  
 leakage under the tourniquet  
 (abstract) S75  
 see Eisenach JC  
 Grim PS, Freund PR, Cheney FW Jr.  
 Effect of spontaneous sighs on  
 arterial oxygenation during  
 isoflurane anesthesia in humans  
 839  
 Gros C, see Meynadier J  
 Gross JB, see Negre I  
 Gruzca J, see Tredrea CR  
 Grundy BL, see Varga DA  
 Gueneron J-P, see Negre I  
 Guffin A, see Profeta JP  
 Gugino LD, see Gissen AJ  
 Guiraudon G, see Murkin JM  
 Gürel A, Elevli M, Hamulu A.  
 Aminophylline reversal of  
 flunitrazepam sedation 333  
 Gustafson Y, see Berggren D  
 Guth MW, see Shin YK  
 Guttery JS, see Varga DA  
 Guzzetta PC, see Broadman LM  
 Gyasi HK, see Naguib M  
 Haberer J-P, see Dalens B  
 Haddad R, see Baraka A  
 Hadjuczek J, see Wong DH  
 Hadley C, see Manchikanti L  
 Hagenouw RRP, see Phero JC  
 Hague B, see Streisand JB  
 Hall PM, see Cousins MJ  
 see Lind RC  
 Hall RI, Murphy MR, Szlam F, Hug CC Jr.  
 Dezocine-MAC reduction and  
 evidence for myocardial depression  
 in the presence of enflurane 1169  
 Szlam F, Hug CC Jr. Alfentanil is not a  
 complete anesthesia in dogs  
 (abstract) S76  
 Szlam F, Hug CC Jr. The enflurane-  
 sparing effect of alfentanil in dogs  
 1287  
 Halleam-Bothros L, see Basta SJ  
 Halpern S, Onayemi A, Swartz J, Rosaeg  
 O. Does an epidural test dose  
 prevent complications of epidural  
 catheter insertion? (abstract) S77  
 Halpin M, see Brown JW  
 Hamilton WK, see Litt L  
 Hammon J, see Kambam JR  
 Hammonds WD, see Finucane BT  
 Hamulu A, see Gürel A  
 Hanani M, see Goldberg M  
 see Vatahsky E  
 Handte RE, see Kambam JR  
 Hannallah RS, see Broadman LM  
 Hansen OB, see Lund C  
 Hansson LI, see Berggren D  
 Hantler CB, see Tatekawa S  
 see Wilton NCT  
 Hargreaves KH, see Joris JL  
 Harioka T, Mori H, Mori K. Hypertensive  
 reaction to indigo carmine during  
 transurethral resection of a bladder  
 tumor (letter) 1049  
 Harman PK, see Steele ER  
 Harnik E, see Kataria BK  
 Haroun S, see Baraka A  
 Harrison DM, Sinatra RS. Oxymorphone  
 for use in patient controlled  
 analgesia—the ideal PCA drug?  
 (abstract) S78  
 see Sinatra RS  
 Harrison JL. Seizures after anesthesia:  
 identifying the causes; reply (letter)  
 1054  
 Harte FA, Chalmers PC, Danker PR,  
 Sheikh F. Double internal jugular  
 vein cannulation in adult patients  
 utilizing a single venipuncture  
 (letter) 370  
 Chalmers PC, Walsh RF, Danker PR,

- Sheikh FM. Intraosseous fluid administration: a parenteral alternative in pediatric resuscitation 687
- Hartley CJ, see Hill DC
- Hartrick CT, see Raj PP
- Hartung J, Cottrell JE. Nitrous oxide reduces thiopental-induced prolongation of survival in hypoxic and anoxic mice 47
- Hashimoto H, see Maruyama K
- Haskel Y, see Goldberg M  
see Vatahsky E
- Haskins SC, see Wong PL
- Hatano Y, see Umeda S
- Hatendi A, see Dubois M
- Hattori Y, Azuma M, Gotoh Y, Kanno M. Negative inotropic effects of halothane, enflurane and isoflurane in papillary muscles from diabetic rats 23
- Hayashi A, see Kawana Y
- Hayes SR, Johnson K, Munson ES. Removal of endotracheal tube connectors (letter) 1059
- Haynes DF, see Cope DK
- Hazlehurst WM, see Wasudev G
- Healy TEJ. The work of breathing (letter) 801
- Hedner T, see Wallin G
- Heerd M, see West JM
- Heikkilä H, Jalonen J, Arola M, Hovi-Viander M, Laaksonen V. Low-dose enflurane as adjunct to high-dose fentanyl in patients undergoing coronary artery surgery 111
- Heindel DJ. Deep neck abscesses in adults: management of a difficult airway 774
- Henderson SK, see Matthew EB
- Hennis PJ, see Veering BTh
- Henzmann JB, Chamberlain DP, Romer MC, Denson DD, Mathieu AM. Axillary brachial plexus block: effect of compounding bupivacaine and lidocaine on venous levels (abstract) 579
- Herlich A, see Katende RS
- Hertzka RE, see Gambee AM
- Hesselink EM, see van Rheineck Leyssius AT
- Heyman HJ, Salem MR. Early blood patch recommended (letter) 284
- Hickey DR. Use of succinylcholine in patients with decreased plasma cholinesterase activity (letter) 1051
- Higgs CNB, see Sellers WFS
- Hill CR, see Schultetus RR
- Hill DC, Chelly JE, Dlewati A, Hartley CJ, Merin RG. The effect of fentanyl on verapamil plasma levels and hemodynamics in dogs (abstract) S80  
see Chelly JE
- Hill P, see Wasudev G
- Hill RF, Kates RA, Davis D, Reves JG. Anesthetic implications for management of patients with acute myocardial infarction: a matched cohort study of CABG operations (abstract) S81
- Hiller JM, see Wang BC
- Hillman DE, see Wang BC
- Hiltunen AJ, see Teiling AKY
- Himberg J-J, see Salonen M
- Hines RL, see Biondi JW
- Hinrichs JV, see Block RI
- Hinshelwood L, see Rogers AT
- Hirsch NP, see Sibert KS
- Hirshman CA, Marsh B, North FC. Nitrous oxide should not be used during laser endoscopic surgery; reply (letter) 1055
- North FC, Kettelkamp N. Comparison of cutaneous and in vitro human mast cell histamine release by muscle relaxants (abstract) S82
- Hjorts NC see Lund C
- Ho GH, see Streisand JB
- Hoffman HJ, see De Wolf AM
- Högstrom S, see Wallin G
- Hohlbein LJ, see Manchikanti L
- Hoka S, see Siker D
- Holk IK, see Ravnborg M
- Holland MJ, see Wang BC
- Honda AT, see Friesen RH
- Hopson CN, see Raj PP
- Hopwood M, see Kay J
- Horror JC. The 1986 year book of anesthesia MEDICASSETTE anesthesia, volume 1, numbers 1, 2, 3, (book review) 291
- Feinerman L, Colonna-Romano P, Brajer J, Rosenberg H. Urine output affects urinary catheter temperature during rapid warming (abstract) S83
- Jaffe JR, Rosenberg H. A laboratory evaluation of resistive intravenous flow regulators 660
- Metz S, Thickman D, Frederic MW. Prior carotid surgery does not affect ability to locate the internal jugular vein (abstract) S84
- Metz S, Thickman D, Frederic MW. Prior carotid surgery does not affect the reliability of landmarks for location in the internal jugular vein 452
- Hoshino K, see Umeda S
- Hosking MP, Warner MA. Sudden intraoperative hypotension in a patient with asymptomatic urticaria pigmentosa 344
- Hovi-Viander M, see Heikkilä H
- Hovorka J, see Kortilla K
- Howard G, see Butterworth JF IV
- Howe JP, see Milligan KR
- Howie MB, see Mortimer WG
- Hubbard AK, see Siadat-Pajouh M
- Hubbert CH. Dural puncture headache suspected, cortical vein thrombosis diagnosis (letter) 285
- Hudson SB, see Korbon GA
- Hug CC Jr, see Hall RI
- Huges G, see Vinik HR
- Hügler P, see Weber W
- Humayon SG, see Abadir AR
- Hunter RL, see Finlayson DC
- Hur D, see Smith AR
- Hurtig JB, see Gowan JD
- Hyman S, see Wood M
- Hyman SA, Berman ML, Bullington JC, Rogers WD, Skelley CC. Brainstem auditory evoked potentials during balanced anesthesia with a sufentanil infusion (abstract) S85
- Iisalo E, see Salonen M
- Ikedo K, Doi M
- Ilko R, see Snyder AR
- Iovan SN, see Bochenek KJ
- Isaacson JJ, Weitz FI, Berry AJ, Knos GB, Venner DS. Intrathecal morphine's effect on the postoperative course of patients undergoing abdominal aortic surgery (abstract) S86
- Ishikawa T, see Fukuda S
- Isley MR, Kafer ER, Lucas WJ, Macchioli GA, Owens HG, Collins MS, Greene WB. The hemodynamic and oxygen transport responses to automated acute normovolemic hemodilution (abstract) S87
- Israel I, see Sessler DI
- Itani I, see Baraka A
- Ivankovich AD, see Fischer R  
see Keh-Wong E  
see Logas WG  
see Tuman KJ
- Ivankovich O, see Keh-Wong E
- Jabbour S, see Baraka A
- Jackson D, see Delphin E
- Jacobs J, see Glass P
- Jacobs JR, Maier GW, Rankin JS, Reves JG. Effect of esmolol on left ventricular function in the awake dog (abstract) S88
- Jacobson L, Kokri MS, Pridie AK. Intrathecal diamorphine: efficacy, duration, optimal dose and side effects (abstract) S89
- Jacobson LE, see Krane EJ
- Jaffe JR, see Horror JC
- Jahr J, see Gieraerts R
- Jalonen J, see Heikkilä H
- James T, see Litt L
- Jarbé TUC, see Teiling AKY
- Jarvis AP, Arancibia CU. A case of difficult neonatal ventilation (letter) 196
- Jenkins D, see Moore DC
- Jenner M, see Cousins MJ
- Jensen FM, see Ravnborg M
- Jensen N-H, see Ravnborg M

- Jewell MR, see Vijayakumar HR  
 Johnson BA, see Carpenter RL  
 Johnson BH, see Eger EI II  
     see Strum DP  
 Johnson J, see Varga DA  
 Johnson K, see Hayes SR  
 Johnson MD, see Butterworth JF II  
 Jones MM, see Palacios QT  
 Jones RM, see Power SJ  
 Jongerrtrakkool P, see Sangarlangkarn S  
 Joris JL, Dubner R, Hargreaves KH.  
     Opioid analgesia at peripheral sites:  
     a target for opioids released during  
     stress and inflammation? 1277  
 Joyce TH III, see Palacios QT  
 Juge O, see Forster AF  
 Juneja DJ, see Santos DJ  
 Jurado R, see Profeta JP  
 Kafer ER, see Isley MR  
 Kainuma M, Shimada Y. A breathing-  
     circuit stethoscope for continuous  
     monitoring of breath sounds (letter)  
     1057  
 Kaiser KG, Bainton CR. Treatment of  
     intrathecal morphine overdose by  
     aspiration of cerebrospinal fluid 475  
 Kalayjian R, see Sugioka K  
 Kalkman CJ, see van Rheineck Leyssius  
     AT  
 Kam I, see De Wolf AM  
 Kamban JR, Dymond R, Krestow M.  
     Effects of cimetidine on duration of  
     action of succinylcholine 191  
     Handt E, Flanagan J, Fisher K,  
     Lupineti M, Hammon J.  
     Intrathoracic anesthesia for post-  
     thoracotomy pain relief (abstract)  
     590  
 Mouton S, Entman S, Parris WCV,  
     Wasudev G, Sastry BVR, Naukam  
     RJ, Linn J, Smith BE. Effect of  
     preeclamptic pregnancy on plasma  
     pseudocholinesterase activity  
     (abstract) S91  
     see Parris WCV  
     see Wasudev G  
 Kaminsky AL. Pulse monitoring without  
     ECG is potentially hazardous  
     (letter) 695  
 Kammerer N. Current anesthesia practice  
     for electroconvulsive therapy  
     (letter) 918  
 Kampine JP, see Siker D  
 Kang YG, see De Wolf AM  
 Kanno M, see Hattori Y  
 Kanto J, see Salonen M  
 Kaplan JA, see Gabrielson G  
     see Profeta JP  
     see Sampson IH  
     see Thys D  
 Kaplan RF, see Varga DA  
 Kapsten JE, see Broadman LM  
 Kapur PA, see Makela VHM  
 Karasic HL, see Molbegott LP  
 Karlin BL, see Molbegott LP  
 Karnavas A, see Estrin JA  
 Kataria BK, Harnik E, Mitchard R, Kim Y,  
     Ahmed S. Postoperative arterial  
     oxygen saturation in the pediatric  
     population during transportation  
     (abstract) S92  
 Maher J. A simple way to monitor  
     inspired oxygen concentration in  
     nonbreathing circuits (letter) 1049  
 Price P, Slack M. Delayed filling of the  
     breathing bag due to a portable  
     vaporizer (letter) 1055  
 Katende RS, Herlich A. Anesthetic  
     considerations in  
     holoprosencephaly 908  
 Kates RA, see Hill RF  
     see Massagee JT  
 Katz J, Warters RD, Leiman BC, Laine  
     GL, Kurusz M, Butler BD.  
     Distribution of arterial air embolic  
     effect of the Trendelenberg position  
     in dogs (abstract) S93  
     see Leiman BC  
 Katz RI, Skeen JT, Quartararo C, Poppers  
     PJ. Varied uses of a thiopental  
     infusion 1328  
 Katz RL, see Cheng M  
 Kaufman J, see Dubois M  
 Kaufman RD. Relationship between  
     esophageal temperature gradient  
     and heart and lung sounds heard  
     by esophageal stethoscope 1046  
 Kawana Y, Sato H, Shimada H, Fujita N,  
     Ueda Y, Hayashi A, Araki Y.  
     Epidural ketamine for postoperative  
     pain relief after gynecologic  
     operations: a double-blind study  
     and comparison with epidural  
     morphine 735  
 Kay J, Cheng EY, Hopwood M, Minkel  
     DT. Neuroendocrine response to  
     prolonged isoflurane anesthesia for  
     reconstructive surgery (abstract)  
     S94  
     see Minkel DT  
 Keh-Wong E, Lubenow T, Froelich JA,  
     Kristof K, Ivankovich O,  
     Ivankovich AD. Subdural block  
     following epidural injection of low-  
     dose bupivacaine (abstract) S95  
 Kehlet H, see Lund C  
 Keister C, see Finlayson DC  
 Kellner K, see Varga DA  
 Kelly RE, Koff HD, Rothaus KO, Carter  
     DM, Artusio JF Jr. Brachial Plexus  
     anesthesia in eight patients with  
     recessive dystrophic epidermolysis  
     bullosa 1318  
 Kelly WD, see Moore DC  
 Kempner PM. A practice of anesthesia for  
     infants and children (book review)  
     288  
     Erratum 288, 484  
 Kerns RE, see Wallace CT  
 Kettelkamp N, see Hirschman CA  
 Khalil SN, Gholston TK, Binderman J,  
     Antosh S. Flapper valve  
     malfunctions in an Ohio closed  
     scavenging system 1334  
 Khalouf FK, Kunkel FA, Freeman J.  
     Stretching with obstruction of an  
     epidural catheter (letter) 1202  
 Khankae V, see Sangarlangkarn S  
 Khawaji Y, see Naguib M  
 Kien ND, White DA, Reitan JA, Eisele JH  
     Jr. Cardiovascular function during  
     controlled hypotension induced by  
     adenosine triphosphate or sodium  
     nitroprusside in the anesthetized  
     dog 103  
 Kim CH, see Shin YK  
 Kim J-M, Reed K. Changes in PvO<sub>2</sub> of  
     cutaneous vein during spinal  
     anesthesia (abstract) S96  
 Kym Y, see Kataria BK  
 Kimbal S, see Abboud TK  
 King H, see Means LJ  
 Kirk DL, see Ramasubramanian R  
 Kirson LE, Wilson ME. Atrial fibrillation  
     associated with intravenous  
     fluorescein (letter) 283  
 Kissin I. Three components of anesthesia:  
     one more reason to accept the  
     concept (letter) 98  
 McDaniel J, Brown PT, Xavier AV,  
     Bradley EL Jr. Sympathetic blockade  
     increases tactile sensitivity 1251  
     see Daghero AM  
 Kisslo JA, see de Bruijn NP  
 Kistler P, Fletcher JE, Rosenberg H.  
     Erythrocyte fragility screening is  
     not a tool for diagnosis of human  
     malignant hyperthermia 1004  
 Kits DS, Lecky JH, Sluzarz-Ladden C,  
     Conaham TJ III. Inpatient vs day  
     surgery: differences in resource  
     use, patient volume and anesthesia  
     reimbursement (abstract) S97  
     see Metter SE  
 Kitts J, see Gowan JD  
 Klaewtanong V, see Sangarlangkarn S  
 Klauig JE, see Nigrovic V  
 Klein EF Jr, see Tarpey MM  
 Klepper ID, see Abboud TK  
 Knarr D, see Phero JC  
     see Raj PP  
 Knight PR, see Tatekawa S  
 Knights KM, see Cousins MJ  
 Knopes K, see de Bruijn N  
 Knopf WD, see Curling PE  
 Knos GB, see Isaacson JJ  
 Koerner M, see Krieger W  
 Koff HD, see Kelly RE  
 Kojima T, see Maruyama K  
 Kokra MS, see Jacobson L  
 Kolff J, see Symreng T  
 Kolton M, McGhee I, Bryan AC. Tidal



- volumes required to maintain isocapnia at frequencies from 3 to 30 Hz in the dog 523
- Komai H, Rusy BF. Negative inotropic effects of isoflurane and halothane in rabbit papillary muscles 29
- Konchigeri HN, see Wong DH
- Konishi K, see Maruyama K
- Kopf GS, see Oh TH
- Kopman A, see Fyman P
- Kopriva CJ. Cardiopulmonary bypass—principles and management (book review) 1207
- Korbon GA, Lynch C III, Arnold WP, Ross WT, Hudson SB. Repeated epidural anesthesia for extracorporeal shock-wave lithotripsy is unreliable 669
- Korevaar WC. Practical management of pain (book review) 290
- Korsh JJ, see Weingarten AE
- Korttila K, Hovorka J, Erkola O. Nitrous oxide does not increase the incidence of nausea and vomiting after isoflurane anesthesia 761
- Hovorka J, Erkola O. Omission of nitrous oxide does not decrease the incidence or severity of emetic symptoms after isoflurane anesthesia (abstract) S98
- Kosaka Y, see Takasaki M
- Kozody R, see Bedder MD
- see Ong BY
- Krane EJ, Jacobson LE, Lynn AM, Parrot C, Tyler DC. Caudal morphine for postoperative analgesia in children: a comparison with caudal bupivacaine and intravenous morphine 647
- Su JY. Comparison of the effect of halothane on newborn and adult rabbit myocardium 1240
- Kraynack BJ, see Tarpey MM
- Krestow M, see Kambam JR
- Krieger W, Koerner M. Generalized grand mal seizure after recovery from uncomplicated fentanyl-etomidate anesthesia (letter) 284
- Kripke BJ, see Flacke JW
- Krishna G, see Moorthy SS
- Kristof K, see Keh-Wog E
- Kuban CKK, see Worthen HM
- Kuhnert BR, Zuppan KJ, Kuhnert PM, Syracuse CD, Brashear WT, Brown DE. Lack of influence of cimetidine on bupivacaine levels during parturition 986
- Zuppan KJ, Kuhnert PM, Syracuse CD, Brown DE. Bipivacaine disposition in mother, fetus, and neonate after spinal anesthesia for cesarean section 407
- Kuhnert PM, see Kuhnert BR
- Kumar V, see Block RI
- Kunkel FA, see Khalouf FK
- Kunkel SE, see Warner MA
- Kurioka T, see Maruyama K
- Kuroda Y, Nakakimura K, Sakabe T, Maekawa T, Takeshita H. Analgesic doses of epidural morphine do not affect local glucose utilization in the spinal cord in rats 1175
- Kurusz M, see Katz J
- Laaksonen V, see Heikkilä H
- Lagerkranser M, see Öwall A
- Laine GL, see Katz J
- Lake CL, DiFazio CA. Sufentanil versus fentanyl hemodynamic effects in valvular heart disease (abstract) S99
- Lam AM. Trimethapham is useful for the parturient requiring neuroanesthesia (letter) 585
- Manninen PH, Contreras J, Ferguson GG, Nantau WE. Monitoring of somatosensory evoked potentials during carotid endarterectomy (abstract) S100
- see Gelb AW
- LaMantia KR, see Oh TH
- Lamb LS, see Tarpey MM
- Lambert DH, see Flanagan HL
- Lambert TF, see Fleming JA
- Landers M, see Waldman SD
- Lanier WL. Improving anesthesia mask fit in edentulous patients (letter) 1053
- Larijani GE, see Goldberg ME
- see Seltzer JL
- see Sosis M
- Larsen AI, see Carl P
- Larsson S, Nordberg G. Emergency one-lung high-frequency positive-pressure ventilation (HFPPV) 471
- Lautenschlaeger E, see Chung F
- Lavelle PA, Chung F, McDonald S, McDonald NJ. Cataract operation—inpatient or outpatient? (abstract) S101
- Lawes EG, see Bland BAR
- Lawson D, see Loeb RG
- Layon J, Duncan D, Gallagher TJ, Banner MJ. Hypertonic saline as a resuscitation solution in hemorrhagic shock: effects on extravascular lung water and cardiopulmonary function 154
- Lear E, see Seravalli E
- Lebrault C, see Chauvin M
- Lecký JH, see Kitz DS
- see Metter SE
- Lecomte JM, see Meynadier J
- Lee C, see Cheng M
- see Tsai SK
- Lee CM. Does silent aspiration during endotracheal anesthesia cause pulmonary aspiration syndrome? (letter) 199
- "Training" of pediatric endotracheal tubes (letter) 920
- Lee K, see Arellano R
- Lee YJ, see Cirella VN
- Lefer AM, see Seltzer JL
- Leff SV, see Baker MT
- Lefkowitz M, see Sampson IH
- Lehot J-J, see Leone BJ
- Leiman BC, Braude BM, Glass PSA, Cronau LH, Katz J, Butler BD, Stanley TH.  $\text{PaO}_2$  during preoxygenation: the influence of face mask fit, time and preoperative pulmonary function (abstract) S102
- Katz J, Butler BD. Mechanisms of succinylcholine-induced arrhythmias in hypoxic or hypoxic: hypercarbic dogs 1292
- Katz J, Stanley TH, Butler BD. Removal of tracheal secretions in anesthetized dogs: balloon catheters versus suction 529
- Warters RD, Katz J, Salzarulo HH, Butler BD. Minimizing friction in glass syringes for locating the epidural space (abstract) S103
- see Katz J
- Lennon RL, Leonard PF. A hitherto unreported virtue of the isolated power system (letter) 1056
- Leonard PF, see Lennon RL
- Leone BJ, Lehot J-J, Francis CM, Cutfield GR, Foëx P.  $\beta$ -blockade reverses regional dysfunction in ischemic myocardium 607
- Lerman J, see Badgwell JM
- see Cunliffe M
- see Gallagher T
- see Lucero VVM
- see Stern PJ
- Leslie JB, see McIntyre RW
- Levron J-C, see Chauvin M
- see Negre I
- Levy JH. Anesthesia review 3 (book review) 697
- Lewis T, see Bullington J
- Liceaga A, see Fischer R
- Lichtenthal PR, Wade LD, Rossi EC. The effect of ketanserin on blood pressure and platelets during cardiopulmonary bypass 1151
- Lichtiger M, see Bermudez J
- Lichter JL. Regression lines using multiple measurements from multiple patients (letter) 367
- Ellis JE, Uitvlugt A, Chung M, Lin CY, Thistlethwaite JR, Emond J, Broelsch LE, Roizen MF. Transesophageal echocardiography during liver transplantation (abstract) S104
- Lienhart A, see Delva E
- Lin CY, see Lichter JL
- Lind RC, Gandolfi AJ, Brown BR Jr, Hall PM. Halothane hepatotoxicity in

- Lind RC—*continued*  
guinea pigs 222
- Lindén I, see Wallin G
- Lindquist C, see Öwald A
- Lindsay R, see Pond W
- Lingham R, see Gabrielson G
- Linn J, see Kambam JR
- Lipman J, see Mays KS
- Lippmann M, see Mok MS
- Lipton JM, see Bristow A
- Litt L, González-Méndez R, James T, Chew W, Moseley M, Mills P, Sessler D, Severinghaus JW, Hamilton WK. An in vivo  $^{19}\text{F}$  NMR study at 5.6 Tesla of halothane uptake and elimination in anesthetized rats (abstract) S105
- Lloyd T, see Murray DJ
- Lockhart CH, see Diaz JH
- Loeb RG, Ross WJ Jr, Lawson D. How modern anesthesia machines respond to decreases in oxygen line pressure (abstract) S106
- Logas WG, McCarthy RJ, Narbone RF, Ivankovich AD. Analysis of the accuracy of the anesthetic record (abstract) S107
- London SW. Respiratory depression after single epidural injection of local anesthetic and morphine 797
- Long CW, see Malhotra V
- Longhitano M, see Abboud TK
- Longmire S, see Palucios QT
- Loper K, Reitan J, Bennett H, Benthuyssen J, Snook L Jr. Comparison of halothane and isoflurane for rapid anesthetic induction 766
- Lopez-Rodriguez F, see Miralles FS
- Lopez-Soriano F, see Miralles FS
- Louis M, see Forster A
- Lovitz M, see Ramanathan S
- Lubenow T, see Fischer R  
see Keh-Wong E
- Lucas WJ, see Isley MR
- Lucero VM, Lerman J, Burrows FA. Onset of neuromuscular blockade with pancuronium in children with congenital heart disease 788
- Lerman J, Burrows FA. Onset of neuromuscular blockade with pancuronium in children with cyanotic and acyanotic disease (abstract) S108
- Ludgrove T, see Sugioka K
- Lunam CA, see Cousins MJ
- Lund C, Hansen OB, Mogensen T, Kehlet H. Effect of thoracic bupivacaine on somatosensory evoked potentials after dermatomal stimulation 731
- Selmar P, Hansen OB, Hjorts NC, Kehlet H. Effect of epidural bupivacaine on somatosensory evoked potentials after dermatomal stimulation 34
- Selmar P, Hansen OB, Kehlet H. Effect of intrathecal bupivacaine on somatosensory evoked potentials following dermatomal stimulation 809
- Lunt A, see Gelb AW
- Lupinetti M, see Kambam JR
- Lurz FW, see Cahalan MK
- Luxton MC, see Ramasubramanian R
- Lynam DP, see Arden JR
- Lynch C III, see Korbon GA
- Lynch S, see DeWolf AM
- Lynn AM, see Krane EJ  
see Morgan P
- Lyon GD, see Bruce DL
- Maccioli GA, see Isley MR
- Mace J, see Glass P
- MacIntyre CJ, see Ong BY
- Macintyre PE, Pavlin EG, Dwersteg JF. Effect of meperidine on oxygen consumption, carbon dioxide production, and respiratory gas exchange in postanesthesia shivering 751
- Mackie AM. Anesthetic management of mediastinal masses—again (letter) 696
- Mackrell T, see Vinik HR
- Macon ME, Alexander GD, Brown EM. Ultrasonic nebulization of lidocaine: safety and efficacy (abstract) S109
- Madsen NBB, see Carl P
- Maekawa T, see Kuroda Y
- Magora F, Chrubasik J, Damm D, Schulte-Mönting J, Shir Y. Application of a new method for measurement of plasma methadone levels to the use of epidural methadone for relief of postoperative pain 1308
- Maher J, see Kataria B
- Mahoney L, see Murray DJ
- Maier GW, see Jacobs JR
- Makela VHM, Kapur PA. Amrinone blunts cardiac depression caused by enflurane or isoflurane anesthesia in the dog 215
- Kapur PA. Can amrinone reverse verapamil-propranolol induced cardiac depression during isoflurane anesthesia in dogs? (abstract) S110
- Maldarelli B, see Svadjian E
- Malhotra V, Long CW, Meister MJ. Intercostal blocks with local infiltration anesthesia for extracorporeal shock wave lithotripsy 85
- Manchikanti L, Canella MG, Hohlbein LJ, Colliver JA. Assessment of effect of various modes of premedication on acid aspiration risk factors in outpatient surgery 81
- Hadley C, Markwell SJ, Colliver JA. A retrospective analysis of failed spinal anesthetic attempts in a community hospital 363
- Manninen PH, see Lam AM
- Marchak E, see Gelb AW
- Markwell SJ, see Manchikanti L
- Maroof M, see Glass P
- Maroun J, see Sloan PA
- Marquez JM, see De Wolf AM
- Marr AT, see Goldberg ME  
see Sosis M
- Marsh B, see Hirshman CA
- Martino-Saltzman D, see Stallworth JM
- Martyn JAJ, see Mills A
- Maruyama K, Muneyuki M, Kojima T, Hashimoto H, Oi Y, Okuda M, Kurioka T, Fujita Y, Konishi K. Changes in serum glucose and serum growth hormone levels during pituitary surgery 746
- Marx GF, see Alcantara LG
- Massagee JT, Kates RA, Bai S, McIntyre RW, Reves JG. Do calcium channel blockers alter vascular responsiveness? (abstract) S111
- Masters R, see Denny N
- Masuda T, see Oshita S
- Mather LE, see Nancarrow C
- Mathew BP, see Durrett LR
- Matthew EB, Henderson SK, Avram MJ, Glassenberg R, Cohen H. Epidural hydromorphone versus epidural morphine for postcesarean section analgesia (abstract) S112
- Mathias L, see Bello CN
- Mathias RS, see Carvalho JCA
- Mathieu AM, see Henzmann JB
- Matteo RS, see Schwartz AC
- Matthay MA, see Biondi JW
- Matthay RA, see Biondi JW
- Maxwell MS, De Anda A, Vickery R, Gaba DM. Lactate extraction and myocardial damage following countershock at different energy levels (abstract) S113
- Mays KS, Lipman JL, Schnapp M. Local analgesia without anesthesia using peripheral perineural morphine injections 417
- Mazoit JX, Sandouk P, Zetlaoui P, Scherrmann JM. Pharmacokinetics of unchanged morphine in normal and cirrhotic subjects 293
- Mazze RI, see Fujinaga M
- McCarthy RJ, see Fischer R  
see Logas WG  
see Tuman KJ
- McClean E, see Moore J
- McDanal J, see Kissin I
- McDonald JS, see Goldman E
- McDonald NJ, see Lavelle PA
- McDonald S, see Lavelle PA
- McDonnell T, see Duckett JE
- McGhee I, see Kolton M
- McGill WA. Anesthesia and uncommon pediatric diseases (book review) 697  
see Broadman LM
- McIntyre RW, Flezzani P, Leslie JB, Xuan



- YT, Su YF, Watkins WD. Atrial natriuretic peptide and cardiac function following cardiac surgery (abstract) S114  
see Flezzani P  
see Massagee JT  
McJames S, see Bailey PL  
McKay RD, Wright AJ. Anesthetic consideration for craniotomy in awake patients (book review) 698  
McKay W, Morris R, Mushlin P. Sodium bicarbonate attenuates pain on skin infiltration with lidocaine, with or without epinephrine 572  
see Morris R  
McKenzie FN, see Murkin JM  
McLaughlin G, see Doyle WA  
McLean AG, see Pfizner J  
McLeod ME, see Badgwell JM  
see Stow PJ  
McLeskey CH. Geriatric anesthesia: principles and practice (book review) 200  
McNicholas KW, see Moore RA  
McNicol LR. Anterior approach to sciatic nerve block in children: loss of resistance or nerve stimulator for identifying the neuromuscular compartment (letter) 1199  
Means LJ, Beckman DJ, Brown JW, King H. Detection of systemic to pulmonary shunt by end-tidal carbon dioxide concentration (letter) 1055  
Medert HA, Bednarski B, Arndt JO. Nalbuphine does not exert agonist but only opiate antagonist action in awake dogs (abstract) S115  
Mehta MP, see Murray DJ  
Meier HMR, see Chung F  
Meister MJ, see Malhotra V  
Mekkaoui T, see Baraka A  
Menk EJ, see Gillespie JH  
Merin RG, see Chelly JE  
see Hill DC  
see Stoelting RK  
Mesrobian RB, see Broadman LM  
Metryakool K, see Vijayakumar HR  
Metter SE, Kitz DS, Young ML, Baldek AM, Apfelbaum JL, Lecky JH. Nausea and vomiting after outpatient laparoscopy: incidence, impact on recovery room stay and cost (abstract) S116  
Metz S, see Horrow JC  
Meynadier J, Gros C, Lecomte JM, Chrubasik J, Schwartz JC. Analgesic effectiveness of intrathecal inhibitors of enkephalinase and aminopeptidase in man (abstract) S117  
Middaugh RE, see Gillespie JH  
Mikula S, see Profeta JP  
see Sampson IH  
Milde LN. Neurosurgical anaesthesia and intensive care (book review) 1348  
Miletich DJ, see Colavita RD  
Miller D, see Varga DA  
Miller ED, see Althaus JS  
Miller ED Jr, see Schwenzer KJ  
Miller J, see Gissen AJ  
Miller RE, see Arden JR  
see Fahey MR  
Milligan KR, Howe JP, O'Toole DP, Dundee JW. Outpatient anesthesia: recovery after propofol, methohexital and thiopental (abstract) S118  
Mills A, Martyn JAJ. Evaluation of vecuronium neuromuscular blockade in pediatric patients with thermal injury (abstract) S119  
Mills P, see Litt L  
Minehart M, see Abboud TK  
Miner ME, see Allen SJ  
Minkel DT, Kay J, Cheng EY, Monshi C. Reducing blood loss from nasotracheal intubation by combining a warmed tube with vasoconstrictors (abstract) S120  
see Kay J  
Minor BG, see Post C  
see Teiling AKY  
Miralles FS, Lopez-Aoriano F, Puig MM, Perez D, Lopez-Rodriguez F. Postoperative analgesia induced by subarachnoid lidocaine plus calcitonin 615  
Mitchard R, see Kataria BK  
Mitchell SZ, Freilich JD, Brant D, Flynn M. Anesthetic management of pheochromocytoma resection during pregnancy 478  
Mogensen T, see Lund C  
Mohammed AK, see Teiling AKY  
Mok MS, Chan KH, Chunk SK, Lee TY, Lippmann M. Evaluation of the analgesic effect of epidural ketamine (abstract) S121  
see Tsai SK  
Molbegott LP, Flashburg MH, Karasic HL, Karlin BL. Probable seizures after sufentanil 91  
Monk CR, see Coates DP  
Monts JL, see Steele ER  
Moore DC, Artru AA, Kelly WA, Jenkins D. Use of computed tomography to locate a sheared epidural catheter 795  
Moore J, Flynn RJ, Wilson CM, Fee JPH, McClean E, Dundee JW. The effect of H<sub>2</sub> receptor blockers on bupivacaine disposition (abstract) S122  
see Fee JPH  
Moore M, see Abboud TK  
Moore RA, McNicholas KW, Warran SP. Alantoxial subluxation with symptomatic spinal cord compression in a child with Down's syndrome 89  
Moore SS, see Drummond JC  
Moorthy SS, Krishna G, Clark JH. Pseudocholinesterase and affective disorders (letter) 921  
see Brown JW  
Morgan P, Lynn AM, Parrot C, Morray JP. Hemodynamic and metabolic effects of two anesthetic techniques in children undergoing surgical repair of acyanotic congenital heart disease 1028  
Mori H, see Harioka T  
Mori K, see Harioka T  
see Umeda S  
Morison DH, Dunn GL. A comparative study of diprivan and thiopental as induction agents in dental patients (abstract) S123  
Moroz A, see Chi OZ  
Morray JP, see Morgan P  
Morris A, see Thomson IR  
Morris MW, see Reagan JO  
Morris R, Allen P, Van Rensburg M, Philip J. Report of a problem with a new spinal needle (letter) 1343  
McKay W, Mushlin P. Comparison of pain associated with intradermal and subcutaneous infiltration with various local anesthetic solutions 1180  
see McKay W  
Morris RB, see Thys D  
Morris RW. Current European anesthesiology: the yearbook of the European Academy of Anesthesiology, Volume 2 (book review) 587  
Morrison JE Jr, Friesen RH  
Mortimer WG, Howie MB, Rathburn SD, Rogers L. Incidence of brachial plexus stimulation during internal jugular vein cannulation (abstract) S124  
Moseley M, see Litt L  
Moser F, see Fyman P  
Motokawa K, see Yamashita M  
Muallem M, see Baraka A  
Mouton S, see Bullington J  
see Kambam JR  
Moyers JR, see Pearson KS  
Mukkada TA, see Phero JC  
Mundy GL, see Broadman LM  
Muneyuk M, see Maruyama K  
Munshi C, see Minkel DT  
Munson ES, see Hayes SR  
Murakawa K, see Abboud TK  
Murkin JM, Farrar K, Tweed AW, Guiraudon G. The influence of non-pulsative normothermic perfusion on cerebral blood flow and metabolism (abstract) S125  
Farrar JK, Tweed WA, McKenzie FN, Guiraudon G. Cerebral autoregulation in flow/metabolism

- Murkin JM—*continued*  
coupling during cardiopulmonary bypass: the influence of PaCO<sub>2</sub> 825
- Murphy DA, Finlayson DC, Waller JL. Hemodialysis during cardiopulmonary bypass: report of twelve cases 899
- Murphy DA, see Curling PE  
see Finlayson DC  
see Murkin JM
- Murphy MR, see Hall RI
- Murray DJ, Mehta MP, Sokoll MD, Choi WW, Forbes RB, Gergis SD, Aboudonia MM, Rudd GG. The neuromuscular pharmacology of BW A938U during isoflurane anesthesia (abstract) S126
- Vandewalker G, Mahoney C, Lloyd T. Fluid replacement cardiovascular responses of infants during halothane and isoflurane anesthesia (abstract) S127
- Murray H, see Ramasubramanian R
- Mushlin P, see McKay W  
see Morris R
- Nagashima H, see Nguyen HD
- Naguib M, Abdulatif M, Gyasi HK, Khawaji Y, Absgood GH. The pattern of train-of-four fade after atracurium: influence of different priming doses 427
- Nahory A, see Forster A
- Naito H, see Dohi S  
see Watanabe S
- Najarian JS, see Belani KG  
see Estrin JA
- Nakakimura K, see Kuroda Y
- Namiki A, see Anzai Y
- Nancarrow C, Runciman WB, Mather LE, Upton RN, Plummer JL. The influence of acidosis on the distribution of lidocaine and bupivacaine into the myocardium and brain of the sheep 925
- Nantau WE, see Lam AM
- Narang P, see Dubois M
- Narbone RF, see Logas WG
- Naukam RJ, see Kambam JR
- Navalgund A, see Gieraerts R
- Negre I, Gueneron J-P, Ecoffey C, Penon C, Gross JB, Levron J-C, Samii K. Ventilatory response to carbon dioxide after intramuscular epidural fentanyl 707
- Nelson P, see Streisand JB
- Nemoto EM, see De Wolf AM  
see Nikki PH
- Neuenfeldt T, see Zucker JR
- Neuman GG, see Weingarten AE
- Ngeow JYF, see Oh TH
- Nguyen HD, Goldiner PL, Rabinowitz A, Nagashima H, Foldes FF. The neuromuscular effects of pipecuronium under enflurane anesthesia (abstract) S128
- Nguyen NB, see Cheng M
- Nicoll JMV, Acharya PA, Ahlen K, Baguneid S, Edge KR. Central nervous system complications after 6000 retribulbar blocks 1298
- Nigrovic V. Quantitation modelling and control in anaesthesia (book review) 375
- Klaunig JE, Smith SL, Schultz NE. Potentiation of atracurium toxicity in isolated rat hepatocytes by inhibition of its hydrolytic degradation pathway 512
- Smith S. Inactivation pathways of atracurium: evidence for an additional route (abstract) S129
- Nikki PH, Nemeto EM, Bleyaert AL, Taylor FH, Winter PM. Absence of  $\beta$ -adrenergic receptor involvement in cerebrovascular dilation by halothane in monkeys 39
- Nishikawa T, see Anzai Y
- Nissan S, see Goldberg M  
see Vatahskey E
- Niv D, see Chrubasic J
- Nordberg G, see Larsson S
- Norden JM, see Broadman LM
- Norrie WC, see Broadman LM
- North FC, see Hirshman CA  
see Marsh B
- Oates RP, see Reagan JO
- O'Brien P, see Cousins MJ
- Offord KO, see Warner MA
- Ogiwarra Y, see Saegusa K
- Oh TH, LaMantia KR, Ngeow JYF, Kopf GS. Protamine requirement following cardiopulmonary bypass in children (abstract) S130
- Oh-oka T, see Takasaki M
- Oi Y, see Maruyama K
- Oka Y, see Svadjian E
- Okuda M, see Maruyama K
- Olsson JG, see Wattwil LMT
- Onayemi A, see Halpern S
- Ong BY, Cohen MM, Esmail A, Cumming M, Kozody R, Palahniuk RJ. Parasthesias and motor dysfunction after labor and delivery 18
- MacIntyre CJ, Bose D, Sitar DS, Sutherland GR, Palahniuk RJ. Lidocaine prevents loss of cerebral blood flow autoregulation after asphyxia in newborn lambs (abstract) S131
- Ono Y, see Watanabe S
- Ornstein E, see Schwartz AE
- Orr DL II. Pericardial and subcutaneous air after maxillary surgery (letter) 921
- Orr MD. Practical aspects of blood administration (book review) 1206
- Oshita S, Tamura H, Masuda T, Fukuda S, Takeshita H. Alcuronium pretreatment attenuates succinylcholine-induced increases in plasma concentrations in humans 314
- see Fukuda S
- Ossey K, see Glass P
- O'Sullivan GM, Sutton AJ, Thompson SA, Carrie LE, Bullingham RE. Noninvasive measurement of gastric emptying in obstetric patients 505
- O'Toole DP, see Milligan KR
- Ovassapian A. A new fiberoptic intubating airway (abstract) S132  
see Behnia R
- Overfield DM, see Tuman KJ
- Öwall A, Gordon E, Lagerkranser M, Lindquist C, Rudehill A, Sollevi A. Clinical experience with adenosine for controlled hypotension during cerebral aneurysm surgery 229
- Owen HG, see Isley MR
- Pace NL, see Bailey PL  
see Streisand JB
- Pai U, see Phero JC
- Palacios QT, Jones MM, Tessem J, Adenwala J, Longmire S, Joyce TH III. Comparison of epidural butorphanol and morphine for analgesia cesarean section (abstract) S133
- Palahniuk RJ, see Ong BY
- Panning B, Piepenbrock S. Hearing loss after spinal anesthesia (letter) 802
- Pantuck CB, see Cirella VN
- Pantuck EJ, see Cirella VN
- Parc R, see Delva E
- Parnass SM, Curran MA, Becker GL. Comparative hypotensive responses of the carbonated and hydrochloride salts of lidocaine in epidural blocks (abstract) S134
- Curran MJA, Becker GL. Incidence of hypotension associated with epidural anesthesia using alkalized and nonalkalinized lidocaine for cesarean section 1148
- Feld JM, Chamberlin WH, Segil LJ. Status asthmaticus treated with isoflurane and enflurane 193
- Parris WCV, Kambam JR, Flanagan JF, Elliot J. The effects of metoclopramide on intraocular pressure (abstract) S135
- Parrot C, see Krane EJ  
see Morgan P
- Pathak D, see Block RI  
see Tredrea CR
- Paugam C, see Delva E
- Paulsen AM, Valek TR, Ramsay M, Swygert TH, Walling PT. Anesthesia for liver transplantation with veno-venous bypass: physiologic considerations (abstract) S137
- Pavlicek W, see Boutros A
- Pavlin EG, see MacIntyre PE

- Pearson D, see Denny N  
 Pearson KS, Gomez MN, Carter JG, Moyers JR, Tinker JH. A cost/benefit analysis of randomized invasive monitoring in cardiac surgery (abstract) S138  
 Pellecchia DJ, Bretz KA, Barnette RE. Postoperative pain control by means of epidural narcotics in a patient with obstructive sleep apnea 280  
 Pellegrino DA, see Colavita RD  
 Pennant JH, see Bearb ME  
 Penon C, see Negre I  
 Perez D, see Miralles FS  
 Perry DX. Hypotension during carotid endarterectomy (letter) 1200  
 Peter K, see Weber W  
 Peterson SF, see Goldman E  
 Pfizner J, McLean AG. Venous air embolism and active lung inflation at high and low CVP: a study in "upright" anesthetized sheep 1127  
 McLean AG, Cranshaw KM. Embolized air collection in the superior vena cava of "upright" sheep 1135  
 Phan CQ, Tremper KK, Barker SJ. Noninvasive monitoring of carbon dioxide transcutaneous versus end-tidal  $PCO_2$  (abstract) S139  
 Phelps RW, see Goldman JM  
 Phero JC, Bridenbaugh PO, Edström HH, Hagenouw RRP, Knarr D, Mikkada TA, Pai U. Hypotension in spinal anesthesia: a comparison of isobaric tetracaine with epinephrine and isobaric bupivacaine without epinephrine 549  
 Philbin DM. Clinical application of respiratory care, 3rd edition (book review) 923  
 Philip BK. Hazards of amnesia after midazolam in ambulatory surgical patients (letter) 97  
 see Garfield JM  
 Philip J, see Morris R  
 Philips GH. Epidural sufentanil in labor (abstract) S140  
 Phipps J, see Rogers AT  
 Piepenbrock S, see Panning B  
 Pierson DJ, see Bishop MJ  
 Pillalmarri ED, see Relkin T  
 Ping STS. Esophageal intubation (letter) 483  
 Pinkerton M, see Bullington J  
 Pinsky MR, see De Wolf AM  
 Pither CE, see Raj PP  
 Pitkänen MT. Body mass and spread of spinal anesthesia with bupivacaine 127  
 Pittenger CB. The anesthetization of Fanny Longfellow for childbirth on April 7, 1847 (letter) 368  
 Placek R, see Broster T  
 Plummer JL, see Cousins MJ  
 see Nancarrow C  
 Polimino L, see De Wolf AM  
 Pond W, Lindsey R, Cowan J. Preoperative ranitidine and metoclopramide (letter) 1202  
 Ponhold H, Winkler G, Rehak PH. Pain threshold and subjectively perceived epidural sensory blockade with 0.5% bupivacaine 629  
 Poppers PJ, see Katz RI  
 Port JD, see Bailey PL  
 Post C, Gordh T Jr, Minor BG, Archer T, Freedman J. Antinociceptive effects and spinal cord tissue concentrations after intrathecal injection of guanfacine or clonidine into rats 317  
 Posthuma W, see Streisand JB  
 Power SJ, Jones RM. Relationship between single twitch depression and train-of-four fade: influence of relaxant dose during onset and spontaneous offset of neuromuscular blockade 633  
 Poy JY, see Racle JP  
 Pozos M, see Sessler DI  
 Pozos R, see Sessler DI  
 Prado WA, see Alves-do-Prado W  
 Preganz P, see Bullington J  
 Price P, see Kataria B  
 Pridie AK, see Jacobson L  
 Proctor J, see Gregoretti S  
 Profeta JP, Dimich U, Feinberg B, Shiang H, Jurado R, Kaplan JA. Reversal of the adverse cardiovascular effects of intravenous diltiazem in anesthetized dogs (abstract) S141  
 Guffin A, Mikula S, Dolman J, Kaplan JA. The hemodynamic effects of propofol and thiamylal sodium for induction in coronary artery surgery (abstract) S142  
 Prough DS, see Grice SC  
 see Rogers AT  
 Prys-Roberts C, see Coates DP  
 see Cullen PM  
 Puchi P, see Cork RC  
 Puig MM, see Miralles FS  
 see Ramanathan S  
 Purves PG, Sperring SJ, Dykes V, Standey TD. Improved postoperative analgesia: epidural vs patient controlled intravenous morphine (abstract) S143  
 Quartararo C, see Katz RI  
 Quiel EL, see Brown DL  
 Quill T, see Glass P  
 Rabinowitz A, see Nguyen HD  
 Racle JP, Benkhadra A, Poy JY, Gleizal B. Effect of increasing amounts of epinephrine during isobaric bupivacaine spinal anesthesia in elderly patients 882  
 Benkhadra A, Poy JY, Gleizal B. Prolongation of isobaric bupivacaine anesthesia with epinephrine and clonidine for hip surgery in the elderly 442  
 Raj PP. Patient-controlled analgesia (book review) 99  
 Knarr DC, Vigdorth E, Denson DD, Pither CE, Hartrick CT, Hopson CN, Edström HH. Comparison of continuous epidural infusion of a local anesthetic and administration of systemic narcotics in the management of pain after total knee replacement surgery 401  
 see Ford DJ  
 Rajashekara SV, see Wong DH  
 Ramabadran K, Donenfeld RF, Ramanathan S, Turndorf H. Local analgesia by perineural morphine injection (letter) 1345  
 Ramanathan S, Puig MM, Lovitz M, Turndorf H. Plasma beta-endorphin levels in term and preterm neonate (abstract) S144  
 see Grant GJ  
 see Ramabadran K  
 Ramasubramanian R, Murray H, Daneels L, Kirk DL, Symonds EM, Luxton MC, Downing JW. Fetal echocardiographic changes following lumbar epidural analgesia in labor (abstract) S145  
 Ramsay M, see Paulsen AW  
 Ramzan IM. Pharmacokinetic analysis of succinylcholine-cimetidine interaction (letter) 1346  
 Rankin JS, see Jacobs JR  
 Rasch DK, see Zablocki AD  
 Rathburn SD, see Mortimer WG  
 Ravlo O, see Carl P  
 Ravnborg M, Jensen FM, Jensen N-H, Holk IK. Pupillary diameter and ventilatory  $CO_2$  sensitivity after epidural morphine and buprenorphine in volunteers 847  
 Raymond SA, see Bokosch PM  
 Raza SMA, see Zsigmond EK  
 Read J, see Denny N  
 Ready LB, Chadwick HS, Ross B. Age predicts effective epidural morphine dose after abdominal hysterectomy 1215  
 Reagan JO, Gerson JI, Davey FR, Oates RP, Morris MW. Intermittent low dose  $N_2O$  does not cause megaloblastic anemia (abstract) S146  
 Redick EF. Inexpensive heart rate monitor for epidural test doses (letter) 1203  
 pH adjustment of chloroprocaine solutions (letter) 286  
 The temporomandibular joint and tracheal intubation 675  
 Reed K, see Kim J-M

- Rehak PH, see Ponhold H  
 Reich KE, see Curling PE  
 Reinersman L, see Bailey PL  
 Reitan J, see Kien ND  
   see Loper K  
 Reiz S, see Berggren D  
 Relkin T, Pillalamarri ED, Doss NW,  
   Gintautas J, Abadir AR.  
   Chloroprocaine, lidocaine,  
   bupivacaine and arterial blood flow  
   in fibroid human uterus (abstract)  
   S147  
 Resano F, see Smith AR  
 Rettke SR. Anesthesia and organ  
   transplantation (book review) 1349  
   Anesthesia and transplantation surgery:  
   contemporary anesthesia practice  
   (book review) 1349  
 Reves JG, see de Bruijn NP  
   see Flezzani P  
   see Glass P  
   see Hill RF  
   see Jacobs JR  
   see Massagee JT  
 Reynolds J, see Fyman P  
 Rice B, see Bristow A  
 Rice L, Broadman LM. Caudal anesthesia  
   and cardiovascular collapse in an  
   infant (letter) 694  
 De Mars P, Crooms J, Whalen T.  
   Duration of spinal anesthesia in  
   infants under one year of age:  
   comparison of three drugs  
   (abstract) S148  
 Rigby J, see Bullington J  
 Riley R. Preoxygenation and  
   electroconvulsive therapy (letter)  
   1057  
 Rimbäck G, see Wallin G  
 Ritter DE, see Goldberg ME  
   see Seltzer JL  
 Road JD, see Goldman E  
 Roaf E, see Garfield JM  
 Roberts SL, Gilbert M, Tinker JH.  
   Isoflurane has a greater margin of  
   safety than halothane in swine with  
   and without major surgery or  
   critical coronary stenosis 485  
 Rogers AT, Stump DA, Gravlee GP,  
   Prough DS, Angert KC, Phipps J,  
   Hinshelwood L. Preservation of  
   cerebral autoregulation during  
   cardiopulmonary bypass (abstract)  
   S149  
 Rogers D, see Bullington J  
 Rogers L, see Mortimer WG  
 Rogers WD, see Hyman SA  
 Roizen MF, see Lichter JL  
 Romer MC, see Henzmann JB  
 Rooney MW, see Crystal GJ  
 Rosaeg O, see Halpern S  
 Rosenberg H, see Horrow JC  
   see Kistler P  
 Rosenberg M. Preoperative anisocoria  
   from a scopolamine patch (letter)  
   693  
 Rosenbloom M, see Thomson IR  
 Rosman EJ, Capan LM, Turndorf H.  
   Another case of probable seizure  
   after sufentanil (letter) 922  
 Ross B, see Ready LB  
 Ross D, see Arellano R  
 Ross WT. Extracorporeal shock wave  
   lithotripsy for renal stone disease  
   (book review) 200  
   see Korbon GA  
 Ross WT Jr, see Loeb RG  
 Rossi EC, see Lichtenthal PR  
 Roth TP, see Siadat-Pajouh M  
 Rothaus KO, see Kelly RE  
 Rothstein P, see Delphin E  
 Roy RC. Esophageal intubation (letter) 482  
 Roy WL, see Stow PJ  
 Rozendaal W, see Bailey PL  
 Rubinstein E, see Sessler DI  
 Rudd GD, see Murray DJ  
 Rudehill A, see Öwall A  
 Runciman WB, see Nancarrow C  
 Rupani G. Difficult airway (letter) 198  
 Ruppreht J. Physostigmine reversal of  
   general anesthesia: associated EEG  
   changes (letter) 1050  
 Russell GN, Smith CL, Snowdon SL,  
   Bryson THL. Preoxygenation  
   technique 1341  
 Rusy BF, see Komai H  
 Ryan CM, see Baugham VL  
 Sabol SJ, Ward DS. Effect of dopamine on  
   hypoxic-hypercapnic interaction in  
   humans 619  
 Sadr B, see Egwu VN  
 Saegusa K, Furukawa Y, Ogiwara Y,  
   Takeda M, Chiba S. Pharmacologic  
   basis of responses to midazolam in  
   the isolated, cross-perfused, canine  
   right atrium 711  
 Sakabe T, see Fukuda S  
   see Kuruda Y  
 Sakai K, see Watanabe S  
 Salem MR, see Crystal GJ  
   see Heyman HJ  
 Salonen M, Kanto J, Iisalo E, Himberg J-J.  
   Midazolam as an induction agent in  
   children: a pharmacokinetic and  
   clinical study 625  
 Salzarulo HH, see Leiman BC  
 Samii K, see Negre I  
 Sampson IH, Lefkowitz M, Cohen M,  
   Mikula S, Kaplan JA. A comparison  
   of propofol and methohexital for  
   anesthesia by continuous infusion  
   (abstract) S150  
 Sanchez V, Arthur GR, Strichartz GR.  
   Fundamental properties of local  
   anesthetics I. The dependence of  
   lidocaine's ionization and octanol:  
   buffer partitioning on solvent and  
   temperature 159  
 Sandouk P, see Mazoit JX  
 Sanford TJ Jr, Shapiro HM, Gallick MN.  
   Pericardial and subcutaneous air  
   after maxillary surgery 277  
 Sangerlangkarn S, Klaewtanong V,  
   Jonglertrakool P, Khankaew V.  
   Meperidine as a spinal anesthetic  
   agent: a comparison with lidocaine-  
   glucose 235  
 Santos DJ, Juneja M, Bridenbaugh PO. A  
   device for uniform testing of  
   sensory neural blockade during  
   regional anesthesia (letter) 581  
 Santos SRCJ, see Carvahho JCA  
 Sastry BVR, see Kambam JR  
 Sato H, see Kawana Y  
 Sato P, see Bishop MJ  
 Savarese JJ, see Basta SJ  
 Scheller MS, Sears KL. Postoperative  
   neurologic dysfunction associated  
   with preoperative administration of  
   metoclopramide 274  
   see Drummond JC  
 Scherrmann JM, see Mazoit JX  
 Schnapp M, see Mays KS  
 Schoene RB, see Bowdle TA  
 Schulman DS, see Biondi JW  
 Schulte-Mönting J, see Magora F  
 Schultetus RR, Hill CR, Dharamraj CM,  
   Banner TE, Berman LS.  
   Wakefulness during cesarean  
   section; reply (letter) 803  
   see Cook WP  
 Schultz NE, see Nigrovic V  
 Schwartz A, see Basta SJ  
 Schwartz AE, Matteo RS, Ornstein E,  
   Thronhill M. Pharmacokinetics of  
   sufentanil in hyperventilated  
   patients (abstract) S151  
 Schwartz JC, see Meynadier J  
 Schwartz LA, see Cahalan MK  
 Schwenzer KJ, Miller ED Jr.  
   Hemodynamic effects of  
   dobutamine in patients undergoing  
   mitral valve replacement (abstract)  
   S152  
 Scott HW, Smith BE. Value of skin tests  
   in anesthetic management of  
   systemic mastocytosis (abstract)  
   S136  
   see Kambam JR  
   see Parris WCV  
 Seagard JL, see Siker D  
 Sears KL, see Scheller MS  
 Sebel PS. Transatlantic lessons: one man's  
   view (letter) 800  
   see Sugioka K  
 Segil LJ, see Parnass SM  
 Seifen AB, see Brian JE Jr  
 Seino H, see Watanabe S  
 Selander D, see Denny N  
 Sellers WFS, Higgs CMB. Comparison of  
   tracheal oxygen concentrations  
   using Hudson mask, nasal cannula



- and nasal catheter (abstract) S153
- Selmar P, see Lund C
- Seltzer JL, Goldberg ME, Larijani GE, Ritter DE, Starsnic MA, Stahl GL, Lefer AM. Vasodilation resulting from mesenteric traction is mediated by prostacyclin ( $PGI_2$ ) (abstract) S145
- see Goldberg ME
- Sample AJ, Grant IS. Epinephrine reduces systemic absorption of extradural diacetylmorphine (heroin) (letter) 1051
- Senra WG, see Carvalho JCA
- Seravalli E, Lear E. Toxicity of chloroprocaine and sodium bisulfide on human neuroblastoma cells 954
- Seror D, see Goldberg M
- Sessler D, see Litt L
- Sessler DI, Israel I, Pozos R, Pozos M, Rubinstein E. An EMG analysis of rhythmic muscular activity during recovery from isoflurane anesthesia (abstract) S155
- Rubinstein E. Core temperature changes during  $N_2O$ /fentanyl and halothane  $O_2$  anesthesia (abstract) S156
- Severinghaus JW, see Litt L
- Shafer A, see Doze VA
- Shalev D, see Bristow A
- Shanks CA, see Behnia R
- Shapira SC, see Gertel M
- Shapiro HM, see Drummond JC
- see Sanford TJ Jr
- Shapiro JD. Intubating by sense, not dollars (letter) 373
- Sharifi-Azad S, see Goldberg ME
- Sharon I, see DeBois WJ
- Shaw B, see Vinik HR
- Sheikh F, see Harte FA
- Sheiner LB, see Carpenter RL
- Shevde K, see DeBois WJ
- Shi W-Z, see Fahey MR
- Shiang H, see Profeta JP
- Shimada H, see Kawana Y
- Shimada Y, see Kainuma M
- Shin YK, Kim CH, Guth MW. Postpartum hyperreflexia following general anesthesia in cesarean section patients (abstract) S157
- Shir Y, see Magora F
- Shulman MS, Wakerlin G, Yamaguchi L, Brodsky JB. Experience with epidural hydromorphone for post-thoracotomy pain relief 1331
- Siadat-Pajouh M, Hubbard AK, Roth TP, Gandolfi AJ. Generation of halothane-induced immune response in a guinea pig model of halothane hepatitis 1209
- Sibai AN, see Baraka A
- Sibert KS, Biondi JW, Hirsch NP. Spontaneous respiration during thoracotomy in a patient with mediastinal mass 904
- Siegel LC. Diagnostic methods in critical care, automated data collection and interpretation (book review) 923
- Sihota M, see Denny N
- Siker D, Hoka S, Bosnjak ZJ, Seagard JL, Kampine JP. Influences of halothane and isoflurane on baroreflex control of vascular capacitance in the dog (abstract) S158
- Silbert BS, Vacanti CA. Amantidine in prevention of fentanyl-induced muscle rigidity (letter) 1338
- Simon EJ, see Wang BC
- Sinatra RS, Harrison DM. A comparison of oxymorphone and fentanyl as narcotic supplements to general anesthesia (abstract) S159
- see Harrison DM
- Singh P, see Gabrielson G
- Sitar DS, see Ong BY
- Skeen JT, see Katz RI
- Skelley CC, see Hyman SA
- Skupin A, see Bochenek KJ
- Slack M, see Kataria B
- Sloan PA, Thirlwell M, Maroun J, Besner JD. The pharmacokinetics of sustained-release morphine tablets and oral morphine solution: a multicentre double-blind crossover trial (abstract) S160
- Slonaker JL, see Cope DK
- Slusarz-Ladden C, see Kitz DS
- Smith AR, Hur D, Resano F. Grand mal seizures after 2-chloroprocaine epidural anesthesia in a patient with plasma cholinesterase deficiency 677
- Smith BE, see Kamban JR
- see Parris WCV
- Smith CL, see Russell GN
- Smith DE, see Youngberg JA
- Smith DS. Consent to treatment: a practical guide (book review) 588
- Smith JS, see Cahalan MK
- Smith KW, see Georges LS
- Smith S, see Nigrovic V
- Smith SL, see Nigrovic V
- Smolders F, see Van Zundert A
- Smullens SN, see Goldberg ME
- Snook L Jr, see Loper K
- Snowdon SL, see Russell GN
- Snyder AR, Ilko R. Topical nitroglycerin for intraoperative penile tumescence 1022
- Soetens M, see Gieraerts R
- Sokoll MD. Muscle relaxants: side effects and a rational approach to selection (book review) 924
- see Murray DJ
- Solanki DR. Epidural fentanyl for relief of lower extremity tourniquet pain in orthopedic surgery (abstract) S161
- Sollevi A, see Öwall A
- Solomons CC, Bonneville MA, Zsigmond EK. In vitro response to halothane of human platelets in malignant hyperthermia (abstract) S162
- Sosis M. Does diaphragmatic paralysis precede hand paralysis with vecuronium? (letter) 1342
- Let us not bury the priming principle too quickly; reply (letter) 1344
- Nitrous oxide should not be used during laser endoscopic surgery (letter) 1054
- Trimethapan is useful for the parturient requiring neuroanesthesia (letter) 584
- Broad T, Larijani GE, Marr AT. Comparison of atracurium and *d*-tubocurarine for prevention of succinylcholine myalgia 657
- Goldberg ME, Marr AT, Cubler AJ, Larijani GE. Atracurium and vecuronium do not affect extraocular muscle function after outpatient laparoscopy (abstract) S163
- Larijani GE, Marr AT. Priming with atracurium 329
- see Goldberg ME
- Soufer R, see Biondi JW
- Speir A, see Sugioka K
- Sperring SJ, see Purves PG
- Spierdijk J, see Burm AGL
- see Van Zundert A
- see Veering Bth
- Spies BD, see Tuman KJ
- Stahl GL, see Seltzer JL
- Stallworth JM, Martino-Saltzman D. Comparison of benzodiazepine and premedications of triazolam and diazepam: amnesia, anxiolyses and sedation (abstract) S165
- Stanley RJ, see Gibson BE
- Stanley T, see Estrin JA
- Stanley TD, see Purves PG
- Stanley TE III, Sweeney MF. Calcium channel blockers and calcium administration during weaning from cardiopulmonary bypass (abstract) S166
- Stanley TH, see Bailey PL
- see Leiman BC
- see Streisand JB
- Stanley TO, see Streisand JB
- Starsnic MA, see Goldberg ME
- see Seltzer JL
- Starzl TE, see De Wolf AM
- Steele ER, Albin MS, Monts JL, Harman PK. Compressed spectral array EEG monitoring during coronary bypass surgery in a patient with vertebralbasilar artery insufficiency 271



- Steffey EP, see Strum DP  
 Stemmer EA, see Wong DH  
 Stern SB, see Weingarten AE  
 Stienstra R, van Poorten JF. Plain or hyperbaric bupivacaine for spinal anesthesia 171  
 Stiller RL, see Davis PJ  
 Stirt JA. Accelerated recovery from combined atracurium-vecuronium neuromuscular blockade in man (abstract) S167  
 see Chiu GJ  
 Stock MC. Respiratory failure (book review) 376  
 see Goldman E  
 Stock P, see Estrin JA  
 Stocking-Korzen R, see Streisand JB  
 Stoelting RK, Blitt CD, Cohen PJ, Merlin RG. Hepatic dysfunction after isoflurane anesthesia 147  
 Stout R, see Basta SJ  
 Stow PJ, Burrows FA, Lerman J, Roy WL. Effect of premedication on oxygen saturation in children with cyanotic congenital heart disease (abstract) S168  
 Mcleod ME, Burrows FA. Anterior fontanel pressure response to endotracheal intubation in neonates and young infants (abstract) S169  
 Streisand JB, Hague B, van Vreeswijk H, Ho GH, Pace NL, Clissold M, Nelson P, East PK, Stanley TO, Stanley TH. Oral transmucosal fentanyl premedication in children (abstract) S170  
 Nelson P, Bubbers S, Stocking-Korzen R, Posthuma W, East KA, Gillmor ST, Stanley TH. The respiratory effects of propofol with and without fentanyl (abstract) S171  
 Strichartz GR, see Bokesch PM  
 see Benzon HT  
 see Sanchez V  
 Strum DP, Eger EI II. Partition coefficients for sevoflurane in human blood, saline, and olive oil 654  
 Eger EI II, Johnson BH, Steffey EP, Ferrell LD. Toxicity of sevoflurane in rats (abstract) S172  
 Eger EI II, Johnson BH, Steffey EP, Ferrell LD. Toxicity of sevoflurane in rats 769  
 see Eger EI II  
 Stump DA, see Rogers AT  
 Su JY, see Krane EJ  
 Su YF, see McIntyre RW  
 Svadjian E, Goldiner PL, Maldarelli B, Oka Y. Importance of maintaining constant (euthermic) ventilation during hypothermic cardiopulmonary bypass (abstract) S174  
 Sugioka K, Sebel PS, Kalayjian R, Ludgrove T, Speir A. The effect of pretreatment with curare on neuromuscular transmission (abstract) S173  
 Sukhani R, Winnie AP. Clinical pharmacokinetics of carbonated local anesthetics I: subclavian perivascular brachial block model 739  
 Winnie AP. Clinical pharmacokinetics of carbonated local anesthetics II: interscalene brachial block model 1227  
 Sullivan KF, see Worthen HM  
 Sullivan SP, Cherry DA. Pain from an invasive facial tumor relieved by lumbar epidural morphine 777  
 Sunder N, see Fahmy NR  
 Sutherland GR, see Ong BY  
 Sutton AJ, see O'Sullivan GM  
 Swartz J, see Halpern S  
 Sweeney MF, see Stanley TE III  
 Swift DA, see Symreng T  
 Swygert TH, see Paulsen AW  
 Symonds EM, see Ramasubramanian R  
 Symreng T, Cooper SC, Swift DA, Kolff J, Brownstein L. Can respiratory alkalosis delay ventricular fibrillation during hypothermic cardiopulmonary bypass? (abstract) S175  
 Syracuse CD, see Kuhnert BR  
 Szlam F, see Hall RI  
 Tait AR, see Tatekawa S  
 Takahashi T, see Anzai Y  
 Takaori M, see Fujita Y  
 Takasaki M, Oh-oka T, Doi K, Kosada Y. Blood levels of mepivacaine during continuous epidural anesthesia 337  
 Takeda M, see Saegusa K  
 Takeshima R, see Dohi S  
 Takeshita H, see Fukuda S  
 see Kuroda Y  
 see Oshita S  
 Tam S, Chung F, Campbell M. Intravenous lidocaine: optimal time of injection before tracheal intubation 1036  
 Tamsma TJA. High frequency ventilation (letter) 585  
 Tamura H, see Oshita S  
 Tan E, see Wong DH  
 Tang C, see Gelb AW  
 Tanguy A, see Dalens B  
 Tanigawa K, see Fukutome T  
 Tankersley SJ, see Wallace CT  
 Tarpey MM, Bowe EA, Lamb LS, Kraynack BJ, Klein EF Jr. Effect of nalbuphine in canine hemorrhagic shock (abstract) S176  
 Tatekawa S, Traber KB, Hantler CB, Tait AR, Gallagher KP, Knight PR. Effects of isoflurane on myocardial blood flow, function, and oxygen consumption in the presence of critical coronary stenosis in dogs 1073  
 Taylor FH, see Nikki PH  
 Teiling AKY, Mohammed AK, Minor BG, Järbe TUC, Hiltunen AJ, Archer T. Lack of effects of prenatal exposure to lidocaine on development of behavior in rats 533  
 Terrasi J, see Abboud TK  
 Tessem J, see Palacios QT  
 Texidor MS, see Youngberg JA  
 Tharp JA. A simple way to limit anesthesia pollution during anesthetic induction (letter) 198  
 Thayer S, see Dubois M  
 Thickman D, see Horrow JC  
 Thieme R, see Friesen RH  
 see Honda AT  
 Thirlwell M, see Cloan PA  
 Thistlethwaite JR, see Lichter JL  
 Thomas DV. Temperature of IV solutions (letter) 286  
 Thomas PS, see Farah R-S  
 Thomas RD, see Denson DD  
 Thompson SA, see O'Sullivan GM  
 Thomson IR, Rosenbloom M, Cannon JE, Morris A. Electrocardiographic ST-segment elevation after myocardial reperfusion during coronary artery surgery 1183  
 Thornhill M, see Schwartz E  
 Thys D, Durkin M, Morris RB, Cahalan MK, Kaplan JA, Barash PG. Isosorbide dinitrate vs nitroglycerin for the control of perioperative hypertension (abstract) S177  
 Tindall S. Anesthesia for spinal decompression for metastatic disease 894  
 Tinker JH, see Pearson KS  
 see Roberts SL  
 Tjew M, see Dinner M  
 Tobia V, see Finlayson DC  
 Todd MM. The effects of PaCO<sub>2</sub> on the cerebrovascular response to nitrous oxide in the halothane-anesthetized rabbit 1090  
 see Drummond JC  
 Todo S, see De Wolf AM  
 Torbicki E, see Gowan JD  
 Torres MA, see Bello CN  
 Traber KB, see Tatekawa S  
 Tran L, see Zsigmond EK  
 Tredrea CR, Pathak D, From RP, Grucza J. Lung protection in children during extracorporeal shock-wave lithotripsy (abstract) S178  
 Tremper KK, Hadjuczek J, Konchigeri HN, Stemmer EA, Tan E, Zaccari J. Noninvasive preoperative cardiovascular assessment and intraoperative hypotension (abstract) S189

- see Barker SJ  
see Phan CQ  
see Wong DH
- Trépanier CA, Brisson J, Crochetière CT. Let us not bury the priming principle too quickly (letter) 1344
- Tsai SK, Moh MS, Lee C. Ketamine potentiates pancuronium-induced neuromuscular block (abstract) S179
- Tuman KJ, McCarthy PJ, Overfield DM, Ivankovich AD. Effects of nitrous oxide during ventricular and coronary air embolism in swine (abstract) S180
- Spieß BD, McCarthy RJ, Ivankovich AD. Does euvolemic crystalloid replacement of blood loss produce hypocoagulability? (abstract) S181
- Spieß BD, McCarthy RJ, Ivankovich AD. Effects of progressive blood loss on coagulation as measured by thrombelastography 856
- Turnage G, see Waldman SD
- Turndorf H, see Grant GJ
- see Ramabadrán K  
see Ramanathan S  
see Rosman EJ  
see Wang BC
- Turtle M, see Coates DP  
see Cullen PM
- Tweed AW, see Murkin JM
- Tyler DC, see Krane EJ
- Tyson G, Bishop MJ, Bashein G, Cullen BF. Prolonged anesthesia with nitrous oxide: is it hazardous? (abstract) S182
- Ueda Y, see Kawana Y
- Uejima T. Esophageal intubation (letter) 481
- Uitvlugt A, see Lichtor JL
- Umeda S, Arai T, Hatano Y, Mori K, Hoshino K. Cadaver anatomic anatomy of the best site for chemical lumbar sympathectomy 643
- Unadkat JD, see Carpenter RL
- Upton RN, see Nancarrow C
- Usta N, see Baraka A
- Vacanti CA, see Silbert BS
- Vaes L, see Gieraerts R  
see Van Zundert A
- Valek TR, see Paulsen AW
- van de Pol P, see Bailey PL
- Van Den Berg BW, see De Wolf AM
- Van Der Au P, see Van Zundert A
- Van der Auwera D, Verborgh C, Camu F. Analgesic and cardiorespiratory effects of epidural sufentanil and morphine in humans 999
- Verborgh C, Camu F. Epidural ketamine for postoperative analgesia (letter) 1340
- Van Der Linden P, see Vincent J-L
- van Duinen M, see Burm AGL
- Van Etten AP, see Flacke JW
- Van Genderingen HR Jr, Gravenstein N. Capnogram artifact during high airway pressure caused by a water trap 185
- van Kleef J, see Burm AGL  
see Van Zundert A
- van Kleef JW, see Veering BTh
- van Poorten JF, see Steinstra R
- Van Rensburg M, see Morris R
- Van Rheineck Lyessius AT, Kalkman CJ, Hesselink EM, Bovill JG. Effects of high dose fentanyl anesthesia on posterior tibial nerve somatosensory evoked potentials (abstract) S183
- Van Vreeswijk H, see Bailey PL  
see Streisand JB
- Van Zundert A, Burm A, van Kleef J, Spierdijk J, Van Der Au P, Amolders F, Vaes L, De Wolf A. Plasma concentrations of epidural bupivacaine in mother and newborn: 0.125% versus 0.375% 435  
see De Wolf AM
- Vandewalker G, see Murray DJ
- Vanneuville G, see Dalens B
- Varga DA, Guttery JS, Brundy BL. Intermittent oxygen delivery in an Ohmeda Unitrol anesthesia machine due to a faulty O-ring check valve assembly (letter) 1200
- Kaplan RF, Kellner K, Johnson J, Miller D. Vaginal delivery impeded by a large fetal sacrococcygeal teratoma: anesthetic considerations 1325
- Vasconcelos A, see Bello CN
- Vatashsky E, Haskel Y, Nissan S, Hanani M. Effects of morphine on the mechanical activity of common bile duct isolated from guinea pig 245  
see Goldberg M
- Veering BTh, Burm AGL, van Kleef JW, Hennis PJ, Spierdijk J. Epidural anesthesia with bupivacaine: effects of age on neural blockade and pharmacokinetics 589
- Burm AGL, van Kleef JW, Hennis PJ, Spierdijk J. Spinal anesthesia with glucose-free bupivacaine: effects of age on neural blockade and pharmacokinetics 965
- Vennes DS, see Isaacson IJ
- Verborgh C, see Van der Auwera D
- Vickery R, see Maxwell MS
- Vigdorth E, see Raj PP
- Vijayakumar HR, Metriyakool K, Jewell MR. Effects of 100% oxygen and a mixture of oxygen and air on oxygen saturation in the immediate postoperative period in children 181
- Vincent J-L, Van Der Linden P, Domb M, Bleic S, Azimi G, Bernard A. Dopamine compared with dobutamine in experimental septic shock: relevance to fluid administration 565
- Vinik HR, Shaw B, MacKrell T, Hughes G. A comparative evaluation of propofol for the induction and maintenance of general anesthesia (abstract) S184
- Volgyesi GA, see Gallagher T
- Von Voigtlander PF, see Althaus JS
- Wade LD, see Lichtenthal PR
- Wakerlin G, see Shulman MS
- Wakuta K, see Fukuda S
- Waldman HJ, see Waldman SD
- Waldman KA, see Waldman SD
- Waldman SD, Allen ML. The Kirschner wire as a readily available tunneling device for the placement of subcutaneous intraspinal narcotic delivery systems (letter) 921
- Feldstein GS, Allen ML, Landers M, Turnage G. Cervical epidural implantable narcotic delivery systems in the management of upper body cancer pain 780
- Feldstein GS, Waldman HJ, Waldman KA, Allen ML. Caudal administration of morphine sulfate in anticoagulated and thrombocytopenic patients 267  
see Feldstein GS
- Walker AM, see Fleming JA
- Wall R, see Estrin JA
- Wallace CT, Baker JD III, Alpert CC, Tankersley SJ, Conroy JM, Kerns RE. Comparison of blood pressure measurement by Doppler and by pulse oximetry technique 1018
- Waller JL, see Murkin JM
- Wallin G, Cassuto J, Höglström S, Lindén I, Faxén A, Rimbäck G, Hedner T. Effects of lidocaine infusion on the sympathetic response to abdominal surgery 1008
- Walling PT, see Paulsen AW
- Walsh RF, see Harte FA
- Wang BC, Hiller JM, Holland MJ, Simon EJ, Hillman DE, Turndorf H. Distribution of <sup>3</sup>H morphine following lumbar subarachnoid administration in rabbits (abstract) S185
- Wang XY, see Zsigmond EK
- Ward DS, see Sabol SJ
- Warnell I, see Bland BAR
- Warner MA, Kunkel SE, Offord KO, Atchison SR, Dawson B. The effects of age, epinephrine, and operative site on duration of caudal analgesia in pediatric patients 995  
see Hosking MP
- Warran SP, see Moore RA

- Warren TM. Drug therapy during pregnancy (book review) 99
- Warters RD, see Katz J  
see Leiman BC
- Wasuden G, Kamban JR, Hazlehurst WM, Hill P, Adkins R, Coleman C. Comparative study of sufentanil and isoflurane in outpatient surgery (abstract) S186  
see Kamban JR
- Watanabe S, Sakai K, Ono Y, Seino H, Naito H. Alternating periodic leg movement induced by spinal anesthesia in an elderly male 1031
- Watkins KD, see Crystal GJ
- Watkins WD, see McIntyre RW
- Wattwil LMT, Olsson JG. Circulating effects of isoflurane during acute hypercapnia 1234
- Way WL, see Cullen PM
- Weakly JN, see Basta SJ
- Weber W, Alpen E, Gravenstein N, Banner MJ, Hügler P, Peter K. Inhalation anesthesia during high frequency jet ventilation for extracorporeal shock wave therapy of gallbladder stones (abstract) S187
- Weingarten AE, Korsh JJ, Neuman GG, Stern SB. Postpartum uterine atony after intravenous dantrolene 269
- Weitz FD, see Isaacson IJ
- Welch MB, see Finucane BT
- Wells DG, Davies GG. Hemodynamic changes associated with electroconvulsive therapy 1193
- West JM, Estrada S, Heerdt M. Sudden hypotension associated with midazolam and sufentanil (letter) 693
- Whalen T, see Rice L
- White DA, see Kien ND
- White PF, see Doze VA
- Williams EL, Reede L. One cap too many (letter) 1340
- Wilson CM, see Moore J
- Wilson LA, see Behnia R
- Wilson ME, see Kirson LE
- Wilson W, see Glass P
- Wilton NCT, Hantler CB. Congenital long QT syndrome: changes in QT interval during anesthesia with thiopental, vecuronium, fentanyl and isoflurane 357
- Winblad B, see Berggren D
- Winkler G, see Ponhold H
- Winnie AP, see Sukhani R  
see Zsigmond EK
- Winter PM, see Nikki PH
- Witte M, see Duckett JE
- Wong DH, Anderson CT, Rajashekara SV, Konchigeri HN. Severe chronic obstructive pulmonary disease and non-thoracic operations: incidence of postoperative pulmonary complications (abstract) S188
- Wong HY. Cardiovascular actions of anesthetics and drugs used in anesthesia volume I: basic aspects (book review) 201
- Wong KC, see Georges LS
- Wong PL, Haskins SC. Ketamine anesthesia in dogs undergoing liver transplantation (letter) 1204
- Wood AJJ, see Bullington J  
see Wood M
- Wood M. Drugs in anaesthesia: mechanisms of action (book review) 1348
- Hyman S, Wood AJJ. A clinical study of sensitivity to sodium nitroprusside during controlled hypotensive anesthesia in young and elderly patients 132  
see Bullington J
- Woods AM, Gal TJ. Decreasing air flow resistance during infant and pediatric bronchoscopy 457
- Worthen HM, Kuban KCK, Sullivan KF, Bresnan MJ. A national survey of anesthetic complications in children with Duchenne's muscular dystrophy (abstract) S190
- Wright AJ, see McKay RD
- Xavier AV, see Kissin I
- Xuan YT, see McIntyre RW
- Yaksh TL, see Durant PAC
- Yamaguchi L, see Shulman MS
- Yamashita M, Motokawa K. A simple method for preventing kinking of 2.5-mm ID endotracheal tubes 803
- Yearwood TL, see Durrett R
- Young ML, see Metter SE
- Youngberg JA, Texidor MS, Smith DE. A comparison of induction and maintenance of anesthesia with propofol to induction with thiopental and maintenance with isoflurane (abstract) S191
- Zablocki AD, Rasch DK. A simple method to prevent interference with pulse oximetry by infrared heating lamps (letter) 915
- Zaccari J, see Wong DH
- Zaidan JR, see Curling PE
- Zebrowski M, see Duckett JE
- Zellinger M, see Finlayson DC
- Zetlaoui P, see Mazoit JX
- Zhu J, see Abboud TK
- Zimcosky L, see Bochenek KJ
- Zindler M, see Chrubasik J
- Zivin JA, see Drummond JC
- Zsigmond EK, Durrani Z, Barabas E, Wang XY, Tran L. Endocrine and hemodynamic effects of antagonism of ketanyl-induced respiratory depression by nalbuphine 421
- Winnie AP, Raza SMA, Wang XY, Barabas E. Nalbuphine as an analgesic component in balanced anesthesia for cardiac surgery 1155  
see Solomons CC
- Zucker JR, Neuenfeldt T, Freund PR. Respiratory effects of nalbuphine and butorphanol in anesthetized patients 879
- Zuspan KJ, see Kuhnert BR

# Subject Index

## **Acid-base equilibrium**

acidosis

lidocaine and bupivacaine distribution and 925

**Acidosis**, see Acid-base equilibrium

**Adenosine triphosphate**, see Anesthetic techniques, hypotensive

## **Age factors**

epidural anesthesia

lidocaine vascular absorption and 843  
nitroprusside response 132

**Air**, see Embolism

## **Airway**

management (letter) 198

**Alcuronium**, see Neuromuscular relaxants

**Alfentanil**, see

Analgesics

Anesthetics, intravenous

**Ambulatory anesthesia**, see Anesthesia, outpatient

**Aminophylline**, see Pharmacology

**Amrinone**, see Pharmacology

## **Analgesia**

measurement

postoperative 142

postoperative

in children, caudal bupivacaine and intravenous morphine comparisons 647

## **Analgesics**

alfentanil

effect in dogs (abstract) 576

enflurane-sparing effect of 1287

IV infusion pharmacokinetics (abstract) 544

meperidine and maternal-fetal

distribution (abstract) 548

pharmacokinetics, in chronic renal failure 53

buprenorphine

abdominal surgery pain effects of 142

pupillary diameter and ventilatory

CO<sub>2</sub> sensitivity effects of 847

butorphanol

epidural, post-cesarean pain relief and 887

fentanyl CO<sub>2</sub> response and

ventilation effects, improvement of 517

vs. morphine (abstract) 548

respiratory effects of 879

clonidine

spinal (abstract) 542

dextrophan

peripheral effects 1277

dezocine

enflurane MAC reduction by,

myocardial depression and 1169

ethylketocyclazocine

peripheral effects 1277

fentanyl

ambulatory gynecologic patient

effects of, comparison with

nalbuphine 1303

anesthetic properties, in dog 542

CO<sub>2</sub> response and ventilation

following, butorphanol

improvement of 517

cerebral relaxation during

craniotomies and 413

difficult neonatal ventilation with

(letter) 196

effect on somatosensory evoked

potentials (abstract) 5183

heart rate effects of 166

hemodynamic effects of, vs sufentanil

(abstract) 599

histamine release by 723

induced respiratory depression,

antagonism of, by nalbuphine,

endocrine and hemodynamic

effects 421

intramuscular and epidural,

ventilatory response to carbon

dioxide and 707

muscle rigidity induced by,

amantidine prevention of (letter)

1338

nitrous oxide anesthesia and

(abstract) 553

oral premedication (abstract) 5170

vs oxymorphone, as anesthetic

supplement (abstract) 5159

peripheral effects 1277

peripheral mammalian nerves effect on 1272

heroin

diacetylmorphine, extradural,

absorption of, epinephrine effects

on (letter) 1051

optimum dose and effects (abstract)

589

hydromorphone

post-thoracotomy pain relief by 1331

levorphanol

peripheral effects 1277

meperidine

abdominal surgery pain relief by 142

extrahepatic biliary ducts effects of

1282

histamine release by 723

shivering effects of 751

vs spinal anesthetic 235

methadone

measurement, postoperative pain

relief and 1308

morphine

abdominal surgery (abstract) 529

antagonism, midazolam and 944

antagonism, with nalbuphine (letter)

97

bile duct effects of 245

vs butorphanol (abstract) 5133

in children, comparison with

bupivacaine 647

chronic pain effects 417

distribution, after injection (abstract)

5185

epidural, cesarean section, itching

and herpes simplex after 1321

epidural, glucose utilization in spinal

cord effects of 1175

epidural, post-cesarean pain relief

and 887

epidural, postoperative analgesic and

cardiorespiratory effects of 999

epidural, respiratory depression after

979

heart rate effects of 166

histamine release by 723

inhalation vs IV infusion (abstract)

529

kinetics of (letter) 695

overdose, treatment, by cerebrospinal

fluid aspiration 475

perineural (letter) 1345

pharmacokinetics (abstract) 5160

pharmacokinetics, in normal and

cirrhotic subjects 293

postoperative effect (abstract) 586

pupillary diameter and ventilatory

CO<sub>2</sub> sensitivity effects of 847

spinal (abstract) 542

tolerance, reversal of 264

nalbuphine

ambulatory gynecologic patient

effects of, comparison with fentanyl

1303

antagonist action (abstract) 5115

cardiac surgery and 1155

fentanyl-induced respiratory

depression antagonism by,

endocrine and hemodynamic

effects 421

hemorrhagic shock (abstract) 5176

morphine antagonism with (letter) 97

respiration effects of 879

severe pain (abstract) 554

oxymorphone

vs fentanyl, as anesthetic supplement

(abstract) 5159

nitrous oxide anesthesia and

(abstract) 553

patient controlled analgesia (abstract)

578

sufentanil

cerebral relaxation during

craniotomies and 413

during labor (abstract) 5140

epidural, postoperative analgesic and

cardiorespiratory effects of 999

hemodynamic effects, vs fentanyl

(abstract) 599

**Analgesics**

- histamine release by 723
- midazolam interaction with, hypotension and (letter) 693
- peripheral mammalian nerves effect of 1272
- pharmacokinetics (abstract) S151
- postoperative analgesia (abstract) S45
- renal transplantation (abstract) S42
- seizure and (letter) 922
- seizures associated with 91
- tonic-clonic activity after (letter) 481
- thiorphan and bestatin, spinal (abstract) S117
- U-50488H
- halothane concentration effects of 391

**Anatomy**

- lumbar artery 643
- lumbar sympathetic ganglion 643
- spinal canal, subdural space 177
- temporomandibular joint, tracheal intubation and 675

**Anesthesia**

- British, American (letter) 800
- cardiovascular
  - $\beta$ -adrenergic blockade and 637
  - carbon dioxide pulmonary gradient and 690
- cardiopulmonary bypass, cerebral autoregulation and flow/metabolism coupling during  $\text{PaCO}_2$  influence on 825
- cardiopulmonary bypass, hemodialysis and 899
- coronary artery bypass grafting (abstract) S81
- enflurane effects on, during fentanyl anesthesia 111
- maintenance of constant ventilation during (abstract) S174
- nalbuphine in 1155
- nitroprusside vs nitroglycerin (abstract) S36
- pediatric, sufentanil pharmacokinetics in 1067
- pulmonary hypertension (abstract) S37
- pulsatile device use during (abstract) S39
- ST-segment elevation and 1183
- ventricular fibrillation and (abstract) S175
- definition (letter) 98
- depth
  - esophageal activity and (letter) 196
- diagnostic, magnetic resonance (letter) 367
- electroconvulsive therapy (letter) 918
- contraindications to (letter) 918
- hemodynamic changes and 1193
- electroshock
  - preoxygenation and (letter) 1057
- general
  - inhalation vs intravenous (abstract) S66
  - vs spinal (abstract) S20
- geriatric
  - femoral neck fractures, postoperative confusion in 497
- intravenous
  - bupivacaine, postcholecystectomy pain relief by, in cystic fibrosis 1187
  - narcotics, histamine release by 723
- liver transplantation
  - glucose metabolism during 76
- lumbar sympathetic blocks, site for, cadaver anatomic analysis for 643
- neurosurgical
  - adenosine for controlled hypotension during 229
  - craniotomy, fentanyl, sufentanil cerebral relaxation during 413
  - detection of hypoxia during (abstract) S2
  - hypotension and (letter) 1200
  - nitrous oxide, cerebrovascular response to halothane and,  $\text{PaCO}_2$  effects on 1090
  - serum glucose and serum growth hormone level changes during 746
  - spinal decompression, for metastatic disease 894
  - trimethaphan and (letter) 584, 585
- obstetric
  - bupivacaine, disposition, in mother, fetus and neonate 407
  - bupivacaine, epinephrine effects on 395
  - bupivacaine, induced conduction blockade in vagus nerve 123
  - bupivacaine, plasma concentrations in mother and newborn 435
  - bupivacaine, produced analgesia, epinephrine enhancement of 447
  - bupivacaine, umbilical circulation and placental gas exchange effects of 1121
  - bupivacaine-fentanyl (abstract) S15
  - chloroprocaine effects 71
  - dantrolene, uterine atony and 269
  - difficult neonatal ventilation with (letter) 196
  - direction of catheter insertion (abstract) S49
  - epidural, butorphanol and morphine, post-caesarean section pain effects of 887
  - epidural, magnesium sulfate injection, accidental 1020
  - fetal ECG changes and (abstract) S145
  - fetal sacrococcygeal teratoma and 1325
  - gastric emptying, noninvasive measurement of 505
  - history (letter) 368
  - hydromorphone vs morphine (abstract) S133
  - lidocaine, hypotension and 1148
  - midazolam, induction anesthesia, comparison with thiopental, for

- cesarean section 1165
- morphine vs butorphanol (abstract) S133
- paresthesias and motor dysfunction and 18
- pheochromocytoma resection 478
- postpartum hyperreflexia (abstract) S157
- preoxygenation (letter) 1341
- pulse monitoring (letter) 695
- recall avoidance during (letter) 98
- thiopental, induction anesthesia, comparison with midazolam, for cesarean section 1165
- trimethaphan and (letter) 584, 585
- ophthalmologic
  - inpatient vs outpatient (abstract) S101
  - retrobulbar blocks, central nervous system complications 1298
- orthopedic
  - hip fractures, postoperative confusion, in elderly 497
  - scoliosis, spinal fusion for neurologic complications 1039
- otolaryngeal
  - abscess, deep neck 774
  - nitrous oxide, explosion, laser surgery and (letter) 1054
- outpatient
  - gynecologic, fentanyl and nalbuphine effects in, comparisons of 1303
  - vs inpatient (abstract) S97
  - nausea and vomiting (abstract) S41, S116
  - sufentanil vs isoflurane (abstract) S186
- pediatric
  - anterior fontanel pressure, changes, in preterm neonate, tracheal intubation and 874
  - anterior fontanel pressure, intracranial pressure related to (letter) 1196
  - arterial oxygen saturation (abstract) S92
  - brachial plexus block, parascapular approach, comparison with supraclavicular approach 1264
  - bronchoscopy, decreasing air flow resistance during 457
  - cardiovascular, intracranial pressure changes during 94
  - cardiovascular, sufentanil pharmacokinetics in 1067
  - cardiovascular response (abstract) S127
  - caudal, with bupivacaine (abstract) S19
  - caudal, cardiovascular collapse and (letter) 694
  - caudal, duration of, age, epinephrine and operative sites effects on 995
  - caudal, safe blocks (abstract) S18
  - drug comparison (abstract) S148
  - end-tidal  $\text{PCO}_2$  measurements, from



- endotracheal tube 959  
endotracheal tube kinking,  
prevention of (letter) 803  
fentanyl, for congenital heart disease,  
acyanotic, compared to isoflurane  
1028  
fluid administration, intraosseous 687  
halothane, effects on myocardium  
1240  
holoprosencephaly 908  
hyperthermia, malignant, in three-  
month old infant 1043  
intracranial pressure effects 431  
isoflurane, congenital heart disease,  
acyanotic, compared to fentanyl  
1028  
lobar emphysema high-frequency jet  
ventilation for 684  
magnetic resonance imaging (letter)  
367  
midazolam, as induction agent 625  
oxygen saturation 181  
pancuronium, neuromuscular  
blockade with, congenital heart  
defects and 788  
succinylcholine, reevaluation of 1190  
sufentanil, pharmacodynamics and  
pharmacokinetics 203  
tension pneumoperitoneum-  
pneumothorax complications 577  
thiopental, dose-response relations  
1024  
tracheal intubation (letter) 920  
thoracic  
high-frequency positive-pressure  
ventilation and 471  
mediastinal masses (letter) 696  
respiration during, spontaneous,  
mediastinal mass and 904  
urologic  
indigo carmine, hypertensive reaction  
to (letter) 1049  
lithotripsy (abstract) S178, S187  
lithotripsy, extracorporeal shock wave  
85  
lithotripsy, extracorporeal shock  
wave, epidural anesthesia for,  
repeated 669  
lithotripsy, hemodynamic responses  
associated with 354  
**Anesthesia machines**, see **Equipment**  
**Anesthetic techniques**  
bronchoscopy  
infant and pediatric, decreasing air  
flow resistance during 457  
cojoined twins, craniopagus 783  
epidural  
age effect on 589  
blood patch (letter) 913  
blood patch, in Jehovah's Witness  
(letter) 1052  
bubbles, as cause of incomplete  
analgesia 679  
bupivacaine, abdominal motor  
blockade with, integrated  
electromyographic measurement of  
57  
bupivacaine, analgesia, epinephrine  
enhancement of, during labor 447  
bupivacaine, pain threshold and  
subjectively perceived epidural  
blockade with, 629  
bupivacaine, plasma concentrations,  
in mother and newborn 435  
bupivacaine, somatosensory evoked  
potentials effects 34, 731  
bupivacaine-fentanyl (abstract) S15  
butorphanol, post-cesarean section  
pain relief and 887  
cancer (abstract) S46  
catheter, insertion, direction of  
(abstract) S49  
catheter, obstruction of (letter) 1202  
catheter, sheared, location of,  
computed tomography for 795  
caudal, bupivacaine, in children  
(abstract) S19  
caudal, bupivacaine, morphine,  
comparison, in children 647  
caudal, cardiovascular collapse in  
infant and (letter) 694  
caudal, morphine sulfate, in  
anticoagulated and  
thrombocytopenic patient 267  
caudal, pediatric, duration, age,  
epinephrine, and operative site  
effects on 995  
caudal, safe (abstract) S18  
chloroprocaine, maternal, fetal and  
neonatal effects of 71  
complications, prevention of  
(abstract) S77  
fentanyl, ventilatory response to  
carbon dioxide after 707  
friction in glass syringes (abstract)  
S103  
hydromorphone, vs morphine  
(abstract) S112  
hydromorphone, post-thoracotomy  
pain relief by 1331  
idiopathic hypertrophic subaortic  
stenosis, bradycardia following  
(letter) 1337  
isoflurane, use of (abstract) S65  
ketamine (abstract) S121  
ketamine, postoperative pain effects  
of (letter) 1340  
ketamine, postoperative pain relief  
by, gynecological, comparison with  
morphine 735  
lidocaine, hypotension and (abstract)  
S134, 1148  
lidocaine, vascular absorption, age  
effects on 843  
lithotripsy, extracorporeal shock-wave  
669  
local anesthetic infusion, pain  
management via, comparison to  
systemic narcotic administration 401  
magnesium sulfate injection,  
accidental 1020  
mepivacaine blood levels during 337  
methylprednisolone, morphine  
tolerance reversal by 264  
morphine, abdominal hysterectomy  
effects of, age and 1215  
morphine, analgesic and  
cardiorespiratory effects of,  
postoperative 999  
morphine, vs butorphanol (abstract)  
S133  
morphine, cesarean section, itching  
and herpes simplex after 1321  
morphine, glucose utilization in  
spinal cord effects of 1175  
morphine, naloxone and (abstract)  
S72  
morphine, post-cesarean section pain  
relief and 887  
morphine, respiratory depression  
after 797  
morphine sulfate, in anticoagulated  
and thrombocytopenic patients, 267  
narcotics, cancer pain relief by 777,  
780  
narcotics, pupillary diameter and  
ventilatory CO<sub>2</sub> sensitivity effects  
of 847  
pain (abstract) S46  
parasthesias and motor dysfunction  
and 18  
sensory neural blockade testing  
during, device for (letter) S81  
subdural block (abstract) S95  
subdural puncture in 177  
sufentanil (abstract) S140  
sufentanil, analgesic and  
cardiorespiratory effects,  
postoperative 999  
hypotensive  
adenosine 229  
adenosine triphosphate and sodium  
nitroprusside induced,  
cardiovascular function during 103  
dinitrate vs nitroglycerin (abstract)  
S177  
nitroprusside sensitivity during 132  
trimethaphan and (letter) 584, 585  
inhalation  
anesthesia mask fit, in edentulous  
patient (letter) 1053  
intramuscular  
fentanyl, ventilatory response to  
carbon dioxide after 707  
regional  
axillary block (abstract) S79  
brachial plexus block 739  
brachial plexus block, parascapular  
approach, comparison with  
supraclavicular approach, 1264  
celiac plexus block (abstract) S21  
celiac plexus block, alcohol, CT-  
guided, pleural effusion and 911  
celiac plexus block, pancreatic cancer  
pain effects of 869

**Anesthetic techniques**

- regional—*continued*
  - cervical block (abstract) S8
  - interscalene block, carbonated, clinical pharmacokinetics of 1245
  - interscalene block, reflex sympathetic dystrophy and 1316
  - intravenous (abstract) S75
  - retrobulbar block, central nervous system complications after 1298
  - sciatic block, pediatric, anterior approach to (letter) 1199
  - tourniquet use and (abstract) S75
- spinal
  - age effects on 965
  - arterial and venous responses to dopamine and 209
  - bupivacaine 171
  - bupivacaine, disposition in mother, fetus and neonate after 407
  - bupivacaine, effects of 127
  - bupivacaine, epinephrine effects on 395
  - bupivacaine, epinephrine effects on, in elderly 882
  - bupivacaine, plasma concentration profiles, epinephrine effects on 1104
  - bupivacaine, vs pontocaine (abstract) S16
  - bupivacaine, prolongation, with epinephrine and clonidine, for hip surgery in elderly 442
  - bupivacaine, somatosensory evoked responses effects, following dermatomal stimulation 809
  - drug comparison (abstract) S148
  - failed attempts 363
  - vs general (abstract) S20
  - headache 791
  - headache (letter) 285
  - headache, blood patch and (letter) 913
  - headache, caffeine effects on (letter) 913
  - hypotension in, isobaric tetracaine with epinephrine and isobaric bupivacaine without epinephrine comparisons 549
  - leg movement induced by, periodic 1031
  - lidocaine 235
  - lidocaine, plasma concentration profiles, epinephrine effects on 1104
  - meperidine 235
  - morphine, overdose, treatment by cerebrospinal fluid aspiration 475
  - myocardial ischemia effects of (letter) 582
  - needle, problems with (letter) 1343
  - obstetric, positional change in (abstract) S16
  - PvO<sub>2</sub> changes (abstract) S96
  - spinal cord blood flow during,

tetracaine, epinephrine, acute blood loss, and hypercarbia effects on 599

subdural puncture in 177

**Anesthetics, gases**

- nitrous oxide
  - cerebrovascular response to, halothane and, PaCO<sub>2</sub> effects on 1090
  - convulsions and (letter) 1053
  - cortical cerebral blood flow effects of, halothane, isoflurane, morphine and 1083
  - embolism and (abstract) S180
  - explosion, laser surgery and (letter) 1054
  - hazards (abstract) S182
  - megaloblastic anemia (abstract) S146
  - memory effects of (abstract) S14
  - nausea and vomiting (abstract) S98
  - nausea and vomiting, isoflurane and 761
  - pharmacokinetics and metabolism, duration of administration effects on 1
  - reproductive and teratogenic effects of (abstract) S61
  - thiopental efficacy during hypoxia and 47
  - VEP effects of (abstract) S27

**Anesthetics, intravenous**

- alfentanil
  - enflurane-sparing effect of 1287
  - pharmacokinetics, in chronic renal failure 53
- benzodiazepines
  - induction agent in children 625
- diprivan
  - dental patients (abstract) S123
- etomidate
  - seizure following (letter) 284
- fentanyl
  - ambulatory gynecologic patient effects of, comparison with nalbuphine 1303
  - anesthetic properties in dog 542
  - cerebral relaxation during craniotomies and 413
  - coronary artery surgery, enflurane supplementation 111
  - liver oxygenation effects of 936
  - muscle rigidity induced by, amantidine prevention of (letter) 1338
  - reproductive and teratogenic effects of (abstract) S61
- ketamine
  - analgesic effects (abstract) S21
  - pancuronium and (abstract) S179
  - postoperative analgesia (letter) 1340
  - postoperative analgesia, gynecologic, comparison with morphine 735
- methohexital
  - outpatient recovery (abstract) S118
  - vs propofol (abstract) S150
- midazolam

induction anesthesia, for cesarean section, comparison with thiopental 1165

**morphine**

nitrous oxide effects on cortical blood flow and 1083

**nalbuphine**

ambulatory gynecologic patient effects of, comparison with fentanyl 1303

**propofol**

baroreceptor activity 1115

disposition, constant rate infusion and 1256

during coronary artery surgery (abstract) S142

evaluation of (abstract) S184

fentanyl and (abstract) S171

hemodynamic effects, during nitrous oxide anesthesia 64

vs methohexital (abstract) S150

outpatient recovery (abstract) S118

**sufentanil**

brainstem evoked potentials (abstract) S85

cerebral relaxation during

craniotomies and 413

pharmacodynamics and pharmacokinetics in infants and children 203

pharmacokinetics, in pediatric cardiovascular patients 1067

**thiamylal**

during coronary artery surgery (abstract) S142

**thiopental**

brain hypoxia effects, nitrous oxide and 47

dental patients (abstract) S123

dose-response relations 1024

induction anesthesia, for cesarean section, comparison with midazolam 1165

outpatient recovery (abstract) S118

uses of 1328

**Anesthetics, local****bupivacaine**

- age effects on 589
- biotransformation, cimetidine effects on, during parturition 986
- chronic pain effects 417
- conduction blockade in vagus nerve induced by, pregnancy effect on 123
- distribution, acidosis influence on 925
- epidural, analgesia produced by, epinephrine enhancement of, during labor 447
- H<sub>2</sub> receptor blockers (abstract) S122
- isobaric, spinal anesthesia
  - prolongation of, with epinephrine and clonidine, for hip surgery in elderly 442
- mother, fetus and neonate disposition

- 407  
plain vs alkalinized (abstract) S9  
plasma concentrations, in mother and newborn 435  
postoperative analgesia with, in children, comparison with morphine 647  
spinal anesthesia 171  
spinal anesthesia, age effects on 965  
spinal anesthesia, plasma concentration profiles, epinephrine effects on 1104  
umbilical circulation and placental gas exchange effects of 1121  
uterine blood flow (abstract) S147  
venous level effects of (abstract) S79  
carbonated, pharmacokinetics 739  
CNS effects (letter) 371, 372  
chloroprocaine  
maternal, fetal and neonatal effects of 71  
toxicity, on neuroblastoma cells 954  
uterine blood flow (abstract) S147  
2-chloroprocaine  
grand mal seizures after, plasma cholinesterase deficiency and 677  
neurotoxicity, peripheral 719  
pH adjustment of (letter) 286  
hypotension and (letter) 1339  
epidural anesthesia and 1148  
intradermal, pain associated with 1180  
lidocaine  
blood pressure (abstract) S134  
CBF autoregulation (abstract) S131  
distribution, acidosis influence on 925  
equilibrium conduction block by, mammalian myelinated axons sensitivity to 948  
intravenous, optimal injection time, tracheal intubation and 1036  
potency, dependence on pH and  $\text{PCO}_2$  9  
prenatal exposure to, postnatal developmental effects 533  
spinal anesthesia, plasma concentration profiles, epinephrine effects on 1104  
succinylcholine effects on muscle oxygen consumption and 325  
sympathetic response to abdominal surgery and 1008  
ultrasonic nebulization (abstract) S109  
venous levels effects of (abstract) S79  
lidocaine carbonate  
interscalene brachial block, compared to lidocaine hydrochloride 1245  
mepivacaine  
blood levels, during continuous epidural anesthesia 337  
pH  
alkalinization effects on (letter) 1203  
physical properties 159  
**Anesthetics, volatile**  
enflurane  
adjunct to fentanyl, in coronary artery surgery 111  
asthma treatment with 193  
cardiac depression caused by, amrinone effects on 215  
heart rate response to, narcotics effects on 166  
hepatotoxicity 222  
hypertension and, heart rate response to 1219  
MAC, dezocine reduction of, myocardial depression and 1169  
metabolism and hepatotoxicity 299  
negative inotropic effects, in papillary muscles, in diabetic rats 23  
nifedipine cardiovascular effects and 1096  
pharmacokinetics and metabolism, duration of administration effects on 1  
sparing, alfentanil effect on 1287  
fluroxene  
fluoride release and, cytochrome P-450 loss effects on 1141  
halothane  
awakening rates 977  
baroreceptor response (abstract) S64  
blood flow and metabolism effects of (abstract) S31  
cardiovascular responses (abstract) S127  
cerebrovascular dilation by,  $\beta$ -adrenergic receptor and 39  
cerebrovascular response to nitrous oxide and,  $\text{PaCO}_2$  effects on 1090  
fluoride release and cytochrome P-450 loss effects of 1141  
heart rate effects of, in children, pentothal and (abstract) S4  
heart rate response to, narcotics and 166  
hepatitis, immune response-induced in 1209  
hepatotoxicity 222, 299  
hypertension and, heart response to 1219  
intracranial pressure effects of, in preterm neonates 431  
liver oxygenation effects of 936  
malignant hyperthermia (abstract) S162  
margin of safety, comparison to isoflurane 485  
metabolism and hepatotoxicity, 299  
minimum anesthetic concentration of, U-50488H effects on 391  
myocardial function effects of 1240  
myocardial ischemia (abstract) S51  
negative inotropic effects, in papillary muscle, rabbit 29  
negative inotropic effects, in papillary muscle, in diabetic rats 23  
nifedipine cardiovascular effects and 1096  
nitrous oxide effect on cortical cerebral blood flow and 1083  
pharmacokinetics and metabolism, duration of administration effects on 1  
rapid induction by, comparison with isoflurane 766  
stability, in soda lime 983  
toxicity, in enzyme-induced hypoxic rats 1227  
toxicity, sevoflurane and isoflurane comparison with 769  
uptake and elimination (abstract) S105  
vascular capacitance and (abstract) S158  
I-653  
absorption and degradation of, by dry soda lime 1312  
awakening rates 977  
minimum alveolar concentration 974  
partition coefficients of 971  
stability, in soda lime 983  
toxicity, in enzyme-induced hypoxic rats 1227  
toxicity, isoflurane comparison with 1230  
isoflurane  
absorption and degradation of, by dry soda lime 1312  
acetylcholine receptor channel (abstract) S58  
arterial oxygenation during, spontaneous sighs effects on 839  
asthma treatment with 193  
awakening rates 977  
baroreceptor response (abstract) S64  
burned patients and (abstract) S74  
cardiac depression caused by, amrinone effects on 215  
cardiopulmonary bypass (abstract) S59  
cardiovascular response (abstract) S127  
circulatory effects, during acute hypercapnia 1234  
fluoride release and cytochrome-P-450 loss effects of 1141  
heart rate response to, narcotics effects on 166  
hepatic dysfunction following 147  
hypertension and, heart response to 1219  
I-653 comparison with 1230  
intracranial pressure effects of 431  
liver oxygenation effects of 936  
margin of safety, comparison with halothane 485  
myocardial blood flow, function and oxygen consumption effects of, coronary stenosis and 1073  
nausea and vomiting after, nitrous oxide effects on 761  
negative inotropic effect of, in papillary muscles, in diabetic rats 23

**Anesthetics, volatile**

- negative inotropic effect of, in
  - papillary muscle, in rabbit 29
- neuroendocrine response (abstract) S94
- nifedipine cardiovascular effects and 1096
- nitrous oxide effects on cortical cerebral blood flow and 1083
- pharmacokinetics and metabolism, duration of administration effects on 1
- rapid induction by, halothane
  - comparison with 766
- rhythmic muscular activity and (abstract) S155
- stability, in soda lime 983
- toxicity, in enzyme-induced hypoxic rats 1227
- toxicity, sevoflurane comparison with 769
- uterine effects of, with oxytocin (abstract) S1
- vascular capacitance and (abstract) S158
- methoxyflurane
  - pharmacokinetics and metabolism, duration of administration effects on 1
- nitrous oxide
  - explosion, laser surgery and (letter) 1054
- sevoflurane
  - awakening rates 977
  - respiratory effects 241
  - solubility 654
  - stability, in soda lime 983
  - toxicity (abstract) S172
  - toxicity, halothane and isoflurane compared with 769
  - trace concentrations (letter) 198
- Anisocoria**, see Eye, pupil
- Antagonists, miscellaneous**
  - aminophylline 333
  - benzodiazepines
    - cerebral blood flow effects of 309
    - postoperative EEG changes (abstract) S60
  - physostigmine
    - general anesthesia reversal by, EEG changes in (letter) 1050
- Antagonists, narcotic**
  - butorphanol
    - fentanyl CO<sub>2</sub> response and ventilation effects of, improvement of 517
  - nalbuphine
    - fentanyl-induced respiratory depression by, endocrine and hemodynamic effects of 421
  - opioid-induced respiratory depression effects of, compared to naloxone 1109
  - naloxone
    - respiratory depression effects of,

- opioid-induced, compared to nalbuphine 1109
- respiratory depression effects of, with nalbuphine (abstract) S5

**Antagonists, neuromuscular relaxants**

- neostigmine 594
- pyridostigmine 594
- Antagonists, Ro 15-1788** (abstract) S11
- Antibodies**, see Immune response
- Apnea**, see Ventilation
- Arrhythmias**, see Heart
- Arteries**
  - radial
    - cannulation (letter)
    - cannulation, A-V fistula (letter) 919

**Atracurium**, see Neuromuscular relaxants**Atrial natriuretic hormone**, see Polypeptides**Atropine**, see

- Parasympathetic nervous system
- Premedication

**Autotransfusion**, see Transfusion**Awareness**, see Memory**Axillary block**, see Anesthetic techniques, regional**Bacteremia**, see Infection**Benzodiazepines**, see Hypnotics**Beta-adrenergic receptors**, see Sympathetic nervous system**Bile ducts**, see Liver**Biotransformations, drug**

- bupivacaine, cimetidine effects on 986
- cytochrome P-450 and 1141
- fluroxene 1141
- halothane 299, 1141
- isoflurane 1141

**Blood**

- coagulation
  - anticoagulants 267
  - pediatric cardiopulmonary bypass (abstract) S130
  - protamine (abstract) S130
  - thrombelastography, progressive blood loss effects and 856
- flow, see
  - Heart
  - Liver
- hemodilution
  - hemodynamics and oxygen transport (abstract) S87
  - transmural plasma skimming (abstract) S33
- plasma
  - perioperative use (abstract) S204
  - hypocoagulability (abstract) S181

**Blood patch**, see Anesthetic techniques, epidural**Blood pressure**, see

- Arteries
- Heart
- Measurement techniques
- Monitoring
- Stroke
- hypertension
  - halothane, enflurane and isoflurane

- and, heart response to 1219
- perioperative (abstract) S177
- postoperative (abstract) S63, S69
- hypotension
  - intraoperative, noninvasive
  - perioperative assessment (abstract) S189
- measurement, Doppler and pulse oximetry comparison in 1018

**Book reviews**

- 1986 Year Book of Anesthesia
  - MEDICASSETTE Anesthesia, Volume I numbers 1, 2, 3, Horrow JC 292
- Advances in Anesthesia, Ballinger CM 290
- Advances in Anesthesia volume 1, Cooperman LH 807
- AIDS, Gotta AW 699
- Anesthesia Review 3, Levy JH 698
- Anaphylactic Reactions in Anesthesia and Intensive Care, Cullen BF 287
- Anesthesia, the Heart and the Vascular System, Garman JK 1206
- Anesthesia and ENT Surgery: Volume 9, Contemporary Anesthesia Practice, Golden KJ
- Anesthesia and Organ Transplantation, Rettke SR 1349
- Anesthesia and Transplantation Surgery: Contemporary Anesthesia Practice, Rettke SR 1349
- Anesthesia and Uncommon Pediatric Diseases, McGill WA 697
- Anesthesia for Eye, Ear, Nose and Throat Surgery, Donlon JV Jr 377
- Anesthesia for Obstetrics, Cohen H 806
- Anesthetic Considerations for
  - Craniotomy in Awake Patients, McKay RD, Wright AJ 698
- Cardiac Anesthesia: Problems and Innovations, Diaz JH 289
- Cardiopulmonary Bypass-Principles and Management, Kopriva CJ 1207
- Cardiotonic Drugs: A Clinical Survey, Govier AV 291
- Cardiovascular Actions of Anesthetics and Drugs Used in Anesthesia. Volume I: Basic Aspects, Wong HY 201
- Clinical Applications of Respiratory Care, 3rd edition, Philbin DM 923
- Clinical Controversies in Neuroanesthesia and Neurosurgery, Cucchiara RF 375
- Closed-Circuit System and Other Innovations in Anesthesia, Ernst EA 808
- Consent to Treatment: A Practical Guide, Smith DS 588
- Current Concepts in Transfusion Therapy, Faust RJ 377
- Current European Anesthesiology: The Yearbook of the European Academy of Anesthesiology, Volume 2, Morris RW 587



- Diagnostic Methods in Critical Care, Automated Data Collection and Interpretation, Siegel LC 923
- Drug Therapy During Pregnancy, Warren TM 99
- Drugs in Anesthesia: Mechanism of Action, Wood M 1348
- Extracorporeal Shock Wave Lithotripsy for Renal Stone Disease, Ross WT 200
- Geriatric Anesthesia: Principles and Practice, McLeskey CH 200
- Homotherapy in Childhood and Adolescence, Ellison N 287
- International Anesthesiology Clinics, Anesthesia in Trauma, Giesecke AH 1207
- Manual of Anesthesia in Cancer Care, Bivens HE 587
- Muscle Relaxants: Side Effects and A Rational Approach to Selection, Sokoll MD 924
- Neonatal Anaesthesia and Perioperative Care, Costarino AT 289
- Neurosurgical and Psychological Complications of Surgery and Anesthesia, Bennett HL, Benthuyssen JI 805
- Neurosurgical Anaesthesia and Intensive Care, Milde LN 1348
- Patient-Controlled Analgesia, Raj PP 100
- Practical Aspects of Blood Administration, Orr MD 1206
- Practical Management of Pain, Korevaar WC 290
- Practice of Anesthesia for Infants and Children, Kempen PM, 288, Erratum 288, 484
- Primary Anesthesia, Baldeck AM 806
- Quantitation, Modelling and Control in Anesthesia, Nigrovic V 375
- Regional Opioids in Anesthesiology and Pain Management, DiFazio CA 288
- Respiratory Failure, Stock MC 376
- Brachial plexus**, see Anesthetic techniques, regional
- Brain**
- blood flow
    - benzodiazepine antagonist effects on 309
  - cardiopulmonary bypass and (abstract) S125, S149
  - cardiopulmonary bypass and,  $\text{PaCO}_2$  influence on 825
  - halothane effects on  $\beta$ -adrenergic receptor and 39
  - nitrous oxide effects on, halothane and  $\text{PaCO}_2$  and 1090
  - nitrous oxide effects on, halothane, isoflurane and morphine and 1083
- electroencephalography 271
- nitrous oxide and 1090
- evoked potentials
- bupivacaine effects on 731
  - bupivacaine effects on, epidural 34
- evoked responses
- during carotid endarterectomy (abstract) S100
  - during sufentanil anesthesia (abstract) S85
  - somatosensory, bupivacaine effects on, following dermatomal stimulation 809
- hypoxia
- survival time, thiopental effects on, nitrous oxide and 47
- intracranial pressure
- anterior fontanel pressure related to (letter) 1196
  - changes during cardiopulmonary bypass and hypothermic circulatory arrest 94
  - isoflurane, halothane, fentanyl, ketamine effects on 431
  - nitrous oxide effects on, halothane and  $\text{PaCO}_2$  and 1090
  - in preterm neonate, tracheal intubation and 874
- local anesthesia toxicity (letter) 371, 372
- metabolism
- cardiopulmonary bypass and,  $\text{PaCO}_2$  influence on, 825
- seizures
- perioperative (letter) 583
- Breath sounds**, see Monitoring
- Breathing**, see Ventilation
- Bronchoscopy**, see Anesthetic techniques
- Bupivacaine**, see Anesthetics, local
- Butorphanol**, see Analgesics
- Calcitonin**, see Pharmacology
- Calcium**, see Ions
- Calcium channel blockers**, see Heart
- Cancer**
- chemotherapy
    - cyclophosphamide, succinylcholine use and 351
  - pain, see Pain
- Cannulation**, see Anatomy
- Anatomy
  - Arteries
  - Specific vessels
  - Veins
- Capnograph**, see Carbon dioxide
- Carbon dioxide
  - Measurement techniques, carbon dioxide
- Carbon dioxide**
- absorption
    - soda lime 983
    - soda lime, isoflurane and I-653 1312
  - blood levels
    - during anesthesia in children (abstract) S13
  - capnograms 185
  - hypercarbia
    - isoflurane circulatory effects during 1234
  - succinylcholine-induced arrhythmias in 1292
- measurement
- drug anesthetic management (abstract) S139
- pulmonary gradient 690
- tension
- neural effects 9
  - ventilatory responses, see ventilation
- Cardiopulmonary bypass**, see Anesthesia, cardiovascular
- Surgery**, cardiovascular
- Carotid**, see Surgery, vascular
- Cataracts**, see Anesthesia, ophthalmic
- Catecholamines**, see Sympathetic nervous system
- Catheters**, see Equipment
- Caudal**, see Anesthetic techniques, epidural
- Causalgia**, see Pain
- Celiac plexus block**, see Anesthetic techniques, regional
- Central nervous system**, see Brain
- Spinal cord
- Cervical block**, see Anesthetic techniques, regional
- Cesarean section**, see Anesthesia, obstetric
- Children**, see Anesthesia, pediatric
- Chloroprocaine**, see Anesthetics, local
- 2-Chloroprocaine**, see Anesthetics, local
- Cholinesterase**, see Enzymes
- Cimetidine**, see Gastrointestinal tract, stomach
- Pharmacology**
- Circuits, anesthetic**, see Equipment
- Cirrhosis**, see Liver
- Clonidine**, see Sympathetic nervous system,  $\alpha$ -adrenoreceptor agonist
- Coagulation**, see Blood
- Complications**
- abscesses
    - cervical 774
  - aspiration (letter) 199
  - asthma
    - isoflurane and enflurane treatment of 193
  - convulsions (letter) 583
  - nitrous oxide and (letter) 1053
  - sufentanil and 91
  - diabetes mellitus 23
  - Down's syndrome 89
  - Duchenne's dystrophy (abstract) S190
  - emphysema 277
    - subcutaneous (letter) 921
  - epidermolysis bullosa 341
  - brachial plexus anesthesia in 1318
  - headache (letter) 284
  - dural puncture (letter) 285
  - holoprosencephaly 908
  - mastocytosis
    - value of skin tests (abstract) S136



**Complications—continued**

- myoclonus
    - sleep related 1031
  - nerve palsy (letter) 1343
  - obesity
    - bupivacaine spinal and anesthesia spread and 127
  - pneumothorax-pneumoperitoneum in congenital diaphragmatic repair 577
  - polymyositis
    - vercuronium and 188
  - priapism
    - topical nitroglycerin for 1022
  - reflex sympathetic dystrophy
    - intrascapular block and 1316
  - shivering
    - meperidine efficacy in 751
  - thrombosis
    - sagittal sinus (letter) 284
  - urticaria pigmentosa 344
- Confusion**, see Recovery
- Convulsions**, see Complications
- Coronary**, see
- Heart, blood flow
  - Heart, coronary stenosis
- Coronary artery bypass**, see
- Anesthesia, cardiovascular
  - Surgery, cardiovascular
  - Cost (letter) 373
- Curare**, see Neuromuscular relaxants, *d*-tubocurarine
- Cyclophosphamide**, see Cancer, chemotherapy
- Cyclosporine**, see
- Immune response, suppression
  - Interactions, drug
- Cytochrome P-450**, see
- Biotransformations, drug
- d*-tubocurarine**, see Neuromuscular relaxants
- Dantrolene**, see
- Hyperthermia, malignant
  - Neuromuscular relaxants
- Delirium**, see Psychologic responses
- Dezocine**, see Analgesics
- Diabetes**, see
- Complications
  - Metabolism
- Diacetylmorphine**, see Analgesics, heroin
- Diamorphine**, see Analgesics, heroin
- Diazepam**, see
- Hypnotics, benzodiazepines
  - Premedication
- Diltiazem**, see
- Heart
  - Pharmacology
- Dipivran**, see Anesthetics, intravenous
- Dobutamine**, see
- Sympathetic nervous system
- Dopamine**, see
- Pharmacology
  - Sympathetic nervous system
- Doppler**, see

- Measurement techniques
  - Monitoring
- Duchenne's dystrophy**, see Complications
- Echocardiography**, see
- Heart
  - Measurement techniques
- Electrical systems**
- isolated power (letter) 1056
- Electroconvulsive therapy**, see
- Anesthesia, electroconvulsive
- Electroencephalogram**, see
- Brain
  - Monitoring
- Electromyography**, see
- Measurement techniques
  - Muscle, skeletal
- Embolism**
- air
    - active lung inflation and 1127
    - collection, in superior vena cava 1135
    - nitrous oxide and (abstract) S180
    - resuscitation, Bunegin-Albin catheter and 991
    - Trendelenburg position (abstract) S93
    - venoatrial cerebral perfusion for 673
- Emphysema**, see Lung, chronic obstructive disease
- Endobronchial techniques**, see Anesthetic techniques
- Endobronchial tubes**, see Equipment, tubes
- Endorphins**, see
- Brain
  - Polypeptides
- Endotracheal tubes**, see Equipment, tubes, tracheal
- Enflurane**, see Anesthetics, volatile
- Enzymes**
- cholinesterase
    - plasma, deficiency 677
    - pseudocholinesterase, affective disorders and (letter) 921
  - Pseudocholinesterase, pregnancy (abstract) S91
  - cytochrome P-450
    - loss, halothane, isoflurane and fluroxene effects on 1141
- Epidermolysis bullosa**, see Complications
- Epidural**, see Anesthetic techniques
- Epigastrogrography**, see Measurement techniques
- Epinephrine**, see
- Heart, arrhythmias
  - Sympathetic nervous system
- Equipment**
- anesthesia machine
    - oxygen lines pressure (abstract) S106
    - problems with (letter) 1339
  - catheters
    - epidural, obstruction of (letter) 1202
    - venous, placement of, safe (letter) 1199
  - circuits, anesthetic (letter) 1055
  - electrical, see Electrical systems

- flowmeters, oxygen
    - failures in (letter) 1200
  - implantable pumps (letter) 369
  - infusion systems
    - laboratory evaluation of 660
  - monitoring cables (letter) 695
  - needles
    - spinal, problems with (letter) 1343
  - stethoscope, breathing circuit
    - for breath sound monitoring (letter) 1057
  - subaortic tunneling device (letter) 920
  - tourniquet
    - pain relief (abstract) S161
  - tubes
    - endobronchial, atelectasis management by 1014
    - tracheal, connector removal (letter) 1059
    - tracheal, kinking, prevention of (letter) 803
  - valves
    - PEEP, inappropriate attachment of (letter) 1050
  - vaporizers
    - high-frequency positive pressure ventilation (abstract) S40
  - ventilators
    - scavenging systems 1334
    - Y-piece adaptor (letter) 1340
- Errata**, 100, 378, 484, 924
- Esmolol**, see
- Heart
  - Sympathetic nervous system, pharmacology
- Esophagus**, see Gastrointestinal tract
- Ethylketocyclazocine**, see Analgesics
- Etomidate**, see
- Anesthetics, intravenous
- Evoked potentials**, see
- Brain
  - Monitoring
- Evoked responses**, see Brain
- Explosions**
- laser surgery
    - nitrous oxide and (letter) 1054
- Eye**
- anisocoria (letter) 197
  - intraocular pressure
    - metoclopramide effects on (abstract) S135
  - regulation, during anesthetic induction (abstract) S28
  - pupil
    - anisocoria
      - from scopolamine patch (letter) 693
    - diameter, morphine and buprenorphine effects on 847
- Fentanyl**, see
- Analgesics
  - Anesthetics, intravenous
- Fluid balance**
- hypertonic saline effects on 154
  - oral (letter) 914

**Fluids, intraosseous**, see Fluid balance

**Fluids, intravenous**, see Fluid balance

### Gastrointestinal tract

esophagus

anesthetic depth effects on (letter) 196

stomach

bupivacaine contents, in neonate (abstract) S24

cimetidine, bupivacaine levels and 986

cimetidine, midazolam interaction with (letter) 1196

cimetidine, pharmacokinetics (letter) 1346

emptying of, in obstetric patient, noninvasive measurement of 505

pH and volume 81

pH and volume, ranitidine and metoclopramide premedication effects on (letter) 1202

**Geriatrics**, see Anesthesia, geriatric

**Glucose**, see Spinal cord, metabolism

**Growth hormone**, see Hormones

**Guanfacine**, see Pharmacology

**Halothane**, see Anesthetics, volatile

**Headache**, see Complications

### Hearing

deafness

after spinal anesthesia (letter) 802

### Heart

arrhythmias

succinylcholine-induced, in hypoxia and hypercarbia 1292

$\beta$ -adrenoreceptor blockade

hemodynamic responses to isoproterenol and surgical stress and 637

blood flow

myocardial, isoflurane effects on 1073

calcium channel blockers and,

nifedipine, propranolol hemodynamic depression effects on 1096

cardiac output

electroconvulsive therapy and 1193

congenital disease

pancuronium neuromuscular blockade in 788

contractility

halothane, enflurane and isoflurane effects on 23

isoflurane and halothane effects on 29

midazolam effects on 711

coronary stenosis

isoflurane, halothane margin of safety and 485

echocardiography 249

liver transplantation and (abstract) S104

electrocardiogram

long QT syndrome 357

ST-segment, elevation, myocardial reperfusion during coronary artery surgery and 1183

esmolol

left ventricular function (abstract) S88

function

transesophageal color flow mapping

and 386

idiopathic hypertrophic subaortic

stenosis

epidural anesthesia in, bradycardia

following (letter) 1337

ischemia

spinal anesthesia effects on (letter) 582

metabolism

electric countershock (abstract) S113

mitral valve prolapse

cesarean section under epidural

analgesia and 902

myocardial function

$\beta$ -adrenergic blockade, 137, 607

Erratum 141, 484

halothane effects on 1240

nifedipine effects on, propranolol and 1096

oxygenation

selection coronary hemodilution

(abstract) S34

patent ductus arteriosus (letter) 1055

pulse rate

midazolam effects on 711

monitor, for epidural test doses

(letter) 1203

narcotics effects on 166

shunts

detection of (letter) 1055

transplantation

nitroprusside vs nitroglycerin

(abstract) S36

pulmonary hypertension (abstract) S37

ventricular function

PEEP effect on (abstract) S12

**Hemodilution**, see Blood

**Hepatitis**, see Liver

**Hepatotoxicity**, see Liver

**Heroin**, see Analgesics

**High frequency ventilation**, see

Ventilation

### Histamine

cimetidine

midazolam interaction with (letter) 1196

release

by muscle relaxants (abstract) S82

narcotics and 723

### History

first obstetrical anesthesia (letter) 368

tracheal intubation (letter) 1198

**Holoprosencephaly**, see Complications

### Hormones

growth

levels, changes during neurosurgery 746

**Hydromorphone**, see Analgesics

**Hypertension**, see Blood pressure

### Hyperthermia

malignant

cytoplasmic calcium increase in 381

dantrolene for 269

dantrolene for, prophylactic (abstract) S35

diagnosis of 1004

halothane and (abstract) S162

in three-month old infant 1043

### Hypnotics

benzodiazepine

antagonist, cerebral blood flow effects of 309

diazepam, posttraumatic stress reaction and 666

flunitrazepam, sedation, aminophylline reversal of 333

midazolam, amnesia hazards with (letter) 97

midazolam, cimetidine interaction with (letter) 1196

midazolam, heart rate and contractility effects of 711

midazolam, induction in children by 625

midazolam, morphine analgesia effects of 944

midazolam, sufentanil interaction with, hypotension and (letter) 693

triazolam, premedication (abstract) S57, S165

### Hypocapnia

Acid-base equilibrium, alkalosis

respiratory

Carbon dioxide

### Hypocarbica

Acid-base equilibrium, alkalosis,

respiratory

Carbon dioxide

### Hypotension

Anesthetic techniques, hypotensive

Blood pressure

Position

### Hypoxia

cerebral

thiopental effects on survival, nitrous oxide and 47

dopamine and ventilation effects 619

succinylcholine-induced arrhythmias in 1292

### Immune response

antibodies

formation, halothane-induced 1209

HLA-specific antibodies against

leukocytes, during one-lung

ventilation 463

suppression

cyclosporine 703

### Induction

anesthesia

anesthesia mask fit, in edentulous patients (letter) 1053

halothane, isoflurane comparison with 766

isoflurane, halothane comparison with 766

**Induction—continued**

- midazolam, for cesarean section,
- thiopental comparison with 1165
- midazolam, in children 625
- preoxygenation techniques 468
- propofol, nitrous oxide and 64
- thiopental 1024
- thiopental, for cesarean section,
- midazolam comparison with 1165

**Infection**

- bacteremia
  - as complications of nasotracheal
  - intubation 460
- herpes simplex
- epidural morphine and 1321

**Infusion systems, see Equipment**

**Intensive care**

- oxygenation
- pulse oximeters (letter) 1346
- pediatric
- ventilation in, high frequency 814

**Interactions, drug**

- cyclosporine and anesthetics 703
- midazolam and sufentanil (letter) 693

**Internal jugular vein, see Veins**

**Intracranial pressure, see Brain**

**Intraocular pressure, see Eye**

**Intravenous anesthesia, see**

- Anesthetic techniques
- Anesthetics

**Intravenous regional anesthesia, see**

- Anesthetic techniques, intravenous
- Anesthetic techniques, regional

**Intubation**

- esophageal (letter) 481
- tracheal (letter), 481, 482, 483
  - adrenergic response (abstract) 523
  - anterior fontanel pressure changes
  - and, in preterm neonates 874
  - anterior fontanel response (abstract) 5169
  - blind (letter) 283
  - blood loss (abstract) 5120
  - endotracheal tube cuff inflation and (letter) 917
  - history (letter) 1198
  - lidocaine injection time and 1036
  - nasal (abstract) 5120
  - nasal, bacteremia as complication of 460
  - new airway (abstract) 5132
  - semantics (letter) 1050
  - pediatric, training of endotracheal tubes (letter) 920
  - temporomandibular joint and 675

**Ions**

- calcium
  - increase in, from malignant
  - hyperthermia 381
- calcium channel blockers
  - calcium chloride administration and,
  - isoflurane, enflurane and halothane
  - hemodynamic depression and
  - effects on 1096

**magnesium**

- epidural injection, accidental 1020

**Isoflurane, see Anesthetics, volatile**

**Jugular veins, see Veins**

**Ketamine, see Anesthetics, intravenous**

**Ketanserin, see**

- Pharmacology
- Serotonin

**Kidney**

- failure
  - chronic, alfentanil pharmacokinetics
  - in 53
  - dialysis, cardiopulmonary bypass
  - surgery and 899
- nephrotoxicity
- I-653, halothane and isoflurane
- comparisons in 1227

**Labor, see Anesthesia, obstetric**

**Laudolisin, see Neuromuscular**

- relaxants, atracurium

**Lidocaine, see Anesthetics, local**

**Lithotripsy, see Surgery, urologic**

**Liver**

- bile ducts
  - meperidine effects on 1282
  - morphine effects on, 245
- blood flow
  - portal triad clamping effects on 864
  - surgical stress and, halothane,
  - isoflurane and fentanyl effects on 936
- cirrhosis
  - morphine pharmacokinetics in 293
- hepatitis
  - halogenated anesthetic associated (letter) 804
- halothane and 299
- hepatotoxicity
  - halothane, enflurane and 222
  - halothane-induced, in hepatitis 1209
  - I-653, halothane and isoflurane
  - comparison in, 1227
  - sevoflurane, halothane and isoflurane
  - comparison with 769
- isoflurane effects on 147
- oxygenation, surgical stress and,
- halothane, isoflurane and fentanyl
- effects on 936
- transplantation
  - glucose metabolism during 76
  - ketamine anesthesia in 1204
  - physiologic considerations (abstract) 5137
  - reperfusion coagulopathy (abstract) 510
  - transfusion techniques (abstract) 550

**Local anesthetics, see Anesthetics, local**

**Longfellow, Fanny, see Anesthesia,**

- obstetric, history

**Lung**

- aspiration (letter) 199
- asthma
  - isoflurane and enflurane treatment
  - 193

**bronchial ventilation**

- atelectasis, refractory 1014
- chronic obstructive pulmonary disease
- incidence of (abstract) 5188
- edema
  - hypertonic saline and 154
- pneumothorax 577
- secretions
- removal of 529

**MAC, see Potency, anesthetic**

**Magnesium, see Ions**

**Malignant hyperthermia, see**

- Hyperthermia

**Mastocytosis, see Complications**

**Measurement techniques**

- blood-gas tension
  - A-V fistula cannulation and (letter) 919
- blood pressure
  - Doppler and pulse oximetry
  - comparisons in 1018
- carbon dioxide
  - capnograms 185
- echocardiography 249
- liver transplantation (abstract) 5104
- electromyography
  - lower intercostal and abdominal
  - muscle, upper abdominal surgery
  - effects on 852
- gastric emptying
  - in obstetric patient 505
- oxygen saturation 373
- transesophageal color flow mapping 386
- ultrasound
  - Doppler, aortic blood flow (abstract) 547
  - internal jugular vein and carotid
  - artery 452

**Medicolegal**

- approved drugs (letter) 370

**Memory**

- cesarean section and (letter) 802

**Meperidine, see Analgesics**

**Mepivacaine, see Anesthetics, local**

**Metabolism**

- diabetes mellitus and 23
- glucose
  - during liver transplantation 76
- hypothermia and 203

**Methohexital, see Anesthetics,**

- intravenous

**Methoxyflurane, see Anesthetics, volatile**

**Midazolam, see Hypnotics,**

- benzodiazepines

**Monitoring**

- breath sounds
  - breathing-circuit-stethoscope for (letter) 1057
- cardiovascular
  - cost-benefit analysis (abstract) 5138
- electrocardiogram
- obstetrical (letter) 695
- electromyography
- train-of-four 633

- jugular cannulation 452
- neurologic
  - wake-up test 1039
- oxygen
  - in nonbreathing system (letter) 1049
- pulse rate
  - for epidural test doses (letter) 1203
- temperature
  - esophageal 1046
- Monitors**
  - pulse oximetry
    - infrared heating lamp interference with, prevention of 915
- Morphine**, see Analgesics
- Muscle**
  - abdominal and lower intercostal activity, upper abdominal surgery effects on 852
  - oxygen consumption
    - lidocaine, succinylcholine effects on 325
  - skeletal
    - diaphragm, paralysis, vecuronium and (letter) 1342, 1342
- Myocardial ischemia**
  - heart block
    - verapamil and 560
  - pacemakers
    - verapamil and 560
  - ventricular fibrillation
    - verapamil and 560
- Myocardial preservation**
  - cardioplegia
    - calcium channel blockers and, verapamil 560
- Myoclonus**, see Complications
- Myotonic dystrophy**, see Complications
- Nalbuphine**, see Analgesics
- Naloxone**, see Antagonists, narcotic
- Narcotics**, see
  - Analgesics
  - Anesthetics, intravenous
- Natriuretic hormone**, see Polypeptides
- Nausea**, see Vomiting
- Neonates**, see
  - Anesthesia, obstetric
  - Anesthesia, pediatric
- Neostigmine**, see
  - Antagonists, neuromuscular relaxants
  - Neuromuscular relaxants
- Nerve**
  - differential sensitivity
    - to lidocaine equilibrium conduction block 948
  - fentanyl effects
    - on peripheral nerves 1272
  - sufentanil effects
    - on peripheral nerves 1272
    - ulnar palsy (letter) 1343
- Neuromuscular junction**
  - function
    - muscarine receptors and 492
- Neuromuscular relaxants**
  - alcuronium
    - plasma catecholamine concentration effects of 314
  - atracurium
    - cardiovascular responses vs vecuronium (abstract) S32
    - CNS stimulation and (abstract) S52
    - extraocular muscle function and (abstract) S164
    - inactivation pathways (abstract) S129
    - priming doses (letter) 1344, 1344
    - priming doses, optimal (abstract) S67
    - priming doses, train-of-four fade pattern effects of 427
    - priming with 329
    - toxicity, potentiation of 512
    - train-of-four and single twitch response (abstract) S38
    - vecuronium neuromuscular blockade (abstract) S167
  - BW A938U, isoflurane anesthesia with (abstract) S126
  - d*-tubocurarine
    - pretreatment with (abstract) S173
    - succinylcholine-induced fasciculation and postoperative pain and 756
    - tetanic fade induced by, reversal, by atropine 492
  - dantrolene
    - uterine atrophy and 269
  - histamine release (abstract) S82
  - laudanose
    - effect with nitrous oxide on halothane MAC (abstract) S52
  - pancuronium
    - neuromuscular blockade with, in pediatric patients with congenital heart defects 788
    - reversal of, incomplete, by neostigmine, pyridostigmine, edrophonium 594
  - pipecuronium
    - enflurane anesthesia (abstract) S128
  - succinylcholine
    - arrhythmias induced by, in hypoxia and hypercarbia 1292
    - cimetidine effects on 191
    - cyclophosphamide treatment and 351
    - decreased plasma cholinesterase activity and (letter) 1051
    - fasciculations and postoperative pain induced by *d*-tubocurarine and 756
    - hydrolysis, pseudocholinesterase and (letter) 921
    - muscle oxygen consumption effects of, lidocaine and 325
    - myalgia, atracurium, *d*-tubocurarine prevention of 657
    - pediatric, reevaluation of 1190
    - pharmacokinetics (letter) 1346
    - plasma catecholamine concentration effects of 314
    - postoperative pain (abstract) S163
    - train-of-four and single twitch responses (abstract) S38
  - vecuronium
    - atracurium neuromuscular blockade (abstract) S167
    - cardiovascular response, vs atracurium (abstract) S32
    - comparison with BW B1090U (abstract) S6
    - extraocular muscle function and (abstract) S164
    - hepatocellular disease and (abstract) S3
    - neuromuscular blockade in burn patients (abstract) S119
    - neuromuscular blocking effect on diaphragm 117
    - paralysis with, diaphragmatic and hand (letter) 1342
    - paralysis with, neuromuscular, prolonged 188
    - renal transplantation (abstract) S68
    - sensitivity-adjusted priming (abstract) S26
    - single twitch depression and train-of-four relationship and 633
- Neurosurgery**, see
  - Anesthesia
  - Surgery
- Nifedipine**, see
  - Heart
  - Pharmacology
- Nitroglycerin**, see
  - Anesthetic techniques, hypotensive
- Nitroprusside**, see
  - Anesthetic techniques, hypotensive
  - Pharmacology
- Nitrous oxide**, see
  - Anesthetics, gases
- Norepinephrine**, see Sympathetic nervous system
- Nuclear magnetic resonance**, see
  - Equipment
  - Measurement techniques
- Obesity**, see Complications
- Obstetrics**, see Anesthesia, obstetric
- Opioids**, see Analgesics
- Organizations**
  - Jehovah's Witnesses
    - epidural blood patch in (letter) 1052
- Orthopedics**, see Anesthesia, orthopedic
- Outpatient anesthesia**, see Anesthesia
- Oxygen**
  - administration
    - comparison of delivery systems (abstract) S153
  - blood levels
    - anesthesia induction and 468
  - monitoring
    - in nonbreathing system (letter) 1049
  - preoxygenation
    - face mask fit and (abstract) S102
    - pulmonary function and (abstract) S102
    - time and (abstract) S102

**Oxygen**—continued

## saturation

- arterial (letter) 1346
- pediatric anesthesia and 181

## tension

- low, false, A-V fistula cannulation and (letter) 919

**Oxygenation**

- preoxygenation
- obstetric (letter) 1341

**Oxymorphone**, see Analgesics**Pain**

## cancer

- epidural narcotics for 777
- Kirschner wire and (letter) 920

## causalgia

- ketanserin and guanethidine treatment 575

## chronic

- epidural narcotics for 780
- morphine peripheral perineural injection for 417

## cutaneous

- local anesthetics causing 1180

## postoperative

- abdominal hysterectomy, epidural morphine effects on, age and 1215
- adolescents (abstract) 522
- analgesics for, comparison of (abstract) 556
- bupivacaine and morphine for, in children, comparisons of 647
- buprenorphine and meperidine for 142
- cesarean section, butorphanol and morphine effects on 887
- ketamine for, epidural (letter) 1340
- lidocaine plus calcitonin for 615
- local anesthetic epidural infusion for, systemic narcotic administration comparison with 401
- methadone measurement and 1308
- morphine for, epidural 999
- morphine for, epidural vs patient-controlled (abstract) 5143
- morphine and naloxone for (abstract) 572
- narcotic control of, epidural, in obstructive sleep apnea 280
- obstetric (abstract) 5112
- postcholecystectomy, in cystic fibrosis, bupivacaine relief by, 1187
- sufentanil for, epidural (abstract) 545
- sufentanil for, epidural 999
- thoracotomy, epidural hydromorphone effects on 1331
- skin infiltration:
  - sodium bicarbonate attenuation, with lidocaine 572
- threshold
  - bupivacaine and 629
- tourniquet 1033
- relief, with epidural fentanyl (abstract) 5161

**Pancuronium**, see Neuromuscular relaxants**Parasympathetic nervous system**

## atropine

- reversal of tetanic fade induced by antinicotinic and anticholinesterase agents by 492

**Patch**

- epidural, see Anesthetic techniques, epidural

**Pediatrics**, see Anesthesia, pediatric**PEEP**, see Ventilation, positive end-expiratory pressure**Peptides**, see Polypeptides**Peridural**, see Anesthetic techniques, epidural**pH**, see

- Anesthetics, local
- Acid-base equilibrium
- Gastrointestinal tract, stomach

**Pharmacodynamics**

## sufentanil

- in infants and children 203

**Pharmacokinetics**

## alfentanil

- in chronic renal failure 53

## bupivacaine

- age effects on 589, 965
- epinephrine effects on 1104

## cimetidine (letter) 1346

## inhaled anesthetics

- duration of administration effects on 1

## lidocaine

- age effects on 843
- epinephrine effects on 1104

## morphine 293

## propofol

- constant rate intravenous infusion and 1256

## succinylcholine (letter) 1346

## sufentanil

- pediatric 203, 1067

**Pharmacology**

## amantadine (letter) 1616

## aminophylline 333

## amrinone 215

- cardiac depression (abstract) 5110

## calcitonin 615

## calcium channel blockers 1096

## cimetidine 191

## cimetidine (letter) 1346

## diltiazem

- reversal of hemodynamic effects (abstract) 5141

## dopamine 565

## fluorescein (letter) 283

## guanfacine

- antinociceptive effects and spinal cord concentrations 317

## metoclopramide 274

## nifedipine (abstract) 5111, 5166

- propranolol and 1096

## nitroprusside

- age-related 132

## propranolol

- nifedipine and 1096

## serotonin

## ketanserin 575

- ketanserin, during cardiopulmonary bypass 1151

## verapamil (abstract) 5111, 5166

- fentanyl effect on (abstract) 580
- pharmacologic interaction with lidocaine (abstract) 525

**Pheochromocytoma**, see Surgery**Physics**

## osmolality

- of commercially supplied drugs 361

**Physostigmine**, see Antagonists, miscellaneous**Pipecuronium**, see Neuromuscular relaxants**Plasma**, see Blood**Pneumoperitoneum**, see Complications**Pneumothorax**, see

## Complications

## Lung

**Polyethylene glycol**, see Toxicity**Polypeptides**

## atrial natriuretic factor

- cardiac function (abstract) 5114

## endorphins

- plasma levels (abstract) 5144

**Positive end-expiratory pressure**, see

## Ventilation

**Potency, anesthetic**

## I-653 974

## MAC

- halothane, U-50488H effects on 391

**Pregnancy**, see Anesthesia, obstetric

## complications 18

## pseudocholinesterase

- preeclampsia (abstract) 591

**Premedication**

## atropine 492

## diazepam (abstract) 57

- vs triazolam (abstract) 5165

## metoclopramide

- acid aspiration pneumonitis and (letter) 1202

## pediatric heart disease (abstract) 5168

## ranitidine

- acid aspiration pneumonitis and (letter) 1202

## triazolam

- vs diazepam (abstract) 5165

- effectiveness (abstract) 57

**Preoxygenation**, see Oxygen**Priapism**, see Complications**Propofol**, see Anesthetics, intravenous**Propranolol**, see

## Heart

## Pharmacology

**Protamine**, see Blood, coagulation**Pseudocholinesterase**, see Cholinesterase

## under

## Biotransformation, drug

## Enzymes

## Genetic factors

**Psychologic responses**

## confusion



- postoperative, in elderly patients with femoral neck fractures 497
- delirium
- postoperative, in elderly patients with femoral neck fractures 497
- Pulse rate**, see Heart
- Pulse oximetry, see Measurement techniques, oximetry
- Pumps**, see Equipment
- Pupil**, see Eye
- Pyridostigmine**, see Antagonists, neuromuscular
- Recall**, see Memory
- Records**
- anesthesia, accuracy (abstract) S107
- Recovery**
- confusion
- spinal vs general anesthesia, in elderly (abstract) S30
- in elderly patients with femoral neck fractures 497
- delirium
- in elderly patients with femoral neck fractures 497
- halothane 977
- I-653 977
- isoflurane 977
- oxygen saturation 181
- sevoflurane 977
- Reflexes**
- baroreceptors
- propofol effect on 1115
- mesenteric
- effect of prostacyclin (abstract) S154
- Relaxants**, see Neuromuscular relaxants
- Respiration**, see Ventilation
- Serotonin (5-hydroxytryptamine)**
- kentanserin
- blood pressure and platelet effect of, during cardiopulmonary bypass 1151
- Sevoflurane**, see Anesthetics, volatile
- Shock**
- septic
- dopamine, comparison with dobutamine 565
- intraosseous infusions and 687
- treatment
- hypertonic saline and 154
- Shivering**, see Complications
- Skin**
- infiltration
- pain, sodium bicarbonate attenuation, with lidocaine 572
- tactile threshold
- sympathetic blockade effects on 1251
- Sleep**
- apnea 280
- Soda lime**, see Carbon dioxide, absorption
- Solubility**
- partition coefficients
- bupivacaine and lidocaine, acidosis influence on 925
- I-653 971
- sevoflurane 654
- Somatosensory evoked responses**, see Brain, evoked potentials
- Monitoring, evoked potentials
- Spinal anesthesia**, see Anesthetic techniques, spinal
- Spinal cord**
- blood flow
- during spinal anesthesia, tetracaine, epinephrine, acute blood loss, and hypercapnia effects on 599
- clonidine, guanfacine effects on 317
- ischemia
- neurologic deficit and (abstract) S43
- metabolism
- glucose, epidural morphine effects on 1175
- Statistics** (letter) 367, 368
- Stomach**, see Gastrointestinal tract
- Subarachnoid block**, see Anesthetic techniques, spinal
- Succinylcholine**, see Neuromuscular relaxants
- Sufentanil**, see Analgesics
- Anesthetics, intravenous
- Surgery**
- abdominal
- postoperative lung volume and 852
- cardiovascular
- cardiopulmonary bypass, cerebral autoregulation and flow/metabolism coupling during,  $\text{PaCO}_2$  effect on 825
- cardiopulmonary bypass, kentanserin effect on blood pressure and platelets during 1151
- cardiopulmonary bypass, coronary artery bypass graft, verapamil pretreatment effects on 560
- hepatic
- portal triad clamping and, hemodynamic effects 864
- maxillofacial
- pericardial and subcutaneous air and (letter) 921
- neurologic
- hypotension and (letter) 1200
- serum glucose and serum growth hormone level changes during 746
- sitting position, active lung inflation after venous air embolism and 1127
- sitting position, embolized air collection in superior vena cava and 1135
- spinal decompression, for metastatic disease 894
- thoracic
- respiration during, spontaneous, mediastinal mass and 904
- urologic
- lithotripsy 262
- lithotripsy, extracorporeal shock wave 85
- pheochromocytoma, resection during pregnancy 478
- vascular
- carotid endarterectomy, internal jugular vein landmarks for location effects of 452
- Sympathetic nervous system**
- adrenergic blockade
- hemodynamic responses to isoproterenol and surgical stress and 637
- alpha adrenoreceptor agonist, clonidine, guanfacine, antinociceptive and spinal cord tissue concentration and 317
- beta-adrenergic antagonists
- esmolol and 137; Erratum 141, 484
- catecholamines
- accuronium and succinylcholine effects on 314
- release, midazolam effects on 711
- dobutamine
- effects on 565
- dopamine
- effects on 565
- effects on, ventilatory 619
- epinephrine
- bupivacaine spinal anesthesia in elderly effects of 882
- diacetylmorphine absorption and 1051
- pharmacology
- dobutamine (abstract) S152
- dopamine (abstract) S17
- dopamine, dobutamine and 209
- esmolol (abstract) S88
- maternal hypotension (abstract) S73
- tactile sensitivity
- sympathetic blockade effects on 1251
- Temperature**
- core, changes with anesthesia (abstract) S156
- esophageal, heart and lung sounds relationship to 1046
- IV fluids (letter) 286
- Thiopental**, see Anesthetics, intravenous
- Thromboxane, see Hormones
- Tourniquets**, see Equipment
- Pain
- Toxicity**
- bisulfite 719
- chloroprocaine
- on neuroblastoma cells 954
- 2-chloroprocaine 719
- halothane
- in enzyme-induced hypoxic rats 1227
- hepatic
- halogenated anesthetic associated (letter) 804
- I-653
- in enzyme-induced hypoxic rats 1227
- indigo carmine (letter) 1049

- Toxicity**—*continued*  
 isoflurane  
   in enzyme-induced hypoxic rats 1227  
 lidocaine and bupivacaine  
   acidosis and 925  
 polyethylene glucol 553  
 sevoflurane  
   isoflurane and halothane compared  
     with 769
- Trachea**, see Lung
- Transesophageal color flow mapping**, see  
 Measurement techniques
- Transfusion**  
 autotransfusion  
   apparatus use during cardiac surgery  
     (abstract) 555  
 intraosseous  
   pediatric, 687
- Transplantation**, see Individual organ
- Triazepam**, see  
 Hypnotics, benzodiazepines  
 Premedication
- Triazolam**, see  
 Hypnotics, benzodiazepines  
 Premedication
- Trimethaphan**, see  
 Anesthetic techniques, hypotensive
- Tubes**, *endotracheal*, see Equipment
- Tubocurarine**, see Neuromuscular  
 relaxants, *d*-tubocurarine
- Tunneling devices**, subcutaneous, see  
 Equipment
- Twins**, see  
 Anesthesia, obstetric  
 Anesthesia, pediatric
- U-50488H**, see Analgesics
- Ulnar nerve palsy**, see Nerve
- Ultrasound**, see Measurement techniques
- Urine**, see Kidney
- Urology**, see Surgery
- Urticaria**, see Complications
- Uterus**, see  
 Anesthesia, gynecologic  
 Anesthesia, obstetric
- Vaporizer**, see Equipment
- Vasopressors**, see Sympathetic nervous  
 system, pharmacology
- Vecuronium**, see Neuromuscular  
 relaxants
- Veins**  
 jugular  
   cannulation (letter) 370  
   internal, ability to locate (abstract) S84  
   internal, cannulation (abstract) S124  
   internal, cannulation 452  
 subclavian  
   cannulation (letter) S1614
- Ventilation**  
 analgesics and  
   nalbuphine and butorphanol 879  
 apnea  
   sleep and 280  
 carbon dioxide gradient 690  
 carbon dioxide response  
   fentanyl effects on 707  
   fentanyl effects on, butorphanol  
     improvement of 517  
 dopamine effects on 619  
 dysfunction  
   by HLA-specific antibodies against  
     leukocytes, during one-lung  
     anesthesia 463  
 endobronchial  
   atelectasis management by 1014
- high frequency (letter) 585, 586  
 congenital lobal emphysema resection  
   with 684  
 conventional mechanical ventilation  
   comparison to, in bronchopleural  
     fistula 833  
 isocapnia maintenance at, tidal  
   volumes required for 523  
 jet 262  
 one-lung, emergency 471  
 respiratory failure and, in premature  
   infant 814  
 intermittent positive pressure breathing,  
   high frequency ventilation  
   comparison with, in bronchopleural  
     fistula 833  
 mechanical  
   measurement, in pediatric patients  
     959  
 positive end expiratory pressure 347  
 diaphragmatic lengths (abstract) S71  
 sevoflurane effects on 241  
 sighing  
   arterial oxygenation effects of,  
     isoflurane anesthesia and 839  
 transtracheal  
   upper airway obstruction (abstract)  
     S70  
 work of breathing (letters) 285, 801
- Verapamil**, see  
 Heart  
 Pharmacology
- Vomiting**  
 postoperative  
   isoflurane and, nitrous oxide effects  
     on 761
- Wakefulness**, see Memory

